



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40611004-001
Harvest/Lot ID: 0001 3428 6437 6749
Batch#: 0001 3428 6437 6749
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale#: 0001 3428 6437 9020
Batch Date: 06/05/24
Sample Size Received: 533 gram
Total Amount: 2576 units
Retail Product Size: 42.5684 gram
Retail Serving Size: 4.1 gram
Servings: 10
Ordered: 06/10/24
Sampled: 06/11/24
Completed: 06/13/24
Sampling Method: SOP.T.20.010

Jun 13, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC

0.247%

Total THC/Container : 105.144 mg



Total CBD

0.240%

Total CBD/Container : 102.164 mg



Total Cannabinoids

0.487%

Total Cannabinoids/Container : 207.308 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|-------|--------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 0.247 | ND | 0.240 | ND | ND | ND | ND | ND | ND | ND | ND |
| mg/unit | 105.14 | ND | 102.16 | ND | ND | ND | ND | ND | ND | ND | ND |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | | | | | | | | | | | |

Analyzed by:
3335, 1665, 585, 1440

Weight:
3.0816g

Extraction date:
06/11/24 12:56:27

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA073835POT
Instrument Used : DA-LC-007
Analyzed Date : 06/11/24 13:06:37

Reviewed On : 06/12/24 09:48:27
Batch Date : 06/11/24 10:05:59

Dilution : 40
Reagent : 052924.R01; 060723.24; 060724.R01
Consumables : 947.109; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/13/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Sunnyside Chews 200mg 10pk Peach 1:1

Peach

Matrix : Edible

Type: Soft Chew



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40611004-001

Harvest/Lot ID: 0001 3428 6437 6749

Batch# : 0001 3428 6437
6749

Sampled : 06/11/24

Ordered : 06/11/24

Sample Size Received : 533 gram

Total Amount : 2576 units

Completed : 06/13/24 Expires: 06/13/25

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|-----------------|------------------------------------|--------------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 30 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 3 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.2 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 1 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 3 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.4 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 3 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.3 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 3 | PASS | ND | PYRIDABEN | 0.010 | ppm | 3 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 2 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 3 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 3 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 3 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 3 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 3 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.5 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 1 | PASS | ND |
| BOSCALID | 0.010 | ppm | 3 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 3 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | PPM | 0.2 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 3 | PASS | ND | CAPTAN * | 0.070 | PPM | 3 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 3 | PASS | ND | CHLORDANE * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.5 | PASS | ND | CYFLUTHRIN * | 0.050 | PPM | 1 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | PPM | 1 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 3 | PASS | ND | Analyzed by: 3379, 585, 1440 | Weight: 1.0527g | Extraction date: 06/11/24 17:13:46 | Extracted by: 3379 | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) | | | | | |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA073850PES | | Reviewed On : 06/12/24 11:12:13 | | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-003 (PES) | | Batch Date : 06/11/24 11:22:46 | | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : N/A | | | | | |
| ETOXAZOLE | 0.010 | ppm | 1.5 | PASS | ND | Dilution : 250 | | | | | |
| FENHEXAMID | 0.010 | ppm | 3 | PASS | ND | Reagent : 060524.R07; 040423.08 | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 326250IW | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 2 | PASS | ND | Pipette : N/A | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| FLONICAMID | 0.010 | ppm | 2 | PASS | ND | Analyzed by: 450, 585, 1440 | Weight: 1.0527g | Extraction date: 06/11/24 17:13:46 | Extracted by: 3379 | | |
| FLUDIOXONIL | 0.010 | ppm | 3 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 2 | PASS | ND | Analytical Batch : DA073852VOL | | Reviewed On : 06/12/24 11:08:55 | | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-GCMS-010 | | Batch Date : 06/11/24 11:24:42 | | | |
| IMIDACLOPRID | 0.010 | ppm | 1 | PASS | ND | Analyzed Date : 06/11/24 17:51:01 | | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 1 | PASS | ND | Dilution : 250 | | | | | |
| MALATHION | 0.010 | ppm | 2 | PASS | ND | Reagent : 060524.R07; 040423.08; 060324.R01; 060324.R02 | | | | | |
| METALAXYL | 0.010 | ppm | 3 | PASS | ND | Consumables : 326250IW; 14725401 | | | | | |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 3 | PASS | ND | | | | | | |
| NALED | 0.010 | ppm | 0.5 | PASS | ND | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/13/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Sunnyside Chews 200mg 10pk Peach 1:1

Peach

Matrix : Edible

Type: Soft Chew



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40611004-001

Harvest/Lot ID: 0001 3428 6437 6749

Batch# : 0001 3428 6437
6749

Sampled : 06/11/24

Ordered : 06/11/24

Sample Size Received : 533 gram

Total Amount : 2576 units

Completed : 06/13/24 Expires: 06/13/25

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| ETHANOL | 500.000 | ppm | | TESTED | ND |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |

Analyzed by:
850, 585, 1440

Weight:
0.0264g

Extraction date:
06/12/24 17:34:25

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA073877SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 06/12/24 17:26:07

Reviewed On : 06/13/24 07:50:52
Batch Date : 06/11/24 14:48:26

Dilution : 1
Reagent : N/A
Consumables : N/A
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/13/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Sunnyside Chews 200mg 10pk Peach 1:1
Peach
Matrix : Edible
Type: Soft Chew



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40611004-001

Harvest/Lot ID: 0001 3428 6437 6749

Batch# : 0001 3428 6437
6749

Sampled : 06/11/24
Ordered : 06/11/24


Sample Size Received : 533 gram


Total Amount : 2576 units


Completed : 06/13/24 Expires: 06/13/25

Sample Method : SOP.T.20.010

Page 4 of 5

| | | | | | |
|--|-----------|--------|-------------|---------------------------------|--------------|
|  | Microbial | PASSED | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | |
| ECOLI SHIGELLA | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA073831MIC | | | | Reviewed On : 06/13/24 12:00:19 | |
| Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 | | | | Batch Date : 06/11/24 09:38:08 | |
| Analysis Date : N/A | | | | | |
| Dilution : N/A | | | | | |
| Reagent : 052024.23; 052024.27; 060524.R52; 030724.38 | | | | | |
| Consumables : 7573002050 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA073832TYM | | | | Reviewed On : 06/13/24 18:28:48 | |
| Instrument Used : Incubator (42°C) DA- 328 | | | | Batch Date : 06/11/24 09:43:28 | |
| Analysis Date : 06/11/24 17:19:24 | | | | | |
| Dilution : N/A | | | | | |
| Reagent : 052024.23; 052024.27; 060524.R52 | | | | | |
| Consumables : N/A | | | | | |
| Pipette : N/A | | | | | |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | |

| | | | | | |
|---|------------|--------|--------|---------------------------------|--------------|
|  | Mycotoxins | PASSED | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 |
| Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) | | | | | |
| Analytical Batch : DA073851MYC | | | | Reviewed On : 06/12/24 09:46:09 | |
| Instrument Used : N/A | | | | Batch Date : 06/11/24 11:24:17 | |
| Analysis Date : N/A | | | | | |
| Dilution : 250 | | | | | |
| Reagent : 060524.R07; 040423.08 | | | | | |
| Consumables : 326250IW | | | | | |
| Pipette : N/A | | | | | |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

| | | | | | |
|---|--------------|--------|--------|---------------------------------|--------------|
|  | Heavy Metals | PASSED | | | |
| Metal | LOD | Units | Result | Pass / Fail | Action Level |
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 5 |
| ARSENIC | 0.020 | ppm | ND | PASS | 1.5 |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.5 |
| MERCURY | 0.020 | ppm | ND | PASS | 3 |
| LEAD | 0.020 | ppm | ND | PASS | 0.5 |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL | | | | | |
| Analytical Batch : DA073848HEA | | | | Reviewed On : 06/12/24 10:57:49 | |
| Instrument Used : DA-ICPMS-004 | | | | Batch Date : 06/11/24 10:52:09 | |
| Analysis Date : 06/12/24 10:41:53 | | | | | |
| Dilution : 50 | | | | | |
| Reagent : 052924.R44; 061024.R07; 061024.R04; 061024.R05; 061024.R06; 030424.01; 060524.R41 | | | | | |
| Consumables : 179436; 120423CH01; 210508058 | | | | | |
| Pipette : DA-061; DA-191; DA-216 | | | | | |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/13/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Sunnyside Chews 200mg 10pk Peach 1:1

Peach

Matrix : Edible

Type: Soft Chew



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40611004-001

Harvest/Lot ID: 0001 3428 6437 6749

Batch# : 0001 3428 6437
6749

Sampled : 06/11/24

Ordered : 06/11/24

Sample Size Received : 533 gram

Total Amount : 2576 units

Completed : 06/13/24 Expires: 06/13/25

Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign
Material**

PASSED

Homogeneity

PASSED

Amount of tests conducted : 24

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 |

| Analyzed by: | Weight: | Extraction date: | Extracted by: |
|-----------------|---------|------------------|---------------|
| 1879, 585, 1440 | NA | N/A | N/A |

Analysis Method : SOP.T.40.090

Analytical Batch : DA073915FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 06/12/24 19:08:54

Reviewed On : 06/12/24 19:21:27

Batch Date : 06/12/24 18:21:34

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw | 0.622 | PASS | 0.85 |

| Analyzed by: | Weight: | Extraction date: | Extracted by: |
|-----------------------|---------|-------------------|---------------|
| 4531, 4512, 585, 1440 | 3.1132g | 06/11/24 17:20:00 | 4531 |

Analysis Method : SOP.T.40.019

Analytical Batch : DA073865WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 06/11/24 17:20:48

Reviewed On : 06/12/24 09:57:57

Batch Date : 06/11/24 12:50:41

Dilution : N/A

Reagent : 051624.01

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

| Analyte | LOD | Units | Pass/Fail | Result | Action Level |
|-------------------------------|-------|-------|-----------|--------|--------------|
| TOTAL THC - HOMOGENEITY (RSD) | 0.001 | % | PASS | 1.034 | 25 |
| TOTAL CBD - HOMOGENEITY (RSD) | 0.001 | % | PASS | 1.090 | 25 |

| Analyzed by | Average Weight | Extraction date : | Extracted By : |
|-----------------|----------------|-------------------|----------------|
| 3702, 585, 1440 | 4.325g | 06/11/24 11:42:17 | 3702 |

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA073828HOM

Instrument Used : DA-LC-001 (Homo)

Analyzed Date : N/A

Reviewed On : 06/12/24 09:02:03

Batch Date : 06/11/24 08:49:46

Dilution : 40

Reagent : 060724.R05; 071222.35; 020124.02; 060724.R01

Consumables : 947.109; LCJ0311R; 120423CH01; 1009034917; 1008994465; CE0123;

R1KB14270

Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/13/24