



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



**Sample:** DA40613010-006  
**Harvest/Lot ID:** 0001 3428 6437 7727  
**Batch#:** 0001 3428 6437 7727  
**Cultivation Facility:** FL - Indiantown (3734)  
**Processing Facility :** FL - Indiantown (3734)  
**Source Facility :** FL - Indiantown (3734)  
**Seed to Sale#** 0001 3428 6437 9255  
**Batch Date:** 06/05/24  
**Sample Size Received:** 16 gram  
**Total Amount:** 1185 units  
**Retail Product Size:** 1 gram  
**Retail Serving Size:** 1 gram  
**Servings:** 1  
**Ordered:** 06/06/24  
**Sampled:** 06/13/24  
**Completed:** 06/17/24  
**Sampling Method:** SOP.T.20.010

Jun 17, 2024 | Sunnyside

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US

# Sunnyside\*

## PASSED

Pages 1 of 6

### SAFETY RESULTS


 Pesticides  
**PASSED**

 Heavy Metals  
**PASSED**

 Microbials  
**PASSED**

 Mycotoxins  
**PASSED**

 Residuals  
 Solvents  
**PASSED**

 Filtration  
**PASSED**

 Water Activity  
**PASSED**

 Moisture  
**NOT TESTED**

 Terpenes  
**TESTED**

### MISC.



### Cannabinoid

## PASSED


**Total THC**
**92.338%**

Total THC/Container : 923.380 mg


**Total CBD**
**0.270%**

Total CBD/Container : 2.700 mg


**Total Cannabinoids**
**95.095%**

Total Cannabinoids/Container : 950.950 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	92.250	0.101	0.270	ND	ND	2.474	ND	ND	ND	ND	ND
mg/unit	922.50	1.01	2.70	ND	ND	24.74	ND	ND	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:  
 3335, 1665, 585, 1440

 Weight:  
 0.0972g

 Extraction date:  
 06/14/24 12:47:17

 Extracted by:  
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA073981POT

Instrument Used : DA-LC-003

Analyzed Date : 06/14/24 12:47:28

Reviewed On : 06/17/24 11:31:21

Batch Date : 06/14/24 09:21:42

Dilution : 400

Reagent : 052924.R01; 061024.R01; 060723.24

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

  
 Signature  
 06/17/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Vegas Cartridge 1g  
Vegas  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40613010-006

Harvest/Lot ID: 0001 3428 6437 7727

Batch# : 0001 3428 6437  
7727

Sampled : 06/13/24

Ordered : 06/13/24

Sample Size Received : 16 gram

Total Amount : 1185 units

Completed : 06/17/24 Expires: 06/17/25

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	47.25	4.725		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	15.81	1.581		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	10.85	1.085		ALPHA-CEDRENE	0.005	ND	ND	
ALPHA-HUMULENE	0.007	4.92	0.492		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	3.67	0.367		ALPHA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	2.33	0.233		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-BISABOLOL	0.007	2.02	0.202		GAMMA-TERPINENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	1.63	0.163		TRANS-NEROLIDOL	0.005	ND	ND	
ALPHA-PINENE	0.007	1.47	0.147						
ALPHA-TERPINEOL	0.007	1.33	0.133		Analyzed by:	Weight:	Extraction date:	Extracted by:	
CARYOPHYLLENE OXIDE	0.007	0.96	0.096		4451, 3605, 585, 1440	0.237g	06/14/24 13:06:52	4451	
ALPHA-TERPINOLENE	0.007	0.79	0.079						
3-CARENE	0.007	0.74	0.074		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
CAMPHENE	0.007	0.73	0.073		Analytical Batch : DA073979TER			Reviewed On : 06/17/24 11:29:19	
BORNEOL	0.013	ND	ND		Instrument Used : DA-GCMS-008			Batch Date : 06/14/24 09:10:28	
CAMPHOR	0.007	ND	ND		Analyzed Date : 06/14/24 13:07:20				
CEDROL	0.007	ND	ND		Dilution : 10				
EUCALYPTOL	0.007	ND	ND		Reagent : 022224.07				
FARNESENE	0.007	ND	ND		Consumables : 947.109; 7931220; CE0123				
FENCHONE	0.007	ND	ND		Pipette : DA-063				
GERANIOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
LINALOOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			4.725						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/17/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Vegas Cartridge 1g  
Vegas  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40613010-006

Harvest/Lot ID: 0001 3428 6437 7727

Batch# : 0001 3428 6437  
7727

Sampled : 06/13/24

Ordered : 06/13/24

Sample Size Received : 16 gram

Total Amount : 1185 units

Completed : 06/17/24 Expires: 06/17/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.2924g	Extraction date: 06/14/24 18:29:25	Extracted by: 450,585		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA073995PES		Reviewed On : 06/17/24 11:43:20			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 06/14/24 10:01:45			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 061224.R07; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.2924g	Extraction date: 06/14/24 18:29:25	Extracted by: 450,585		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA073998VOL		Reviewed On : 06/17/24 11:37:30			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 06/14/24 10:06:23			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 06/14/24 18:37:41					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 061224.R07; 040423.08; 060324.R01; 060324.R02					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/17/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Vegas Cartridge 1g  
Vegas  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crecolabs.com

Sample : DA40613010-006

Harvest/Lot ID: 0001 3428 6437 7727

Batch# : 0001 3428 6437  
7727

Sampled : 06/13/24

Ordered : 06/13/24

Sample Size Received : 16 gram

Total Amount : 1185 units

Completed : 06/17/24 Expires: 06/17/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0286g

Extraction date:  
06/17/24 12:09:39

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA074024SOL  
Instrument Used : DA-GCMS-003  
Analyzed Date : 06/17/24 12:15:14

Reviewed On : 06/17/24 14:24:26  
Batch Date : 06/14/24 14:39:04

Dilution : 1  
Reagent : 030420.09  
Consumables : 429651; 306143  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/17/24



# Certificate of Analysis



**PASSED**


Sunnyside

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: jenna.mlsna@crecolabs.com

 Sample : DA40613010-006  
 Harvest/Lot ID: 0001 3428 6437 7727  
 Batch# : 0001 3428 6437 7727  
 Sample Size Received : 16 gram  
 Total Amount : 1185 units  
 Completed : 06/17/24 Expires: 06/17/25  
 Sample Method : SOP.T.20.010  
 Ordered : 06/13/24

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>
<b>ASPERGILLUS TERREUS</b>			Not Present	<b>PASS</b>	
<b>ASPERGILLUS NIGER</b>			Not Present	<b>PASS</b>	
<b>ASPERGILLUS FUMIGATUS</b>			Not Present	<b>PASS</b>	
<b>ASPERGILLUS FLAVUS</b>			Not Present	<b>PASS</b>	
<b>SALMONELLA SPECIFIC GENE</b>			Not Present	<b>PASS</b>	
<b>ECOLI SHIGELLA</b>			Not Present	<b>PASS</b>	
<b>TOTAL YEAST AND MOLD</b>	10	CFU/g	<10	<b>PASS</b>	100000
<b>Analyzed by:</b> 3390, 4044, 585, 1440	<b>Weight:</b> 0.801g	<b>Extraction date:</b> 06/14/24 11:56:38		<b>Extracted by:</b> 4520,3390	
<b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
<b>Analytical Batch :</b> DA073971MIC					
<b>Instrument Used :</b> PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021					
<b>Analyzed Date :</b> 06/14/24 14:08:12					
<b>Dilution :</b> N/A					
<b>Reagent :</b> 060524.R52; 030724.38; 052024.17; 052024.19					
<b>Consumables :</b> 7573002028					
<b>Pipette :</b> N/A					
<b>Analyzed by:</b> 3390, 4531, 585, 1440	<b>Weight:</b> 0.801g	<b>Extraction date:</b> 06/14/24 11:56:38		<b>Extracted by:</b> 4520,3390	
<b>Analysis Method :</b> SOP.T.40.208 (Gainesville), SOP.T.40.209.FL					
<b>Analytical Batch :</b> DA073972TYM					
<b>Instrument Used :</b> Incubator (42°C) DA- 328					
<b>Analyzed Date :</b> 06/14/24 16:45:10					
<b>Dilution :</b> N/A					
<b>Reagent :</b> 060524.R52; 060524.R53					
<b>Consumables :</b> N/A					
<b>Pipette :</b> N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	Mycotoxins	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440	Weight: 0.2924g	Extraction date: 06/14/24 18:29:25		Extracted by: 450,585	
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA073997MYC		Reviewed On : 06/17/24 10:46:24			
Instrument Used : N/A		Batch Date : 06/14/24 10:06:05			
Analyzed Date : N/A					
Dilution : 250					
Reagent : 061224.R07; 040423.08					
Consumables : 326250IW					
Pipette : N/A					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

<div><div>Hg</div></div>		Heavy Metals		PASSED		
Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS		0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.265g	Extraction date: 06/14/24 14:00:30		Extracted by: 1022,4056		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						
Analytical Batch : DA074020HEA			Reviewed On : 06/17/24 09:13:08			
Instrument Used : DA-ICPMS-004			Batch Date : 06/14/24 11:06:42			
Analyzed Date : 06/14/24 18:13:17						
Dilution : 50						
Reagent : 061124.R16; 061024.R07; 061024.R04; 061024.R05; 061024.R06; 030424.01; 060524.R41						
Consumables : 179436; 120423CH01; 210508058						
Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Vegas Cartridge 1g  
Vegas  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40613010-006

Harvest/Lot ID: 0001 3428 6437 7727

Batch# : 0001 3428 6437  
7727

Sampled : 06/13/24

Ordered : 06/13/24

Sample Size Received : 16 gram

Total Amount : 1185 units

Completed : 06/17/24 Expires: 06/17/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA074026FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 06/14/24 18:02:39

Reviewed On : 06/14/24 18:13:03

Batch Date : 06/14/24 17:54:22

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.502	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.7g	Extraction date: 06/15/24 10:22:23	Extracted by: 4512
---------------------------------	-----------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA074018WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 06/15/24 10:26:33

Reviewed On : 06/17/24 09:21:18

Batch Date : 06/14/24 10:56:03

Dilution : N/A

Reagent : 051624.01

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/17/24