

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs

Good News Vegas Cartridge 500mg Vegas Matrix: Derivative



Sample:DA40613010-014

Batch Date: 06/05/24

Servings: 1 Ordered: 06/06/24 Sampled: 06/13/24 Completed: 06/17/24

PASSED

MISC.

Total Amount: 1051 units

Sampling Method: SOP.T.20.010

Pages 1 of 6

Harvest/Lot ID: 0001 3428 6437 7728

Type: Distillate


Certificate of Analysis COMPLIANCE FOR RETAIL SUNNYSIDE DA40613010-014



Sunnyside

Jun 17, 2024 | Sunnyside 22205 Sw Martin Hwv indiantown, FL, 34956, US





Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 06/17/24



..... Good News Vegas Cartridge 500mg Vegas Matrix : Derivative



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: ienna.mlsna@crescolabs.com Sample : DA40613010-014 Harvest/Lot ID: 0001 3428 6437 7728 Batch#:0001 3428 6437 7728

Sampled : 06/13/24 Ordered : 06/13/24

Sample Size Received : 15.5 gram Total Amount : 1051 units Completed : 06/17/24 Expires: 06/17/25 Sample Method : SOP.T.20.010

Page 2 of 6

Type: Distillate

Такиаанаа
lerpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)		Terpenes	LOD (%)	mg/unit	%	Result (%)	
OTAL TERPENES	0.007	27.25	5.450			SABINENE HYDRATE	0.007	ND	ND		
BETA-CARYOPHYLLENE	0.007	7.42	1.484			ALPHA-CEDRENE	0.005	ND	ND		
LIMONENE	0.007	4.98	0.995			ALPHA-PHELLANDRENE	0.007	ND	ND		
LINALOOL	0.007	2.47	0.494			ALPHA-TERPINENE	0.007	ND	ND		
ALPHA-HUMULENE	0.007	2.36	0.471			ALPHA-TERPINOLENE	0.007	ND	ND		
ALENCENE	0.007	2.01	0.402			CIS-NEROLIDOL	0.003	ND	ND		
BETA-MYRCENE	0.007	1.73	0.346			GAMMA-TERPINENE	0.007	ND	ND		
BETA-PINENE	0.007	1.10	0.220			TRANS-NEROLIDOL	0.005	ND	ND		
IEXAHYDROTHYMOL	0.007	1.05	0.209			Analyzed by:	Weight:	Extrac	tion date:		Extracted by:
ALPHA-BISABOLOL	0.007	1.03	0.206			4451, 3605, 585, 1440	0.2103g		24 13:06:54	ļ.	4451
FENCHYL ALCOHOL	0.007	0.81	0.162		1	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.0	51A.FL				
ALPHA-PINENE	0.007	0.72	0.144		1	Analytical Batch : DA073979TER Instrument Used : DA-GCMS-008				/17/24 11:29:57 4/24 09:10:28	
ALPHA-TERPINEOL	0.007	0.66	0.132		1	Analyzed Date : 06/14/24 13:07:20		Batch	Date: 00/1	4/24 03.10.28	
CARYOPHYLLENE OXIDE	0.007	0.54	0.107		1	Dilution : 10					
3-CARENE	0.007	0.39	0.078		Í	Reagent : 022224.07					
BORNEOL	0.013	ND	ND			Consumables : 947.109; 7931220; CE0123					
CAMPHENE	0.007	ND	ND			Pipette : DA-063					
CAMPHOR	0.007	ND	ND			Terpenoid testing is performed utilizing Gas Chromatog	raphy Mass Spectro	metry. For all I	Flower sample	es, the Total Terpenes % is	dry-weight corrected.
CEDROL	0.007	ND	ND								
UCALYPTOL	0.007	ND	ND								
ARNESENE	0.007	ND	ND								
ENCHONE	0.007	ND	ND								
GERANIOL	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
GUAIOL	0.007	ND	ND								
SOBORNEOL	0.007	ND	ND								
SOPULEGOL	0.007	ND	ND								
NEROL	0.007	ND	ND								
DCIMENE	0.007	ND	ND								
PULEGONE	0.007	ND	ND								
SABINENE	0.007	ND	ND								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/17/24



Type: Distillate

..... Good News Vegas Cartridge 500mg Vegas Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna mlsna@crescolabs.com Sample : DA40613010-014 Harvest/Lot ID: 0001 3428 6437 7728 Batch#:0001 3428 6437

7728 Sampled : 06/13/24 Ordered : 06/13/24

Sample Size Received : 15.5 gram Total Amount : 1051 units Completed : 06/17/24 Expires: 06/17/25 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010		0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN		ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND				0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		ppm			
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR		ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		ppm	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		ppm	0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND			ppm	0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND	TRIFLOXYSTROBIN					
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB)			0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: Weigh		ion date:		Extracted	
DIMETHOATE	0.010	ppm	0.1	PASS	ND	3379, 585, 1440 0.2583		4 18:29:28		450.585	by:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gain			SOP.T.40.101).
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA073995PES			Dn : 06/17/24 1		
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date	:06/14/24 10:	01:45	
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 061224.R07; 040423.08					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 3262501W					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed	utilizina Liauid Chror	natography Tr	iple-Ouadrupol	e Mass Spectron	metry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	5 11 1 1				. ,
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight				Extracted I	by:
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440 0.2583g		18:29:28		450,585	
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gain					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA073998VOL			06/17/24 11:3		
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-010 Analyzed Date :06/14/24 18:37:41	В	atch Date : 0	6/14/24 10:06:	23	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 061224.R07; 040423.08; 0603	24 R01 · 060324 R02	,			
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401	2				
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/17/24

PASSED

PASSED



Good News Vegas Cartridge 500mg Vegas Matrix : Derivative Type: Distillate



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: jenna.mlsna@crescolabs.com
Sample : DA40613010-014

Harvest/Lot ID: 0001 3428 6437
T28

Batch# : 0001 3428 6437
Sample

7728
Total And Control And Control

Sampled : 06/13/24 Ordered : 06/13/24 37 7728 Sample Size Received : 15.5 gram Total Amount : 1051 units Completed : 06/17/24 Expires: 06/17/25 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result		
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND		
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND		
2-PROPANOL	50.000	ppm	500	PASS	ND		
ACETONE	75.000	ppm	750	PASS	ND		
ACETONITRILE	6.000	ppm	60	PASS	ND		
BENZENE	0.100	ppm	1	PASS	ND		
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND		
CHLOROFORM	0.200	ppm	2	PASS	ND		
DICHLOROMETHANE	12.500	ppm	125	PASS	ND		
THANOL	500.000	ppm	5000	PASS	ND		
THYL ACETATE	40.000	ppm	400	PASS	ND		
THYL ETHER	50.000	ppm	500	PASS	ND		
THYLENE OXIDE	0.500	ppm	5	PASS	ND		
IEPTANE	500.000	ppm	5000	PASS	ND		
IETHANOL	25.000	ppm	250	PASS	ND		
I-HEXANE	25.000	ppm	250	PASS	ND		
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND		
ROPANE	500.000	ppm	5000	PASS	ND		
TOLUENE	15.000	ppm	150	PASS	ND		
TOTAL XYLENES	15.000	ppm	150	PASS	ND		
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND		
nalyzed by: 50, 585, 1440	Weight: 0.0228g						
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA074024SOL Instrument Used : DA-GCMS-003 Analyzed Date : 06/17/24 12:15:14			d On : 06/17/24 14:24:46 te : 06/14/24 14:39:04				
Silution 1							

Dilution : 1 Reagent : 030420.09 Consumables : 429651; 306143

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/17/24



Type: Distillate

..... Good News Vegas Cartridge 500mg Vegas Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: ienna.mlsna@crescolabs.com Sample : DA40613010-014 Harvest/Lot ID: 0001 3428 6437 7728 Batch#:0001 3428 6437

7728 Sampled : 06/13/24 Ordered : 06/13/24

Sample Size Received : 15.5 gram Total Amount : 1051 units Completed : 06/17/24 Expires: 06/17/25 Sample Method : SOP.T.20.010

Page 5 of 6

Ċ.	Micro	bial			PAS	SED	သို့	Му	/cotox	ins			PAS	SED
Analyte		LOI	D Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN	32		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER			Not Present	PASS		AFLATOXIN	31		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXI	A		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	51		0.002	ppm	ND	PASS	0.02
SALMONELL	A SPECIFIC GEN	E		Not Present	PASS		AFLATOXIN	52		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE TOTAL YEAS	ELLA T AND MOLD	10	CFU/q	Not Present <10	PASS PASS	100000	Analyzed by: 3379, 585, 144	0	Weight: 0.2583g	Extraction da 06/14/24 18			xtracted 150,585	by:
Analyzed by:		Weight:	Extraction d		Extracted				5	inesville), SOP.T				
3390, 4044, 58	35, 1440	0.8208g	06/14/24 11		4520,339				, SOP.T.40.102		.40.101.FL	Gamesv	me),	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA073971MIC Reviewed On : 06/17/24 09:14:30 09:14:30							Analytical Bate Instrument Us Analyzed Date	h:DA073		Revie	wed On : 0 Date : 06,	- 1 - 1		
Biosystems Th DA-020,fishert Isotemp Heat	ed : PathogenDX S hermocycler DA-0 brand Isotemp He Block DA-021 : 06/14/24 14:08	10,fisherbran at Block DA-(d Isotemp He	at Block 08:51	Date : 06/1 :39	.4/24	Dilution : 250 Reagent : 061 Consumables : Pipette : N/A	326250IV	V		Quadana	la Mara Ca		
Dilution : N/A Reagent : 060 Consumables : Pipette : N/A	524.R52; 030724 : 7573002028	.38; 052024.2	17; 052024.19)			accordance wit	n F.S. Rule		ography with Trip	e-Quadrupo		PAS	
Analyzed by: 3390, 4531, 58	35, 1440	Weight: 0.8208a	Extraction d 06/14/24 11		Extracted 4520,339		[Hg	ne		etais			FAJ	JLD
Analysis Metho	od : SOP.T.40.208	(Gainesville)	, SOP.T.40.20				Metal			LOD	Units	Result	Pass / Fail	Action Level
	ed : Incubator (42			h Date: 06/14/2			TOTAL CONT	AMINAN [.]	T LOAD META	LS 0.080	ppm	ND	PASS	1.1
	: 06/14/24 16:45						ARSENIC			0.020	ppm	ND	PASS	0.2
Dilution : N/A							CADMIUM			0.020	ppm	ND	PASS	0.2
	524.R52; 060524	.R53					MERCURY			0.020	ppm	ND	PASS	0.2
Consumables :	: N/A						LEAD			0.020	ppm	ND	PASS	0.5
Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						s in	Analyzed by: 1022, 585, 144	0	Weight: 0.2084g	Extraction da 06/14/24 14:			xtracted k	
							Analysis Meth Analytical Bat Instrument Us Analyzed Date	h:DA074	.30.082.FL, SOI 1020HEA PMS-004	P.T.40.082.FL Review	ed On : 06 Date : 06/1	/17/24 09:	13:17	
							Dilution: 50							

Dilution: 50 Reagent: 061124.R16; 061024.R07; 061024.R04; 061024.R05; 061024.R06; 030424.01; 060524.R41 Consumables : 179436; 120423CH01; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/17/24



..... Good News Vegas Cartridge 500mg Vegas Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna mlsna@crescolabs.com Sample : DA40613010-014 Harvest/Lot ID: 0001 3428 6437 7728 Batch#:0001 3428 6437 7728

Sampled : 06/13/24 Ordered : 06/13/24

Sample Size Received : 15.5 gram Total Amount : 1051 units Completed : 06/17/24 Expires: 06/17/25 Sample Method : SOP.T.20.010

Action Level

1

Batch Date : 06/14/24 17:54:22



Analytical Batch : DA074026FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 06/14/24 18:02:39

Dilution : N/A Reagent : N/A

Consumables : N/A Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte Water Activity	_	DD .010	Units aw	Result 0.486	P/F PASS	Action Level 0.85
Analyzed by: 4512, 585, 1440	Weight: 0.6276g		traction 6 5/15/24 10			tracted by: 512
Analysis Method : SOP Analytical Batch : DAO Instrument Used : DA-0 Analyzed Date : 06/15/	74018WAT 028 Rotronic Hyg	ropal	m	Reviewed O Batch Date		
Dilution : N/A Reagent : 051624.01						

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/17/24

PASSED

Page 6 of 6