

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Kaycha Labs**

Supply Pre-Roll Multipack 2.5g - Jkrz Cndy (S) Jokerz Candy Matrix: Flower



PASSED

MISC.

Jokerz Candy Matrix: Flower Type: Preroll Sample:DA40617004-008 t/Lot ID: 0001 3428 6438 0425

# Compliance for retail

Harvest/Lot ID: 0001 3428 6438 0425 Batch#: 0001 3428 6438 0425 Cultivation Facility: FL - Indiantown (3734) Processing Facility : FL - Indiantown (3734) Source Facility : FL - Indiantown (3734) Seed to Sale# 0001 3428 6438 0425 Batch Date: 06/05/24 Sample Size Received: 27.5 gram Total Amount: 360 units Retail Product Size: 2.5 gram Retail Serving Size: 2.5 gram Servings: 1 Ordered: 06/11/24 Sampled: 06/17/24 Completed: 06/20/24 Sampling Method: SOP.T.20.010

Pages 1 of 5

Jun 20, 2024 | Sunnyside

indiantown, FL, 34956, US



## SAFETY RESULTS

Pesticio PASSI	des He	Hg eavy Metals PASSED	Microbials PASSED	တို့က Mycotoxi <b>PASSE</b>	D	Residuals Solvents	Filth PASSED		Activity SSED	Moisture PASSED	Terpenes TESTED
Ä	Canna	binoid									PASSED
E	3 21	NI THC L.380 <sup>°</sup> THC/Container :			) 0.	al CBD 045% CBD/Container :		A REAL	25	Cannabinoida 174%	0
	D9-THC	тнса	CBD	CBDA	D8-THC	CBG	CBGA	CBN	тнсу	CBDV	СВС
%	0.687	23.596	ND		0.038	0.064	0.683	ND	ND	ND	0.054
mg/unit	17.18	589.90	ND		0.95	1.60	17.08	ND	ND	ND	1.35
LOD	0.001 %	0.001	0/		<b>0.001</b> %	<b>0.001</b> %	<b>0.001</b> %	0.001	0.001 %	0.001 %	<b>0.001</b> %
	%	%	%		,		%	%	%		%
Analyzed by: 1665, 585, 1440			Weight: 0.2129g			<b>ction date:</b> 3/24 11:50:00				Extracted by: 1665	
Analytical Batch Instrument Used	I: SOP.T.40.031, 5 : DA074132POT I: DA-LC-001 06/18/24 11:50:3					Reviewed On : 06/1 Batch Date : 06/18/					
Consumables : 9	24.R06; 032123.1 27.100; LLS-00-0 9; DA-108; DA-07{	005; 280670723; 000	00185478								

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

# Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/20/24



. . . . . . . . . . . . . . . Supply Pre-Roll Multipack 2.5g - Jkrz Cndy (S) Jokerz Candy Matrix : Flower



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: ienna.mlsna@crescolabs.com Sample : DA40617004-008 Harvest/Lot ID: 0001 3428 6438 0425 Batch#:0001 3428 6438 0425

Sampled : 06/17/24 Ordered : 06/17/24

Sample Size Received : 27.5 gram Total Amount : 360 units Completed : 06/20/24 Expires: 06/20/25 Sample Method : SOP.T.20.010

Page 2 of 5

Type: Preroll

# Terpenes

erpenes	LOD (%)	mg/unit	%	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	24.03	0.961			ALPHA-BISABOLOL		0.007	ND	ND	
ETA-MYRCENE	0.007	4.48	0.179			ALPHA-CEDRENE		0.005	ND	ND	
ETA-CARYOPHYLLENE	0.007	4.25	0.170			ALPHA-PHELLANDRENE		0.007	ND	ND	
IMONENE	0.007	3.08	0.123			ALPHA-TERPINENE		0.007	ND	ND	
INALOOL	0.007	2.68	0.107			ALPHA-TERPINOLENE		0.007	ND	ND	
UAIOL	0.007	2.25	0.090			CIS-NEROLIDOL		0.003	ND	ND	
LPHA-HUMULENE	0.007	1.55	0.062			GAMMA-TERPINENE		0.007	ND	ND	
ENCHYL ALCOHOL	0.007	1.40	0.056			TRANS-NEROLIDOL		0.005	ND	ND	
LPHA-TERPINEOL	0.007	1.35	0.054			Analyzed by:	Weight:		Extraction da	ate:	Extracted by:
CIMENE	0.007	1.33	0.053			3605, 585, 1440	1.1262g		06/18/24 12:	37:28	3605
ETA-PINENE	0.007	1.00	0.040			Analysis Method : SOP.T.30.061A.FL, SO	P.T.40.061A.FL				
LPHA-PINENE	0.007	0.68	0.027			Analytical Batch : DA074127TER					06/19/24 12:07:43
CARENE	0.007	ND	ND			Instrument Used : DA-GCMS-008 Analyzed Date : 06/18/24 12:38:09			Batch	Date: 00	/18/24 09:14:35
DRNEOL	0.013	ND	ND		1	Dilution : 10					
AMPHENE	0.007	ND	ND			Reagent : 022224.07					
MPHOR	0.007	ND	ND			Consumables : 947.109; 7931220; CE12	3				
ARYOPHYLLENE OXIDE	0.007	ND	ND			Pipette : DA-063					
DROL	0.007	ND	ND			Terpenoid testing is performed utilizing Gas C	hromatography N	lass Spectr	ometry. For all F	lower sam	ples, the Total Terpenes % is dry-weight corrected
JCALYPTOL	0.007	ND	ND								
RNESENE	0.007	ND	ND								
INCHONE	0.007	ND	ND								
ERANIOL	0.007	ND	ND								
ERANYL ACETATE	0.007	ND	ND								
EXAHYDROTHYMOL	0.007	ND	ND								
OBORNEOL	0.007	ND	ND								
OPULEGOL	0.007	ND	ND								
EROL	0.007	ND	ND								
ULEGONE	0.007	ND	ND								
ABINENE	0.007	ND	ND								
ABINENE HYDRATE	0.007	ND	ND								
ALENCENE	0.007	ND	ND								

Total (%)

0.961

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/20/24



Supply Pre-Roll Multipack 2.5g - Jkrz Cndy (S) Jokerz Candy Matrix : Flower



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna mlsna@crescolabs.com Sample : DA40617004-008 Harvest/Lot ID: 0001 3428 6438 0425 Batch#:0001 3428 6438

0425 Sampled : 06/17/24 Ordered : 06/17/24 Sample Size Received : 27.5 gram Total Amount : 360 units Completed : 06/20/24 Expires: 06/20/25 Sample Method : SOP.T.20.010

Page 3 of 5

Type: Preroll



# Pesticides

	LOD	Units	Action	Pass/Fail	Result	Pesticide	LOD	Units	Action	Pass/Fail	Result
	0.010		Level	BASS	ND				Level		
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010		0.5	PASS	ND ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
FOTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
FOTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010 0.010		0.1	PASS	ND	PROPOXUR		maa	0.1	PASS	ND
ACEPHATE	0.010		0.1	PASS	ND	PYRIDABEN		ppm	0.2	PASS	ND
ACEQUINOCYL ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND				0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		ppm			
BIFENAZATE	0.010		0.1	PASS	ND	SPIROXAMINE		ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	TEBUCONAZOLE		ppm	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		PPM	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		PPM	0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND				0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050		0.5		
DIMETHOATE	0.010		0.1	PASS	ND	Analyzed by: Weight:		tion date:		Extracted	d by:
THOPROPHOS	0.010		0.1	PASS	ND	<b>3379, 585, 1440</b> 1.0137g		24 15:47:50	COD T 40 101	3379	
TOFENPROX	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesvill SOP.T.40.102.FL (Davie)	e), SOP.1.30.10	JZ.FL (Davie),	SOP.1.40.101	.FL (Gainesville	),
TOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA074157PES		Reviewed C	n :06/20/24	10:39:06	
ENHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			:06/18/24 10		
ENOXYCARB	0.010		0.1	PASS	ND	Analyzed Date : N/A					
ENPYROXIMATE	0.010		0.1	PASS	ND	Dilution : 250					
FIPRONIL	0.010		0.1	PASS	ND	Reagent: 061224.R07; 040423.08					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW Pipette : N/A					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utiliz	ing Liquid Chror	natography Tr	inle-Ouadrupo	le Mass Spectron	netry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	ing Eiquid Chioi	nacography n	pic-Quuurupo	ie Mass speed of	neayin
MAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extract	ion date:		Extracted	by:
MIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440 1.0137g	06/18/2	4 15:47:50		3379	
RESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesvill					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA074159VOL		eviewed On :			
	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-001 Analyzed Date :06/18/24 17:32:42	B	atch Date : 00	0/18/24 11:00	58	
		nnm	0.1	PASS	ND	Dilution : 250					
IETALAXYL	0.010	ppiii				<b>DIGUON</b> ; 200					
IETALAXYL IETHIOCARB	0.010 0.010		0.1	PASS	ND	Reagent : 061224 807: 040423 08: 060324 80	01.060324 B02	)			
METALAXYL METHIOCARB METHOMYL		ppm	0.1 0.1	PASS PASS	ND ND	Reagent : 061224.R07; 040423.08; 060324.R0 Consumables : 326250IW; 14725401	01; 060324.R02	2			
METALAXYL METHIOCARB METHOMYL MEVINPHOS MYCLOBUTANIL	0.010	ppm ppm					01; 060324.R02	2			

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/20/24

# PASSED

PASSED



. . . . . . . . . . . . . . . . . . . Supply Pre-Roll Multipack 2.5g - Jkrz Cndy (S) Jokerz Candy Matrix : Flower



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: ienna.mlsna@crescolabs.com Sample : DA40617004-008 Harvest/Lot ID: 0001 3428 6438 0425 Batch#:0001 3428 6438

0425 Sampled : 06/17/24 Ordered : 06/17/24

Sample Size Received : 27.5 gram Total Amount : 360 units Completed : 06/20/24 Expires: 06/20/25 Sample Method : SOP.T.20.010

Page 4 of 5

Type: Preroll

Fail   Level   Fail   Level   Aspercillus   Fail   Level     ASPERcillus TERREUS   Not Present   PASS   AFLATOXIN B1   0.002   ppm   ND   PASS   O     ASPERcillus FUMIGATUS   Not Present   PASS   AFLATOXIN B1   0.002   ppm   ND   PASS   O     ASPERcillus FLAVUS   Not Present   PASS   AFLATOXIN B1   0.002   ppm   ND   PASS   O     ASPERcillus FLAVUS   Not Present   PASS   AFLATOXIN G2   0.002   ppm   ND   PASS   O     SALMONELLA SPECIFIC GENE   Not Present   PASS   AFLATOXIN G2   0.002   ppm   ND   PASS   O     Saldon Method:   SOP.TA0.056, C, SOP.T.40.058, FL, SOP.T.40.029, FL   Analysis Method:   SOP.T.40.056, C, SOP.T.40.058, FL, SOP.T.40.029, FL   Analysis Method:   SOP.T.40.026, Sibertand Isotemp Heat Block   O:107/24 10:38:17   Bach Date:   O:108/24 11:00:20     Analyzed by:   Mayled by:   Weight:   Extracted by:   Sop   Sop   Sop   Sop   Fail	(J.	Microb	ial			PAS	SED	သို့	Му	cotox	ins			PAS	SED
ASPERGILLUS NIGER Not Present PASS AFLATOXIN B 0.002 ppm ND PASS   ASPERGILLUS FUMIGATUS Not Present PASS OCHARTOXIN A 0.002 ppm ND PASS   ASPERGILLUS FUMIGATUS Not Present PASS OCHARTOXIN A 0.002 ppm ND PASS OCHARTOXIN A 0.002 PD ND PASS OCHARTOXIN B A	Analyte	1	LOD	) Units	Result			Analyte			LOD	Units	Result		Action Level
ASPERGILLUS FUMIGATUS Not Present PASS OCHRATOXIN A 0.002 ppm ND PASS OCHRATOXIN A   ASPERGILLUS FLAVUS Not Present PASS 0.002 ppm ND P	ASPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN	32		0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS Not Present PASS AFLATOXIN G1 0.002 ppm ND PASS 0   SALMONELLA SPECIFIC GENE Not Present PASS 0 0.002 ppm ND PASS 0   Analyzed by: Weight: Extraction date: Extracted by: 339, 585, 1440 0.9146g 06/18/24 11.45:47:50 Extracted by:   3390, 585, 1440 U.9146g 06/18/24 11.45:47:50 SOP.T.40.05E, SOP.T.40.05E, SOP.T.40.05E, SOP.T.40.05B, FL, SOP.T.40.029, FL Analyzed by:: SOP.T.30.102, FL (Gainesville), SOP.T.40.101, FL (Gainesville), SOP.T.40.102, FL (Gainesville), SOP.T.40.103, FL (Gainesville), SOP.T.40.104, FL (Gainesvi	ASPERGILLU	SPERGILLUS NIGER Not Present		PASS		AFLATOXIN	31		0.002	ppm	ND	PASS	0.02		
SALMONELLA SPECIFIC GENE Not Present PASS AFLATOXIN G2 0.002 ppm ND PASS 0.002   TOTAL YEAST AND MOLD 10 CFU/g 00 PASS 1000 PASS 1001370 Extraction date: Contaction date: Extraction date: Extraction date: Contaction date: Extraction date: Contaction date: Extraction date: Contaction date: Extraction date: Contaction date: Contac	ASPERGILLUS FUMIGATUS Not Present		PASS		OCHRATOXI	A		0.002	ppm	ND	PASS	0.02			
ECOLI SHIGELLA Not Present PASS 10000 PASS 100000 PASS 100000 PASS 100000 PASS 100000 PASS 100000 PASS 100000 PASS PASS 100000 PASS 100000 PASS 100000 PASS 1000000 PASS 1000000000000000000000000000000000000	ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	31		0.002	ppm	ND	PASS	0.02
TOTAL YEAST AND MOLD 10 CFU/g 100000 PASS 1000000 3379, 585, 1440 10137g Construction date: Construction date	SALMONELL	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2			0.002	ppm	ND	PASS	0.02
TOTAL YEAST AND MOLD   10   CFU/g   1000   PASS   100000   3379   585, 1440   1.0137g   06/18/24 15:47:50   3379     Analyzed by:   3390, 555, 1440   0.9146g   0.618/24 11:45:34   3390   53390   555, 1440   1.0137g   06/18/24 15:47:50   3379     Analyzed by:   3390, 555, 1440   0.9146g   0.618/24 11:45:34   3390   550, 75.30.101, FL (Gainesville), 50P.T.40.101, FL (Gainesville), 50P.T.40.103, FL (Gainesville), 50P.T.40.103, FL (Gainesville), 50P.T.40.209, FL   Reviewed On: 06/20/24 10:38:17   Batch Date: 06/18/24 10:020     Analyzed bate:   100, 15, 6475 and 150 cm   100, 16, 6475 and 150 cm   100, 16, 6475 and 11:00:20   Reviewed On: 06/20/24 10:38:17     Batch Date:   06/18/24 11:45:34   3300   100, 18, 642 and 11:00:20   Reviewed On: 06/20/24 10:38:17     Analyzed Date:   06/18/24 11:45:34   3300   100, 18, 642 Bach   100, 18, 642 Bach   110, 19, 661 Bach   100, 10, 18, 642 Bach   100, 18, 642 Bac	ECOLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Weight:	Extraction da	ate:		Extracted	l by:
3390, 585, 1440 0.9146g 06/18/24 11:45:34 3390   Analysis Method : SOP.T.40.056C, SOP.T.40.058, FL, SOP.T.40.059, FL Reviewed On : 06/20/24 10:38:17   Analysis Method : SOP.T.40.056C, SOP.T.40.058, FL, SOP.T.40.059, FL Reviewed On : 06/20/24 10:38:17   Batch Date : 06/18/24 H1:45:34 Batch Date : 06/18/24 H1:40:20   Instrument Used : PathogenDx Scanner DA-111, Applied Batch Date : 06/18/24   Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-021, fisherbrand Isotemp Heat Block DA-021 Date : 06/18/24 14:12:11   Dilution : N/A Reagent : 052024,19; 061324,30; 060524,R52; 030724,38 Extraction date: Extracted by:   Consumables : 7573002057 Pipette : N/A Mctal LOD Units Result Pass / A   Malysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209,FL Reviewed On : 06/20/24 17:15:06 Batch Date : 06/18/24 14:16:03 Dilution : 233390   Analyzed Date : 06/18/24 14:16:03 No 200, ppm ND PASS 0   Dilution : N/A Resegner : 05/2024,19; 061324,30; 060524,R53 Reviewed On : 06/20/24 17:15:06 TOTAL CONTAMINANT LOAD METALS 0.080 ppm ND PASS 0   Dilution : N/A Resegner : 05/2024,19; 061324,30; 060524,R53 Consumables : N/A 0.020 ppm ND PASS 0 Consumables : N/A N	TOTAL YEAS	T AND MOLD	10	CFU/g	1000	PASS	100000		0						
Instrument Used : PathogenDx Scanner DA-111, Applied Bioxb Date : 06/18/24 Bioxbeter DA-020, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 06/18/24 14:12:11 Dilution : N/A Reagent : 052024.19; 061324.30; 060524.R52; 030724.38 Consumables : 7573002057 Pipette : N/A Analyzed by: 3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch Date : 06/18/24 14:16:03 Dilution : N/A Reagent : 05/2024.19; 061324.30; 060524.R53 Consumables : 06/20/24 17:15:06 Batch Date : 06/18/24 14:16:03 Dilution : N/A Reagent : 05/2024.19; 061324.30; 060524.R53 Consumables : 06/20/24 17:15:06 Batch Date : 06/18/24 09:14:06 Analyzed Date : 06/18/24 14:16:03 Dilution : N/A Reagent : 05/2024.19; 061324.30; 060524.R53 Consumables : N/A Pipette : N/A Pipette : N/A Analyzed at mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. Analyseis Method : SOP.T.40.0020 ppm ND PASS 0 Analyseis Batch Date : 06/18/24 09:14:06 Analyseis Batch Date : 06/18/24 11:21:20 Extracted by: 1022, 585, 1440 Netel CADMIUM 0.020 ppm ND PASS 0 Analyseis Method : SOP.T.40.0020 ppm ND PASS 0 Analyseis Batch Date : 06/18/24 11:21:20 Extracted by: 1022, 585, 1440 Netel CADMIUM 0.020 ppm ND PASS 0 Analyseis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analysical Batch : DA07417HEA Reviewed On : 06/18/24 10:28:54	3390, 585, 144 Analysis Metho	0.914 od:SOP.T.40.056C,	6g 06	/18/24 11:45	:34 .40.209.FL <b>Revie</b> v	3390 wed On : 06		SOP.T.30.102. Analytical Bate Instrument Us	FL (Davie), h : DA0743 ed : N/A	SOP.T.40.102.	FL (Davie) Review	wed On : 0	6/20/24 1	0:38:17	
Reagent : 052024.19; 061324.30; 060524.R52; 030724.38 Consumables : 7573002057 Pipette : N/A Analyzed by: 3390, 4520, 585, 1440 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analyzed Date : 06/18/24 11:45:34 3390 Analyzed Date : 06/18/24 14:16:03 Dilution : N/A Reagent : 052024.19; 061324.30; 060524.R53 Consumables : N/A Pipette : N/	Biosystems Th DA-020,fisherb Isotemp Heat I <b>Analyzed Date</b>	ermocycler DA-010 orand Isotemp Heat Block DA-021	),fisherbran : Block DA-0	d Isotemp He	at Block 09:12		8/24	Reagent : 061 Consumables Pipette : N/A	326250IW		graphy with Triple	e-Quadrupo	le Mass Spe	ectrometry	in
Analyzed by: 3390, 4520, 585, 1440 Weight: 0.9146g Extraction date: 06/18/24 11:45:34 Extracted by: 3390   Analyzed by: Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA074126TYM Instrument Used : Inclubator (42*C) DA- 328 Metal LOD Units Result Pass / Fail Fail L   Analyzed Date : 06/18/24 14:16:03 Reviewed On : 06/20/24 17:15:06 TOTAL CONTAMINANT LOAD METALS 0.080 ppm ND PASS 1   Dilution : N/A Reagent : 052024.19; 061324.30; 060524.R53 Batch Date : 06/18/24 09:14:06 Analyzed Date : 06/18/24 09:14:06 MERCURY 0.020 ppm ND PASS 0   Pipette : N/A Malyzed bit: nc/accordance with F.S. Rule 64ER20-39. Weight: Extraction date: Extracted by: 0.2832g 0.020 ppm ND PASS 0   Analyzed bit: nc/accordance with F.S. Rule 64ER20-39. Weight: Extraction date: Extracted by: 1022, 585, 1440 0.2832g 06/18/24 11:21:20 1022,4056   Analyzed bit: nc/accordance with F.S. Rule 64ER20-39. Kethod : SOP.T.40.082.FL Analytical Batch : DA074147THEA Reviewed On : 06/19/24 11:35:23 Batch Date : 06/18/24 10:28:54 ND	Reagent : 0520 Consumables :		; 060524.R5	32; 030724.38	}			<u>п</u> р			etals			PAS	SEC
Analysis Method: SOP.1.40.208 (Gamesville), SOP.1.40.209.FL Fail Fail L   Analysis Method: SOP.1.40.208 (Gamesville), SOP.1.40.209.FL Reviewed On: 06/20/24 17:15:06 TOTAL CONTAMINANT LOAD METALS 0.080 ppm ND PASS 1   Analyzed Date: 06/18/24 14:16:03 Batch Date: 06/18/24 09:14:06 ARSENIC 0.020 ppm ND PASS 0   Dilution: N/A Reagent: 052024.19; 061324.30; 060524.R53 CADMIUM 0.020 ppm ND PASS 0   Consumables: N/A Pipette: N/A 0.020 ppm ND PASS 0   Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. Weight: Extraction date: Extracted by: 1022, 585, 1440 0.2832g 06/18/24 11:21:20 1022, 4056   Analyzical Batch : DA074147HEA Reviewed On: 0.6/19/24 11:35:23 Instrument Used : DA-1CPMS-004 Batch Date : 06/18/24 10:28:54							ed by:	ų s p							
Instrument Used : Incubator (42*C) DA- 328 Batch Date : 06/18/24 09:14:06 TOTAL CONTAMINANT LOAD METALS 0.080 ppm ND PASS 1   Analyzed Date : 06/18/24 14:16:03 0.020 ppm ND PASS 0   Dilution : N/A Reagent : 052024.19; 061324.30; 060524.R53 0.020 ppm ND PASS 0   Consumables : N/A Pipette : N/A 0.020 ppm ND PASS 0   Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. Weight: Extraction date: Extracted by: 1022, 585, 1440 0.0714/7HEA Reviewed On : 06/19/24 11:35:23   Analytical Batch : DA074147HEA Reviewed On : 06/18/24 10:28:54 ND 123:54			Gainesville)			)/24 17.15.	06	Metal			LOD	Units	Result		Action Level
CADMIUM 0.020 ppm ND PASS 0   Dilution : N/A Reagent : 052024.19; 061324.30; 060524.R53 0.020 ppm ND PASS 0   Consumables : N/A 0.020 ppm ND PASS 0   Pipette : N/A 0.020 ppm ND PASS 0   Consumables : N/A 0.020 ppm ND PASS 0   Pipette : N/A 0.020 ppm ND PASS 0   Consumables : N/A 0.020 ppm ND PASS 0   Via yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. Method : SOP.T.30.082.FL, SOP.T.40.082.FL Extracted by: 1022,4056   Analytical Batch : DA074147HEA Reviewed On : 06/19/24 11:35:23 Instrument Used : DA-ICPMS-004 Batch Date : 06/18/24 10:28:54			C) DA- 328					TOTAL CONT	AMINANT	LOAD METAL	<b>.s</b> 0.080	ppm	ND	PASS	1.1
MERCURY 0.020 ppm ND PASS 0 0.020 ppm ND PASS 0 0	Analyzed Date	:06/18/24 14:16:0	3									ppm			0.2
Consumables: N/A LEAD 0.020 ppm ND PASS 0   Pipette: N/A Analyzed by: Weight: Extraction date: Extracted by: 1022,585,1440 0.2832g 06/18/24 11:21:20 1022,4056   Analyzical Batch : DA07/147/HEA Reviewed On: 06/19/24 11:35:23 Instrument Used : DA-ICPMS-004 Batch Date: 06/18/24 10:28:54	Dilution : N/A											ppm			0.2
Pipette: N/A Analyzed by: Weight: Extraction date: Extracted by:   Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. 0.2832g 0.6/18/24 11:21:20 1022, 4056   Analyzed by: Nalyzed by: 0.2832g 0.6/18/24 11:21:20 1022, 4056   Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA07/4147/HEA Reviewed On : 0.6/19/24 11:35:23   Instrument Used : DA-ICPMS-004 Batch Date : 0.6/18/24 10:28:54			060524.R5	i3								ppm			0.2
Analyzed by: Weight: Extraction date: Extracted by: 0.2832g 06/18/24 11:21:20 06/18/24 11:21:20 1022,4056 1022,585,1440 0.2832g 06/18/24 11:21:20 1022,4056		N/A						LEAD			0.020	ppm	ND	PASS	0.5
Analysis Method :   SOP.T.30.082.FL, SOP.T.40.082.FL     Analytical Batch :   DA074147HEA   Reviewed On :   06/19/24 11:35:23     Instrument Used :   DA-ICPMS-004   Batch Date :   06/18/24 10:28:54	Total yeast and			MPN and tradit	ional culture base	d techniques	s in		0						
Dilution: 50	accordance with	1 F.S. Rule 64ER20-39.						Analytical Bate Instrument Us Analyzed Date	h:DA0743	L47HEA MS-004	Review				

Reagent : 061124.R16; 061724.R07; 061524.R01; 061724.R05; 061724.R06; 061724.01; 060524.R41 Consumables : 179436; 120423CH01; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/20/24



. . . . . . . . Supply Pre-Roll Multipack 2.5g - Jkrz Cndy (S) Jokerz Candy Matrix : Flower



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna mlsna@crescolabs.com Sample : DA40617004-008 Harvest/Lot ID: 0001 3428 6438 0425 Batch#:0001 3428 6438

0425 Sampled : 06/17/24 Ordered : 06/17/24

Sample Size Received : 27.5 gram Total Amount : 360 units Completed : 06/20/24 Expires: 06/20/25 Sample Method : SOP.T.20.010



Filth/Foreign **Material** 





PASSED

PASSED

Page 5 of 5

Type: Preroll

Analyte Filth and Foreign Mate		<b>.0D</b> ).100	<b>Units</b> %	Result ND	P/F PASS	Action Level	Analyte Moisture Content		<b>LOD</b> 1.00	Units %	<b>Result</b> 12.52	P/F PASS	Action Level
Analyzed by: 1879, 585, 1440	Weight: NA		Extraction N/A	date:	Extr N/A	acted by:	Analyzed by: 4512, 585, 1440	Weight: 0.503g		<b>Atraction d</b> 6/19/24 10			tracted by:
Analysis Method : SOP.T.4 Analytical Batch : DA0742 Instrument Used : Filth/For Analyzed Date : 06/19/24	07FIL eign Materia	Micro	scope			0/24 10:56:09 24 10:32:37	Analysis Method : SOP.T.40 Analytical Batch : DA07416 Instrument Used : DA-003 M	2MOI Moisture A			11:3 Aoisture <b>Batc</b>		
Dilution : N/A Reagent : N/A							Analyzer,DA-263 Moisture Analyzed Date: 06/19/24 1		DA-264	Moisture A	Analyser		
Consumables : N/A Pipette : N/A							Dilution : N/A Reagent : 092520.50; 0307	24.38					
Filth and foreign material insp technologies in accordance w				ection utilizi	ng naked ey	e and microscope	Consumables : N/A Pipette : DA-066						
() wa	ter Ac	tiv	ity		PA	SSED	Moisture Content analysis utili:	zing loss-on	-drying	technology	in accordance	with F.S. Ru	ıle 64ER20-39.
Analyte Water Activity	-	<b>OD</b>	Units	Result	P/F	Action Level							

,			•		- / -	
Water Activity		0.010	aw	0.495	PASS	0.65
Analyzed by: 4512, 585, 1440	Weight: 1.224g		traction d 5/19/24 08			tracted by:
Analysis Method : SOP Analytical Batch : DAO Instrument Used : DA- Analyzed Date : 06/19,	74163WAT 028 Rotronic Hy	gropal	m	Reviewed Or Batch Date :		
Dilution : N/A Reagent : 051624.01 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/20/24