



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



**Sample: DA40617004-017**  
**Harvest/Lot ID: 0001 3428 6438 1881**  
**Batch#: 0001 3428 6438 1881**  
**Cultivation Facility: FL - Indiantown (3734)**  
**Processing Facility: FL - Indiantown (3734)**  
**Source Facility: FL - Indiantown (3734)**  
**Seed to Sale# 0001 3428 6438 1881**  
**Batch Date: 06/13/24**  
**Sample Size Received: 15.5 gram**  
**Total Amount: 1880 units**  
**Retail Product Size: 0.5 gram**  
**Retail Serving Size: 0.5 gram**  
**Servings: 1**  
**Ordered: 06/13/24**  
**Sampled: 06/17/24**  
**Completed: 06/20/24**  
**Sampling Method: SOP.T.20.010**

Jun 20, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

# Sunnyside\*

## PASSED

Pages 1 of 6

### SAFETY RESULTS


Pesticides  
**PASSED**

Heavy Metals  
**PASSED**

Microbials  
**PASSED**

Mycotoxins  
**PASSED**

Residuals  
Solvents  
**PASSED**

Filtration  
**PASSED**

Water Activity  
**PASSED**

Moisture  
**NOT TESTED**

Terpenes  
**TESTED**

### MISC.



### Cannabinoid

## PASSED



Total THC

**91.210%**

Total THC/Container : 456.050 mg



Total CBD

**0.518%**

Total CBD/Container : 2.590 mg



Total Cannabinoids

**95.359%**

Total Cannabinoids/Container : 476.795 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	91.146	0.074	0.518	ND	ND	1.514	ND	0.779	0.523	ND	0.805
mg/unit	455.73	0.37	2.59	ND	ND	7.57	ND	3.90	2.62	ND	4.03
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
1665, 585, 1440

Weight:  
0.11g

Extraction date:  
06/18/24 12:12:46

Extracted by:  
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA074133POT

Instrument Used : DA-LC-003

Analyzed Date : 06/18/24 12:13:38

Reviewed On : 06/19/24 12:00:50

Batch Date : 06/18/24 09:24:24

Dilution : 400

Reagent : 060724.R07; 032123.11; 060724.R01

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

  
 Signature  
 06/20/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 500mg - Lmnde  
Lemonade  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40617004-017

Harvest/Lot ID: 0001 3428 6438 1881

Batch# : 0001 3428 6438

1881

Sampled : 06/17/24

Ordered : 06/17/24

Sample Size Received : 15.5 gram

Total Amount : 1880 units

Completed : 06/20/24 Expires: 06/20/25

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	16.81	3.362		SABINENE	0.007	ND	ND	
LIMONENE	0.007	7.63	1.525		SABINENE HYDRATE	0.007	ND	ND	
LINALOOL	0.007	1.30	0.260		VALENCENE	0.007	ND	ND	
GERANYL ACETATE	0.007	1.20	0.239		ALPHA-CEDRENE	0.005	ND	ND	
GAMMA-TERPINENE	0.007	1.06	0.212		ALPHA-HUMULENE	0.007	ND	ND	
BETA-PINENE	0.007	1.05	0.209		ALPHA-PHELLANDRENE	0.007	ND	ND	
GERANIOL	0.007	0.96	0.192		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-TERPINOLENE	0.007	0.90	0.179		TRANS-NEROLIDOL	0.005	ND	ND	
BETA-CARYOPHYLLENE	0.007	0.49	0.097		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	0.2216g	Extraction date:	06/18/24 12:41:08
BETA-MYRCENE	0.007	0.42	0.083		4451, 3605, 585, 1440	Extracted by:	4451	Reviewed On:	06/19/24 14:32:36
ALPHA-TERPINEOL	0.007	0.36	0.072		Analysis Batch : DA074128TER	Batch Date:	06/18/24 09:15:09		
ALPHA-PINENE	0.007	0.31	0.061		Instrument Used : DA-GCMS-004				
ALPHA-BISABOLOL	0.007	0.21	0.041		Analysis Date : 06/18/24 12:42:24				
FARNESENE	0.001	0.16	0.032		Dilution : 10				
CARYOPHYLLENE OXIDE	0.007	0.16	0.031		Reagent : 022224.07				
FENCHYL ALCOHOL	0.007	0.15	0.030		Consumables : 947.109; 7931220; CE123				
OCIMENE	0.007	0.15	0.030		Pipette : DA-063				
ALPHA-TERPINENE	0.007	0.14	0.028		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	0.11	0.021						
3-CARENE	0.007	0.10	0.020						
BORNEOL	0.013	ND	ND						
CAMPHENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GUAJOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
Total (%)			3.362						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/20/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 500mg - Lmnde

Lemonade

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40617004-017

Harvest/Lot ID: 0001 3428 6438 1881

Batch# : 0001 3428 6438

1881

Sampled : 06/17/24

Ordered : 06/17/24

Sample Size Received : 15.5 gram

Total Amount : 1880 units

Completed : 06/20/24 Expires: 06/20/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	0.2711g	06/18/24 15:49:38	3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA074151PES		Reviewed On : 06/19/24 11:57:10			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 06/18/24 10:35:22			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 061224.R07; 040423.08					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.2711g	06/18/24 15:49:38	3379		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA074154VOL		Reviewed On : 06/19/24 11:53:29			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 06/18/24 10:39:04			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 06/18/24 17:34:23					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 061224.R07; 040423.08; 060324.R01; 060324.R02					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in					
						accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/20/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 500mg - Lmnde  
Lemonade  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crecolabs.com

Sample : DA40617004-017

Harvest/Lot ID: 0001 3428 6438 1881

Batch# : 0001 3428 6438  
1881

Sampled : 06/17/24

Ordered : 06/17/24

Sample Size Received : 15.5 gram

Total Amount : 1880 units

Completed : 06/20/24 Expires: 06/20/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	<200.000
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0251g

Extraction date:  
06/19/24 12:18:50

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA07417450L  
Instrument Used : DA-GCMS-002  
Analyzed Date : 06/19/24 12:21:49

Reviewed On : 06/19/24 13:09:16  
Batch Date : 06/18/24 13:04:39

Dilution : 1  
Reagent : 030420.09  
Consumables : 429651; 306143  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/20/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 500mg - Lmnde  
Lemonade  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com


Sample : DA40617004-017


Harvest/Lot ID: 0001 3428 6438 1881


Batch# : 0001 3428 6438  
1881

Sample Size Received : 15.5 gram  
Total Amount : 1880 units  
Completed : 06/20/24 Expires: 06/20/25  
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 1440	Weight: 0.2711g	Extraction date: 06/18/24 15:49:38	Extracted by: 3379		
Analyzed by: 3390, 585, 1440	Weight: 0.96g	Extraction date: 06/18/24 11:45:37	Extracted by: 3390								
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA074124MIC			Reviewed On : 06/20/24 07:43:07								
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021			Batch Date : 06/18/24 09:12:34								
Analyzed Date : 06/18/24 14:12:11											
Dilution : N/A											
Reagent : 052024.19; 061324.30; 060524.R52; 030724.38											
Consumables : 7573002057											
Pipette : N/A											
Analyzed by: 3390, 4520, 585, 1440	Weight: 0.96g	Extraction date: 06/18/24 11:45:37	Extracted by: 3390								
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA074126TYM											
Instrument Used : Incubator (42°C) DA- 328											
Analyzed Date : 06/18/24 14:16:03											
Dilution : N/A											
Reagent : 052024.19; 061324.30; 060524.R53											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

	Mycotoxins					PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02						
Analyzed by: 3379, 585, 1440	Weight: 0.2711g	Extraction date: 06/18/24 15:49:38	Extracted by: 3379								
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)											
Analytical Batch : DA074153MYC											
Instrument Used : N/A											
Analyzed Date : N/A											
Dilution : 250											
Reagent : 061224.R07; 040423.08											
Consumables : 326250IW											
Pipette : N/A											
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											

	Heavy Metals					PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level	Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5						
Analyzed by: 1022, 4056, 585, 1440	Weight: 0.2631g	Extraction date: 06/18/24 12:33:51	Extracted by: 1022,4056								
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL											
Analytical Batch : DA074152HEA											
Instrument Used : DA-ICPMS-004											
Analyzed Date : 06/18/24 16:37:22											
Dilution : 50											
Reagent : 061124.R16; 061724.R07; 061524.R01; 061724.R05; 061724.R06; 061724.01; 060524.R41											
Consumables : 179436; 120423CH01; 210508058											
Pipette : DA-061; DA-191; DA-216											
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/20/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 500mg - Lmnde  
Lemonade  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40617004-017

Harvest/Lot ID: 0001 3428 6438 1881

Batch# : 0001 3428 6438  
1881

Sampled : 06/17/24

Ordered : 06/17/24

Sample Size Received : 15.5 gram

Total Amount : 1880 units

Completed : 06/20/24 Expires: 06/20/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA074207FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 06/19/24 10:35:27

Reviewed On : 06/19/24 10:56:00

Batch Date : 06/19/24 10:32:37

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.573	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.5066g	Extraction date: 06/19/24 09:26:53	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA074175WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 06/19/24 09:29:56

Reviewed On : 06/19/24 10:09:35

Batch Date : 06/18/24 13:14:31

Dilution : N/A

Reagent : 051624.01

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/20/24