



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40620007-004
Harvest/Lot ID: 0001 3428 6437 5886
Batch#: 0001 3428 6437 5886
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale#: 0001 3428 6437 9874
Batch Date: 06/10/24
Sample Size Received: 15.5 gram
Total Amount: 2910 units
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Ordered: 06/11/24
Sampled: 06/20/24
Completed: 06/24/24
Revision Date: 06/25/24
Sampling Method: SOP.T.20.010

Jun 25, 2024 | Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS

PASSED

PASSED

PASSED

PASSED

PASSED

PASSED

PASSED

NOT TESTED

MISC.
 TESTED



Cannabinoid

PASSED



Total THC
87.140%
Total THC/Container : 435.700 mg



Total CBD
0.304%
Total CBD/Container : 1.520 mg



Total Cannabinoids
93.239%
Total Cannabinoids/Container : 466.195 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	86.993	0.168	0.304	ND	ND	3.780	0.101	0.589	0.510	ND	0.794
mg/unit	434.97	0.84	1.52	ND	ND	18.90	0.51	2.95	2.55	ND	3.97
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
0.0929g

Extraction date:
06/21/24 12:39:35

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA074266POT

Instrument Used : DA-LC-003

Analyzed Date : 06/21/24 12:40:58

Reviewed On : 06/24/24 08:39:51

Batch Date : 06/21/24 09:09:12

Dilution : 400

Reagent : 060724.R06; 030923.08; 060724.R01

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/24/24

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Apl Frtrr Garlatti (H) x Lmn Ersr (H)

Apple Fritter Garlatti x Lemon Eraser

Matrix : Derivative

Type: Vape



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40620007-004

Harvest/Lot ID: 0001 3428 6437 5886

Batch# : 0001 3428 6437
5886

Sampled : 06/20/24

Ordered : 06/20/24

Sample Size Received : 15.5 gram

Total Amount : 2910 units

Completed : 06/24/24 Expires: 06/25/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	12.56	2.511		PULEGONE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	3.51	0.702		SABINENE	0.007	ND	ND	
LIMONENE	0.007	2.07	0.413		SABINENE HYDRATE	0.007	ND	ND	
BETA-MYRCENE	0.007	1.41	0.281		VALENCENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	1.09	0.217		ALPHA-CEDRENE	0.005	ND	ND	
ALPHA-PINENE	0.007	0.53	0.106		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	0.53	0.105		ALPHA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	0.45	0.089		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-TERPINEOL	0.007	0.41	0.081		Analyzed by:	Weight:	Extraction date:	Extracted by:	
FENCHYL ALCOHOL	0.007	0.39	0.077		3605, 585, 1440	0.2033g	06/21/24 12:20:24	3605	
BETA-PINENE	0.007	0.37	0.073		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
OCIMENE	0.007	0.29	0.057		Analytical Batch : DA074264TER			Reviewed On : 06/24/24 22:41:19	
BORNEOL	0.013	0.27	0.053		Instrument Used : DA-GCMS-004			Batch Date : 06/21/24 09:06:49	
TRANS-NEROLIDOL	0.005	0.26	0.051		Analyzed Date : 06/21/24 12:20:50				
FARNESENE	0.001	0.21	0.041		Dilution : 10				
CARYOPHYLLENE OXIDE	0.007	0.17	0.034		Reagent : 022224.07				
FENCHONE	0.007	0.16	0.032		Consumables : 947.109; 7931220; CE0123				
ALPHA-TERPINOLENE	0.007	0.15	0.030		Pipette : DA-063				
GAMMA-TERPINENE	0.007	0.14	0.027		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GUAIOL	0.007	0.11	0.022						
CAMPHENE	0.007	0.10	0.020						
3-CARENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
Total (%)			2.511						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/24/24

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Apl Frtrr Garlatti (H) x Lmn Ersr (H)

Apple Fritter Garlatti x Lemon Eraser

Matrix : Derivative

Type: Vape



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40620007-004

Harvest/Lot ID: 0001 3428 6437 5886

Batch# : 0001 3428 6437
5886

Sampled : 06/20/24

Ordered : 06/20/24

Sample Size Received : 15.5 gram

Total Amount : 2910 units

Completed : 06/24/24 Expires: 06/25/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis by: 795, 3379, 585, 1440	Weight: 0.2699g	Extraction date: 06/21/24 15:17:21	Extracted by: 795		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA074271PES		Reviewed On : 06/24/24 11:39:55			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 06/21/24 09:42:35			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 06/21/24 15:19:19					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 061724.R03; 061924.R12; 061924.R11; 060624.R15; 052924.R31; 061924.R09; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis by: 450, 585, 1440	Weight: 0.2699g	Extraction date: 06/21/24 15:17:21	Extracted by: 795		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA074275VOL		Reviewed On : 06/24/24 10:55:42			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 06/21/24 09:47:19			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 06/21/24 17:47:55					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 061924.R11; 040423.08; 060324.R01; 060324.R02					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/24/24

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Apl Frtrr Garlatti (H) x Lmn Ersr (H)

Apple Fritter Garlatti x Lemon Eraser

Matrix : Derivative

Type: Vape



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crecolabs.com

Sample : DA40620007-004

Harvest/Lot ID: 0001 3428 6437 5886

Batch# : 0001 3428 6437
5886

Sampled : 06/20/24

Ordered : 06/20/24

Sample Size Received : 15.5 gram

Total Amount : 2910 units

Completed : 06/24/24 Expires: 06/25/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.026g

Extraction date:
06/24/24 12:51:32

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA07430250L
Instrument Used : DA-GCMS-002
Analyzed Date : 06/24/24 12:48:51

Reviewed On : 06/24/24 14:28:45
Batch Date : 06/21/24 11:50:57

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 306143
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/24/24

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Apl Frtrr Garlatti (H) x Lmn Ersr (H)

Apple Fritter Garlatti x Lemon Eraser

Matrix : Derivative

Type: Vape



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crecolabs.com

Sample : DA40620007-004

Harvest/Lot ID: 0001 3428 6437 5886

Batch# : 0001 3428 6437
5886

Sampled : 06/20/24

Ordered : 06/20/24


Sample Size Received : 15.5 gram


Total Amount : 2910 units


Completed : 06/24/24 Expires: 06/25/25

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED
Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		
SALMONELLA SPECIFIC GENE			Not Present	PASS		
ECOLI SHIGELLA			Not Present	PASS		
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	
Analyzed by: 3390, 4520, 585, 1440		Weight: 0.821g	Extraction date: 06/21/24 12:12:28		Extracted by: 4520,4044	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 06/24/24 08:15:14			
Analytical Batch : DA074267MIC			Batch Date : 06/21/24 09:10:57			
Instrument Used : PathogenDx Scanner DA-111,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						
Analyzed Date : 06/21/24 14:36:58						
Dilution : N/A						
Reagent : 061324.21; 061324.24; 060524.R52; 030724.38						
Consumables : N/A						
Pipette : N/A						
Analyzed by: 4044, 4531, 585, 1440		Weight: 0.821g	Extraction date: 06/21/24 12:12:28		Extracted by: 4520,4044	
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Reviewed On : 06/24/24 09:18:07			
Analytical Batch : DA074268TYM			Batch Date : 06/21/24 09:12:56			
Instrument Used : Incubator (42°C) DA- 328						
Analyzed Date : 06/21/24 13:03:12						
Dilution : N/A						
Reagent : 061324.21; 061324.24; 060524.R53						
Consumables : N/A						
Pipette : N/A						
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						

	Mycotoxins					PASSED
Analyte	LOD	Units	Result	Pass / Fail	Action Level	
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	
Analyzed by: 795, 3379, 585, 1440		Weight: 0.2699g	Extraction date: 06/21/24 15:17:21		Extracted by: 795	
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						
Analytical Batch : DA074274MYC			Reviewed On : 06/24/24 09:06:52			
Instrument Used : N/A			Batch Date : 06/21/24 09:47:17			
Analyzed Date : 06/21/24 15:19:35						
Dilution : 250						
Reagent : 061724.R03; 061924.R12; 061924.R11; 060624.R15; 052924.R31; 061924.R09; 040423.08						
Consumables : 326250IW						
Pipette : DA-093; DA-094; DA-219						
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						

	Heavy Metals					PASSED
Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	
ARSENIC	0.020	ppm	ND	PASS	0.2	
CADMIUM	0.020	ppm	ND	PASS	0.2	
MERCURY	0.020	ppm	ND	PASS	0.2	
LEAD	0.020	ppm	ND	PASS	0.5	
Analyzed by:		Weight:	Extraction date:		Extracted by:	

Analyzed by: 4044, 4531, 585, 1440		Weight: 0.821g	Extraction date: 06/21/24 12:12:28	Extracted by: 4520,4044
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL				
Analytical Batch : DA074268TYM		Reviewed On : 06/24/24 09:18:07		
Instrument Used : Incubator (42°C) DA- 328		Batch Date : 06/21/24 09:12:56		
Analyzed Date : 06/21/24 13:03:12				
Dilution : N/A				
Reagent : 061324.21; 061324.24; 060524.R53				
Consumables : N/A				
Pipette : N/A				
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.				

<div><div></div><div>Hg</div></div>		Heavy Metals		PASSED		
Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS		0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 4056, 585, 1440	Weight: 0.2207g	Extraction date: 06/21/24 14:19:12		Extracted by: 1022,4056		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						
Analytical Batch : DA074299HEA		Reviewed On : 06/24/24 09:00:01				
Instrument Used : DA-ICPMS-004		Batch Date : 06/21/24 11:25:48				
Analyzed Date : 06/21/24 16:47:31						
Dilution : 50						
Reagent : 061124.R16; 061724.R07; 061524.R01; 061724.R05; 061724.R06; 061724.01; 060524.R41						
Consumables : 179436; 120423CH01; 210508058						
Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/24/24

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Apl Frtrr Garlatti (H) x Lmn Ersr (H)

Apple Fritter Garlatti x Lemon Eraser

Matrix : Derivative

Type: Vape



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40620007-004

Harvest/Lot ID: 0001 3428 6437 5886

Batch# : 0001 3428 6437
5886

Sampled : 06/20/24

Ordered : 06/20/24

Sample Size Received : 15.5 gram

Total Amount : 2910 units

Completed : 06/24/24 Expires: 06/25/25

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 06/21/24 19:51:30	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA074304FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 06/21/24 12:01:27

Reviewed On : 06/21/24 12:14:36

Batch Date : 06/21/24 11:59:04

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.509	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.1847g	Extraction date: 06/21/24 16:13:50	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA074296WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 06/21/24 16:15:51

Reviewed On : 06/24/24 08:11:56

Batch Date : 06/21/24 10:53:01

Dilution : N/A

Reagent : 051624.01

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/24/24

Revision: #1

This revision supersedes any and all previous versions of this document.