



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



**Sample:** DA40620007-005  
**Harvest/Lot ID:** 0001 3428 6438 1038  
**Batch#:** 0001 3428 6438 1038  
**Cultivation Facility:** FL - Indiantown (3734)  
**Processing Facility :** FL - Indiantown (3734)  
**Source Facility :** FL - Indiantown (3734)  
**Seed to Sale#** 0001 3428 6438 1048  
**Batch Date:** 06/12/24  
**Sample Size Received:** 56 gram  
**Total Amount:** 742 units  
**Retail Product Size:** 14 gram  
**Retail Serving Size:** 14 gram  
**Servings:** 1  
**Ordered:** 06/13/24  
**Sampled:** 06/20/24  
**Completed:** 06/24/24  
**Sampling Method:** SOP.T.20.010

Jun 24, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

# Sunnyside\*

## PASSED

Pages 1 of 5

### SAFETY RESULTS


Pesticides  
**PASSED**

Heavy Metals  
**PASSED**

Microbials  
**PASSED**

Mycotoxins  
**PASSED**

Residuals  
Solvents  
**NOT TESTED**

Filth  
**PASSED**

Water Activity  
**PASSED**

Moisture  
**PASSED**

### MISC.


Terpenes  
**TESTED**


### Cannabinoid

## PASSED


**Total THC**
**23.684%**

Total THC/Container : 3315.760 mg


**Total CBD**
**0.078%**

Total CBD/Container : 10.920 mg


**Total Cannabinoids**
**27.564%**

Total Cannabinoids/Container : 3858.960 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.389	26.563	ND	0.089	0.033	0.102	0.303	0.022	ND	ND	0.063
mg/unit	54.46	3718.82	ND	12.46	4.62	14.28	42.42	3.08	ND	ND	8.82
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
1665, 585, 1440

Weight:  
0.2068g

Extraction date:  
06/21/24 13:02:59

Extracted by:  
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA074265POT

Instrument Used : DA-LC-002

Analyzed Date : 06/21/24 13:05:08

Reviewed On : 06/24/24 08:39:53

Batch Date : 06/21/24 09:06:59

Dilution : 400

Reagent : 060724.R06; 060723.24; 060724.R01

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

  
 Signature  
 06/24/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Apl and Bnanas (S)

Apple and Bananas

Matrix : Flower

Type: Flower-Cured-Small



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40620007-005

Harvest/Lot ID: 0001 3428 6438 1038

Batch# : 0001 3428 6438  
1038

Sample Size Received : 56 gram

Total Amount : 742 units

Completed : 06/24/24 Expires: 06/24/25

Ordered : 06/20/24

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	284.34	2.031		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	72.24	0.516		ALPHA-CEDRENE	0.005	ND	ND	
LIMONENE	0.007	57.40	0.410		ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	55.86	0.399		ALPHA-TERPINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	28.00	0.200		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	23.10	0.165		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-BISABOLOL	0.007	17.08	0.122		GAMMA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	9.94	0.071		TRANS-NEROLIDOL	0.005	ND	ND	
ALPHA-TERPINEOL	0.007	7.42	0.053		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	Extraction date:	Extracted by:	
FENCHYL ALCOHOL	0.007	7.14	0.051		3605, 585, 1440	1.1369g	06/21/24 12:16:16	3605	
ALPHA-PINENE	0.007	6.16	0.044		Analysis Batch : DA074262TER	Instrument Used : DA-GCMS-008	Reviewed On : 06/24/24 10:02:50	Batch Date : 06/21/24 09:05:46	
3-CARENE	0.007	ND	ND		Analysis Date : 06/21/24 12:16:43	Dilution : 10	Reagent : 022224.07	Consumables : 947.109; 7931220; CE0123	Pipette : DA-063
BORNEOL	0.013	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CAMPHENE	0.007	ND	ND						
CAMPOR	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)			2.031						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/24/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Apl and Bnanas (S)

Apple and Bananas

Matrix : Flower

Type: Flower-Cured-Small



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40620007-005

Harvest/Lot ID: 0001 3428 6438 1038

Batch# : 0001 3428 6438  
1038

Sampled : 06/20/24  
Ordered : 06/20/24

Sample Size Received : 56 gram

Total Amount : 742 units

Completed : 06/24/24 Expires: 06/24/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	795, 3379, 585, 1440	1.1208g	06/21/24 15:13:13	795		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA074277PES		Reviewed On : 06/24/24 10:09:38			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)		Batch Date : 06/21/24 09:48:28			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 06/21/24 15:19:24					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 061724.R01; 061924.R12; 061924.R11; 061924.R38; 052924.R31; 061924.R09; 040423.08					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.010	ppm	0.1	PASS	ND	450, 585, 1440	1.1208g	06/21/24 15:13:13	795		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA074279VOL		Reviewed On : 06/24/24 10:06:28			
MALATHION	0.010	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 06/21/24 09:51:11			
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 06/21/24 17:52:17					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent : 061924.R11; 040423.08; 060324.R01; 060324.R02					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/24/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Apl and Bnanas (S)

Apple and Bananas

Matrix : Flower

Type: Flower-Cured-Small



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crecolabs.com

Sample : DA40620007-005

Harvest/Lot ID: 0001 3428 6438 1038

Batch# : 0001 3428 6438  
1038

Sampled : 06/20/24  
Ordered : 06/20/24


Sample Size Received : 56 gram


Total Amount : 742 units


Completed : 06/24/24 Expires: 06/24/25

Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>										
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>							
ASPERGILLUS TERREUS			Not Present	PASS								
ASPERGILLUS NIGER			Not Present	PASS								
ASPERGILLUS FUMIGATUS			Not Present	PASS								
ASPERGILLUS FLAVUS			Not Present	PASS								
SALMONELLA SPECIFIC GENE			Not Present	PASS								
ECOLI SHIGELLA			Not Present	PASS								
TOTAL YEAST AND MOLD	10	CFU/g	160	PASS	100000							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9457g	Extraction date: 06/21/24 12:12:29	Extracted by: 4520,4044	Reviewed On : 06/24/24 08:15:15 Batch Date : 06/21/24 09:10:57								
Analytical Batch : DA074267MIC	Instrument Used : PathogenDx Scanner DA-111,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analyzed Date : 06/21/24 14:36:58												
Dilution : N/A												
Reagent : 061324.21; 061324.24; 060524.R52; 030724.38												
Consumables : N/A												
Pipette : N/A												
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL	Weight: 0.9457g	Extraction date: 06/21/24 12:12:29	Extracted by: 4520,4044	Reviewed On : 06/24/24 09:18:09 Batch Date : 06/21/24 09:12:56								
Analytical Batch : DA074268TYM	Instrument Used : Incubator (42°C) DA- 328											
Analyzed Date : 06/21/24 13:03:12												
Dilution : N/A												
Reagent : 061324.21; 061324.24; 060524.R53												
Consumables : N/A												
Pipette : N/A												
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.												

	<b>Mycotoxins</b>	<b>PASSED</b>										
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>							
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02							
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02							
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02							
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02							
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02							
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Weight: 1.1208g	Extraction date: 06/21/24 15:13:13	Extracted by: 795	Reviewed On : 06/24/24 09:22:59 Batch Date : 06/21/24 09:51:04								
Analytical Batch : DA074278MYC	Instrument Used : N/A											
Analyzed Date : 06/21/24 15:19:37												
Dilution : 250												
Reagent : 061724.R01; 061924.R12; 061924.R11; 061924.R38; 052924.R31; 061924.R09; 040423.08												
Consumables : 326250IW												
Pipette : DA-093; DA-094; DA-219												
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.												

	<b>Heavy Metals</b>	<b>PASSED</b>										
<b>Metal</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>							
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1							
ARSENIC	0.020	ppm	ND	PASS	0.2							
CADMIUM	0.020	ppm	ND	PASS	0.2							
MERCURY	0.020	ppm	ND	PASS	0.2							
LEAD	0.020	ppm	ND	PASS	0.5							
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2874g	Extraction date: 06/21/24 12:04:42	Extracted by: 1022	Reviewed On : 06/24/24 08:34:06 Batch Date : 06/21/24 11:03:57								
Analytical Batch : DA074297HEA	Instrument Used : DA-ICPMS-004											
Analyzed Date : 06/21/24 16:43:12												
Dilution : 50												
Reagent : 061124.R16; 061724.R07; 061524.R01; 061724.R05; 061724.R06; 061724.01; 060524.R41												
Consumables : 179436; 120423CH01; 210508058												
Pipette : DA-061; DA-191; DA-216												
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.												

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/24/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Apl and Bnanas (S)

Apple and Bananas

Matrix : Flower

Type: Flower-Cured-Small



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40620007-005

Harvest/Lot ID: 0001 3428 6438 1038

Batch# : 0001 3428 6438  
1038

Sampled : 06/20/24

Ordered : 06/20/24

Sample Size Received : 56 gram

Total Amount : 742 units

Completed : 06/24/24 Expires: 06/24/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	10.70	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 06/21/24 19:51:31		Extracted by: N/A		Analyzed by: 4512, 585, 1440	Weight: 0.493g	Extraction date: 06/21/24 15:10:43		Extracted by: 4512	
Analysis Method : SOP.T.40.090 Analytical Batch : DA074304FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 06/21/24 12:01:27						Analysis Method : SOP.T.40.021 Analytical Batch : DA074292MOI Reviewed On : 06/21/24 12:14:43 Batch Date : 06/21/24 11:59:04					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A  Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.						Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser Analyzed Date : 06/21/24 15:21:14					
						Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066					
						Reviewed On : 06/24/24 08:17:39 Batch Date : 06/21/24 10:40:10					



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.496	PASS	0.65
Analyzed by: 4512, 585, 1440	Weight: 0.9284g	Extraction date: 06/21/24 15:43:09	Extracted by: 4512		
Analysis Method : SOP.T.40.019 Analytical Batch : DA074295WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 06/21/24 15:55:37					
Reviewed On : 06/24/24 08:19:10 Batch Date : 06/21/24 10:51:15					
Dilution : N/A Reagent : 051624.01 Consumables : PS-14 Pipette : N/A					
Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.					

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/24/24