

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Kaycha Labs

Supply Crumble Wax 1g - Rnbw Belts (I) Rainbow Belts Matrix: Derivative Type: Crumble



Certificate of Analysis

SUNNYSIDE DALOS20007-020 Were and were set ware were and were set were set were and were set were set were and were set were set

Sample:DA40620007-020 Harvest/Lot ID: 0001 3428 6436 9038 Batch#: 0001 3428 6436 9038 Cultivation Facility: FL - Indiantown (3734) Processing Facility : FL - Indiantown (3734) Source Facility : FL - Indiantown (3734) Seed to Sale# 0001 3428 6438 1059 Batch Date: 06/12/24 Sample Size Received: 16 gram Total Amount: 418 units Retail Product Size: 1 gram Retail Serving Size: 1 gram Servings: 1 Ordered: 06/13/24 Sampled: 06/20/24 Completed: 06/24/24

Pages 1 of 6

Sampling Method: SOP.T.20.010

PASSED

MISC.

Jun 24, 2024 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US



SAFETY RESULTS

Pesticic PASSI	des Hea	Hg avy Metals ASSED	Microbials PASSED	کې Mycotoxin: PASSED	9	esiduals folvents	Filth PASSED	Water A PASS	,	Moisture NOT TESTED	OF Terpenes TESTED
Ä	Cannab	oinoid								F	PASSED
E	1	THC 588 THC/Container :				CBD 035% BD/Container :	·		-386	I Cannabinoids 5.124% Cannabinoids/Conta	
<i></i>	D9-ТНС 2.894	тнса 80.609	CBD ND		ов-тнс ND	св д 0.235	CBGA 2.256	CBN ND	тнсv ND	CBDV ND	свс 0,090
%	2.894	806.09	ND			2.35	22.56	ND	ND	ND	0.90
mg/unit LOD	0.001	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001
200	%	%	%		%	%	%	%	%	%	%
Analyzed by: 1665, 585, 1440			Weight: 0.0945g			on date: 4 12:39:38				Extracted by: 1665	
Analytical Batch Instrument Used						Reviewed On : 06/ Batch Date : 06/21					
Consumables : 9	4.R06; 030923.08 47.109; 28067072 ; DA-108; DA-078	; 060724.R01 3; CE0123; R1KB142	270								

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/24/24



Supply Crumble Wax 1g - Rnbw Belts (I) Rainbow Belts Matrix : Derivative Type: Crumble



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: jenna.mlsna@crescolabs.com
 Sample : DA40620007-020

 Harvest/Lot ID: 0001 3428 6436
 Sample

 Batch# : 0001 3428 6436
 Sample

 9038
 Total Ar

Sampled : 06/20/24 Ordered : 06/20/24 Sample Size Received : 16 gram Total Amount : 418 units Completed : 06/24/24 Expires: 06/24/25 Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TOTAL TERPENES BETA-CARYOPHYLLENE LINALOOL LIMONENE ALPHA-HUMULENE TRANS-NEROLIDOL	0.007 0.007 0.007 0.007 0.007	40.26 9.64 8.31	4.026 0.964				(%)				
NALOOL IMONENE LPHA-HUMULENE RANS-NEROLIDOL	0.007		0.964		PULEGONE		0.007	ND	ND		
IMONENE LPHA-HUMULENE RANS-NEROLIDOL	0.007	8.31			SABINENE		0.007	ND	ND		
LPHA-HUMULENE RANS-NEROLIDOL			0.831		SABINENE HYDRATE		0.007	ND	ND		
RANS-NEROLIDOL	0.007	6.30	0.630		VALENCENE		0.007	ND	ND		
		3.11	0.311		ALPHA-CEDRENE		0.005	ND	ND		
	0.005	2.57	0.257		ALPHA-PHELLANDRENE		0.007	ND	ND		
LPHA-BISABOLOL	0.007	2.38	0.238		ALPHA-TERPINENE		0.007	ND	ND		
ENCHYL ALCOHOL	0.007	1.96	0.196		CIS-NEROLIDOL		0.003	ND	ND		
ETA-PINENE	0.007	1.01	0.101		Analyzed by:	Weight:		Extraction da	te:		Extracted by:
LPHA-TERPINEOL	0.007	0.96	0.096	1	3605, 585, 1440	0.234g		06/21/24 12:			3605
ARNESENE	0.001	0.59	0.059	i	Analysis Method : SOP.T.30.061A.FL, SOP.	T.40.061A.FL					
ORNEOL	0.013	0.53	0.053	1	Analytical Batch : DA074264TER					06/24/24 22:41:20	
ETA-MYRCENE	0.007	0.51	0.051	i	Instrument Used : DA-GCMS-004 Analyzed Date : 06/21/24 12:20:50			Batch	Date : 06	/21/24 09:06:49	
LPHA-PINENE	0.007	0.47	0.047		Dilution : 10						
ARYOPHYLLENE OXIDE	0.007	0.33	0.033		Reagent : 022224.07						
ENCHONE	0.007	0.30	0.030		Consumables : 947.109; 7931220; CE0123	3					
LPHA-TERPINOLENE	0.007	0.30	0.030		Pipette : DA-063						
CIMENE	0.007	0.28	0.028		Terpenoid testing is performed utilizing Gas Chr	omatography M	ass Spectr	ometry. For all f	Flower sam	ples, the Total Terpenes % is	s dry-weight corrected.
AMMA-TERPINENE	0.007	0.25	0.025								
AMPHENE	0.007	0.23	0.023								
UCALYPTOL	0.007	0.23	0.023								
CARENE	0.007	ND	ND								
AMPHOR	0.007	ND	ND								
EDROL	0.007	ND	ND								
ERANIOL	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
UAIOL	0.007	ND	ND								
EXAHYDROTHYMOL	0.007	ND	ND								
SOBORNEOL	0.007	ND	ND								
SOPULEGOL	0.007	ND	ND								
EROL	0.007	ND	ND								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LDD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/24/24



Supply Crumble Wax 1g - Rnbw Belts (I) Rainbow Belts Matrix : Derivative Type: Crumble



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna.mlsna@crescolabs.com
 Sample : DA40620007-020

 Harvest/Lot ID: 0001 3428 6436
 Sample

 Batch# : 0001 3428 6436
 Sample

 9038
 Total And

Sampled : 06/20/24 Ordered : 06/20/24 Sample Size Received :16 gram Total Amount :418 units Completed :06/24/24 Expires: 06/24/25 Sample Method :SOP.T.20.010

Page 3 of 6



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010		0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND		0.010		3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE					
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN	0.010		0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	1° I°	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	maa	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010		0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010		0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND		0.010		0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM				PASS	
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010		0.1		ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND			traction date		Extracte	
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight 795, 3379, 585, 1440 0.28460		21/24 15:17:2		795	eu by:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville),					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)				- (,	
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA074271PES			n:06/24/24 1		
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date :	06/21/24 09:4	12:35	
FENOXYCARB	0.010		0.1	PASS	ND	Analyzed Date :06/21/24 15:19:19					
FENPYROXIMATE	0.010		0.1	PASS	ND	Dilution : 250 Reagent : 061724.R03; 061924.R12; 061924.R11	1 · 060624 B1	5.052924 B3	1. 061924 BOG	040423.08	
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 3262501W	1, 000024.111	.5, 052524.115	1, 001524.1105	, 040425.00	
FLONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Liquid Chron	natography Trij	ole-Quadrupole	Mass Spectrom	netry in
HEXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by: Weight:		ion date:		Extracted	l by:
IMIDACLOPRID	0.010		0.4	PASS	ND	450, 585, 1440 0.2846g		4 15:17:21		795	
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), Analytical Batch :DA074275VOL		eviewed On :(
MALATHION	0.010		0.2	PASS	ND	Instrument Used :DA-GCMS-010		atch Date : 06			
METALAXYL	0.010		0.1	PASS	ND	Analyzed Date :06/21/24 17:47:55			,22,2100.171		
METHIOCARB	0.010		0.1	PASS	ND	Dilution: 250					
METHOMYL	0.010		0.1	PASS	ND	Reagent: 061924.R11; 040423.08; 060324.R01;	060324.R02				
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 3262501W; 14725401					
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing accordance with F.S. Rule 64ER20-39.	Gas Chroma	tography Triple	e-Quadrupole №	lass Spectromet	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

06/24/24



Page 4 of 6

Supply Crumble Wax 1g - Rnbw Belts (I) Rainbow Belts Matrix : Derivative Type: Crumble



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: jenna.mlsna@crescolabs.com
 Sample : DA40620007-020

 Harvest/Lot ID: 0001 3428 6436 9038

 Batch# : 0001 3428 6436
 Sample

 9038
 Total Ar

 Sampled : 06/20/24
 Complex

Ordered : 06/20/24

28 6436 9038 5 Sample Size Received : 16 gram Total Amount : 418 units Completed : 06/24/24 Expires: 06/24/25 Sample Method : SOP.T.20.010



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result				
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND				
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND				
2-PROPANOL	50.000	ppm	500	PASS	ND				
ACETONE	75.000	ppm	750	PASS	ND				
ACETONITRILE	6.000	ppm	60	PASS	ND				
BENZENE	0.100	ppm	1	PASS	ND				
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND				
CHLOROFORM	0.200	ppm	2	PASS	ND				
DICHLOROMETHANE	12.500	ppm	125	PASS	ND				
ETHANOL	500.000	ppm	5000	PASS	ND				
ETHYL ACETATE	40.000	ppm	400	PASS	ND				
ETHYL ETHER	50.000	ppm	500	PASS	ND				
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND				
HEPTANE	500.000	ppm	5000	PASS	ND				
METHANOL	25.000	ppm	250	PASS	ND				
N-HEXANE	25.000	ppm	250	PASS	ND				
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND				
PROPANE	500.000	ppm	5000	PASS	ND				
TOLUENE	15.000	ppm	150	PASS	ND				
TOTAL XYLENES	15.000	ppm	150	PASS	ND				
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND				
Analyzed by: 850, 585, 1440	Weight: Extraction date: 0.0225g 06/24/24 12:51:33			E x 85	tracted by:				
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA074302SOL Instrument Used : DA-GCMS-002 Analyzed Date : 06/24/24 12:48:51		Reviewed On : 06/24/24 14:28:50 Batch Date : 06/21/24 11:50:57							

Dilution : 1 Reagent : 030420.09 Consumables : 429651; 306143

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/24/24



Supply Crumble Wax 1g - Rnbw Belts (I) **Rainbow Belts** Matrix : Derivative Type: Crumble



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: ienna.mlsna@crescolabs.com Sample : DA40620007-020 Harvest/Lot ID: 0001 3428 6436 9038 Batch#:0001 3428 6436

9038 Sampled : 06/20/24 Ordered : 06/20/24 Sample Size Received : 16 gram Total Amount : 418 units Completed : 06/24/24 Expires: 06/24/25 Sample Method : SOP.T.20.010

Page 5 of 6

nalyte						000	inyc	otoxin	5			FAJ	SEC
	LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
SPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
SPERGILLUS NIGER			Not Present	PASS		AFLATOXIN	B1		0.002	ppm	ND	PASS	0.02
SPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXII	A		0.002	ppm	ND	PASS	0.02
SPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02
ALMONELLA SPECIFIC GE	NE		Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
COLI SHIGELLA			Not Present	PASS		Analyzed by:		Weight:	Extractio	n date:		Extracto	ed by:
OTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	795, 3379, 585	, 1440	0.2846g	06/21/24			795	
Analyzed by: 3390, 4520, 585, 1440 Weight: 1.0138g Extraction date: 06/21/24 11:28:02 Extracted by: 4520 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA074270MIC Reviewed On : 06/24/24						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA074274MYC Reviewed On : 06/24/24 09:06:52 Instrument Used : N/A Analytical Date : 06/21/24 15:19:35							
A-049, Fisher Scientific Isote Ialyzed Date: 06/21/24 14:3 Iution: N/A wagent: 061324.21; 061324 nsumables: N/A pette: N/A	7:02						93; DA-094; D/	id Chromatograp	hy with Triple	-Quadrupo	e Mass Spe	ectrometry	in
alyzed by: 44, 4531, 585, 1440	Weight: 1.0138g	Extraction d 06/21/24 11		Extracte 4520	d by:	Hg	Heav	vy Met	als			PAS	SE
alysis Method : SOP.T.40.20 alytical Batch : DA074272T strument Used : Incubator (alyzed Date : 06/21/24 13:0	YM 12*C) DA- 328	Revie	9.FL wed On : 06/24/ Date : 06/21/24			Metal			LOD	Units	Result	Fail	Action Level
lution : N/A							AMINANT LO	AD METALS	0.080	ppm	ND	PASS	1.1
agent : 061324.21; 061324	.24; 060524.R53	3				ARSENIC			0.020	ppm	ND	PASS	0.2
nsumables : N/A						CADMIUM			0.020	ppm	ND	PASS PASS	0.2 0.2
pette : N/A						MERCURY			0.020 0.020	ppm ppm	ND ND	PASS	0.2
tal yeast and mold testing is pe cordance with F.S. Rule 64ER20		MPN and traditi	onal culture based	l techniques	in	Analyzed by:		Weight:	Extraction			Extracted	
						1022, 4056, 58	5, 1440	0.2453g	06/21/24	14:17:56		1022,405	
						Analysis Metho Analytical Bato Instrument Uso Analyzed Date	h:DA074299 d:DA-ICPMS	004	Reviewe		24/24 09: L/24 11:25		

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/24/24

PASSED



Supply Crumble Wax 1g - Rnbw Belts (I) **Rainbow Belts** Matrix : Derivative Type: Crumble



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna mlsna@crescolabs.com Sample : DA40620007-020 Harvest/Lot ID: 0001 3428 6436 9038 Batch#:0001 3428 6436 9038

Sampled : 06/20/24 Ordered : 06/20/24 Sample Size Received : 16 gram Total Amount : 418 units Completed : 06/24/24 Expires: 06/24/25 Sample Method : SOP.T.20.010



Analysis Method : SOP.T.40.090 Analytical Batch : DA074304FIL Instrument Used : Filth/Foreign Material Microscope Reviewed On: 06/21/24 19:52:08 Batch Date : 06/21/24 11:59:04 Analyzed Date : 06/21/24 12:01:27 Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	Nater Ac	tivity	/	ΡΑ	SSED		
Analyte Water Activity	_	OD Uni .010 aw	s Result 0.511	P/F PASS	Action Level 0.85		
Analyzed by: 4512, 585, 1440	Weight: 0.5509g		on date: 4 16:13:51	Extracted by: 4512			
Analysis Method : SO Analytical Batch : DA Instrument Used : DA Analyzed Date : 06/2	A074296WAT A-028 Rotronic Hyg		Reviewed On : 06/24/24 08:12:02 Batch Date : 06/21/24 10:53:01				
Dilution : N/A Reagent : 051624.01							

onsumables : PS-14 Pipette : N/A

 $\overline{}$

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/24/24

PASSED

Page 6 of 6