



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



**Sample: DA40624001-015**  
**Harvest/Lot ID: 0001 3428 6437 6170**  
**Batch#: 0001 3428 6437 6170**  
**Cultivation Facility: FL - Indiantown (3734)**  
**Processing Facility: FL - Indiantown (3734)**  
**Source Facility: FL - Indiantown (3734)**  
**Seed to Sale# 0001 3428 6438 3092**  
**Batch Date: 06/12/24**  
**Sample Size Received: 16 gram**  
**Total Amount: 516 units**  
**Retail Product Size: 1 gram**  
**Retail Serving Size: 1 gram**  
**Servings: 1**  
**Ordered: 06/14/24**  
**Sampled: 06/24/24**  
**Completed: 06/27/24**  
**Sampling Method: SOP.T.20.010**

Jun 27, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

# Sunnyside\*

## PASSED

Pages 1 of 6

### SAFETY RESULTS


Pesticides  
**PASSED**

Heavy Metals  
**PASSED**

Microbials  
**PASSED**

Mycotoxins  
**PASSED**

Residuals  
Solvents  
**PASSED**

Filtration  
**PASSED**

Water Activity  
**PASSED**

Moisture  
**NOT TESTED**

Terpenes  
**TESTED**

### MISC.



### Cannabinoid

## PASSED



Total THC

**82.906%**

Total THC/Container : 829.060 mg



Total CBD

**0.423%**

Total CBD/Container : 4.230 mg



Total Cannabinoids

**89.125%**

Total Cannabinoids/Container : 891.250 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	82.785	0.138	0.423	ND	0.213	3.640	ND	0.777	0.469	ND	0.680
mg/unit	827.85	1.38	4.23	ND	2.13	36.40	ND	7.77	4.69	ND	6.80
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
1665, 3335, 585, 1440

Weight:  
0.1031g

Extraction date:  
06/25/24 12:02:24

Extracted by:  
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA074414POT

Instrument Used : DA-LC-003

Analyzed Date : 06/25/24 12:03:03

Reviewed On : 06/26/24 09:49:58

Batch Date : 06/25/24 09:21:45

Dilution : 400

Reagent : 062124.R12; 060723.24; 061824.R01

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJA-  
 Testing 97164

  
 Signature  
 06/27/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Syringe 1g - Jkrz Cndy (S) x Face On Fire (S)  
Jokerz Candy x Face on Fire  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40624001-015

Harvest/Lot ID: 0001 3428 6437 6170

Batch# : 0001 3428 6437  
6170

Sampled : 06/24/24  
Ordered : 06/24/24

Sample Size Received : 16 gram

Total Amount : 516 units

Completed : 06/27/24 Expires: 06/27/25

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	28.98	2.898		VALENCENE	0.007	ND	ND	
BETA-MYRCENE	0.007	7.45	0.745		ALPHA-CEDRENE	0.005	ND	ND	
LIMONENE	0.007	4.54	0.454		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	4.08	0.408		ALPHA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	2.26	0.226		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	1.78	0.178		CIS-NEROLIDOL	0.003	ND	ND	
OCIMENE	0.007	1.65	0.165		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	1.28	0.128		TRANS-NEROLIDOL	0.005	ND	ND	
ALPHA-TERPINEOL	0.007	1.24	0.124		Analyzed by:	Weight:	Extraction date:	Extracted by:	
FENCHYL ALCOHOL	0.007	1.23	0.123		4451, 3605, 585, 1440	0.2176g	06/25/24 11:48:49	4451	
GUAJOL	0.007	1.06	0.106		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BETA-PINENE	0.007	0.96	0.096		Analytical Batch : DA074421TER		Reviewed On : 06/26/24 09:50:00		
ALPHA-PINENE	0.007	0.88	0.088		Instrument Used : DA-GCMS-008		Batch Date : 06/25/24 09:52:58		
FENCHONE	0.007	0.57	0.057		Analyzed Date : 06/25/24 11:49:07				
3-CARENE	0.007	ND	ND		Dilution : 10				
BORNEOL	0.013	ND	ND		Reagent : 022224.07				
CAMPHENE	0.007	ND	ND		Consumables : 947.109; 230613-634-D; CE0123; 280670723				
CAMPHOR	0.007	ND	ND		Pipette : DA-063				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)				2.898					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/27/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Syringe 1g - Jkrz Cndy (S) x Face On Fire (S)  
Jokerz Candy x Face on Fire  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40624001-015

Harvest/Lot ID: 0001 3428 6437 6170

Batch# : 0001 3428 6437  
6170

Sampled : 06/24/24

Ordered : 06/24/24

Sample Size Received : 16 gram

Total Amount : 516 units

Completed : 06/27/24 Expires: 06/27/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.2531g	Extraction date: 06/25/24 15:38:36	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA074427PES		Reviewed On : 06/27/24 15:12:31			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)		Batch Date : 06/25/24 10:17:51			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 06/25/24 15:40:31					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 062424.R01; 061924.R12; 062424.R04; 061924.R38; 052924.R31; 061924.R09; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.2531g	Extraction date: 06/25/24 15:38:36	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA074429VOL		Reviewed On : 06/26/24 12:30:53			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 06/25/24 10:19:42			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 06/25/24 18:43:04					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 062424.R04; 040423.08; 060324.R01; 060324.R02					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/27/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Syringe 1g - Jkrz Cndy (S) x Face On Fire (S)  
Jokerz Candy x Face on Fire  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crecolabs.com

Sample : DA40624001-015

Harvest/Lot ID: 0001 3428 6437 6170

Batch# : 0001 3428 6437  
6170

Sampled : 06/24/24

Ordered : 06/24/24

Sample Size Received : 16 gram

Total Amount : 516 units

Completed : 06/27/24 Expires: 06/27/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0209g

Extraction date:  
06/26/24 13:49:08

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA074450SOL  
Instrument Used : DA-GCMS-002  
Analyzed Date : 06/25/24 16:50:37

Reviewed On : 06/26/24 16:07:35  
Batch Date : 06/25/24 14:03:26

Dilution : 1  
Reagent : 030420.09  
Consumables : 429651; 306143  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/27/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Syringe 1g - Jkrz Cndy (S) x Face On Fire (S)  
Jokerz Candy x Face on Fire  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40624001-015

Harvest/Lot ID: 0001 3428 6437 6170

Batch# : 0001 3428 6437  
6170

Sampled : 06/24/24  
Ordered : 06/24/24


Sample Size Received : 16 gram


Total Amount : 516 units


Completed : 06/27/24 Expires: 06/27/25

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>							
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>				
ASPERGILLUS TERREUS			Not Present	PASS					
ASPERGILLUS NIGER			Not Present	PASS					
ASPERGILLUS FUMIGATUS			Not Present	PASS					
ASPERGILLUS FLAVUS			Not Present	PASS					
SALMONELLA SPECIFIC GENE			Not Present	PASS					
ECOLI SHIGELLA			Not Present	PASS					
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000				
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.8255g	Extraction date: 06/25/24 12:08:19	Extracted by: 4520						
Analytical Batch : DA074409MIC			Reviewed On : 06/26/24 12:14:26						
Instrument Used : PathogenDx Scanner DA-111,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat09:13:57 Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021									
Batch Date : 06/25/24									
Analyzed Date : 06/25/24 13:38:40									
Dilution : 10									
Reagent : 061324.22; 061324.55; 062424.R02; 030724.32									
Consumables : 7574002060									
Pipette : N/A									
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL	Weight: 0.8255g	Extraction date: 06/25/24 12:08:19	Extracted by: 4520,3390						
Analytical Batch : DA074410TYM			Reviewed On : 06/27/24 15:38:22						
Instrument Used : Incubator (25°C) DA- 328			Batch Date : 06/25/24 09:16:36						
Analyzed Date : 06/25/24 13:41:36									
Dilution : 10									
Reagent : 061324.22; 061324.55; 060524.R53									
Consumables : N/A									
Pipette : N/A									
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.									

	<b>Mycotoxins</b>	<b>PASSED</b>							
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>				
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02				
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02				
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02				
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02				
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02				
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Weight: 0.2531g	Extraction date: 06/25/24 15:38:36	Extracted by: 3379						
Analytical Batch : DA074428MYC			Reviewed On : 06/27/24 14:50:07						
Instrument Used : N/A									
Batch Date : 06/25/24 10:19:40									
Analyzed Date : 06/25/24 15:40:51									
Dilution : 250									
Reagent : 062424.R01; 061924.R12; 062424.R04; 061924.R38; 052924.R31; 061924.R09; 040423.08									
Consumables : 326250IW									
Pipette : DA-093; DA-094; DA-219									
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.									

	<b>Heavy Metals</b>	<b>PASSED</b>							
<b>Metal</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>				
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1				
ARSENIC	0.020	ppm	ND	PASS	0.2				
CADMIUM	0.020	ppm	ND	PASS	0.2				
MERCURY	0.020	ppm	ND	PASS	0.2				
LEAD	0.020	ppm	ND	PASS	0.5				
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2217g	Extraction date: 06/25/24 11:51:25	Extracted by: 3807,4056						
Analytical Batch : DA074442HEA			Reviewed On : 06/26/24 16:12:28						
Instrument Used : DA-ICPMS-004									
Batch Date : 06/25/24 10:33:53									
Analyzed Date : 06/25/24 14:32:50									
Dilution : 50									
Reagent : 061124.R16; 061724.R07; 061524.R01; 061724.R05; 061724.R06; 061724.01; 060524.R41									
Consumables : 179436; 120423CH01; 210508058									
Pipette : DA-061; DA-191; DA-216									
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/27/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Syringe 1g - Jkrz Cndy (S) x Face On Fire (S)  
Jokerz Candy x Face on Fire  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40624001-015

Harvest/Lot ID: 0001 3428 6437 6170

Batch# : 0001 3428 6437  
6170

Sampled : 06/24/24

Ordered : 06/24/24

Sample Size Received : 16 gram

Total Amount : 516 units

Completed : 06/27/24 Expires: 06/27/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filtration/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filtration and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA074504FIL

Instrument Used : Filtration/Foreign Material Microscope

Analyzed Date : 06/26/24 15:39:10

Reviewed On : 06/26/24 21:33:52

Batch Date : 06/26/24 15:22:39

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filtration and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.587	PASS	0.85

Analyzed by: 4531, 585, 1440	Weight: 0.3653g	Extraction date: 06/25/24 13:44:58	Extracted by: 4531
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA074418WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 06/25/24 15:00:41

Reviewed On : 06/26/24 09:23:17

Batch Date : 06/25/24 09:32:12

Dilution : N/A

Reagent : 051624.01

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/27/24