

Kaycha Labs

Sunnyside Chews 100mg 10pk Watermelon

Watermelon

Matrix: Edible Type: Soft Chew



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample:DA40627014-003

Harvest/Lot ID: 0001342864385398

Batch#: 0001342864385398

Cultivation Facility: FL - Indiantown (3734) Processing Facility: FL - Indiantown (3734)

Source Facility: FL - Indiantown (3734) Seed to Sale# 1001342864300112

Batch Date: 06/21/24

Sample Size Received: 533 gram

Total Amount: 2604 units

Retail Product Size: 40.9999 gram

Retail Serving Size: 4.1 gram Servings: 10

> Ordered: 06/25/24 Sampled: 06/27/24

Completed: 07/02/24

Sampling Method: SOP.T.20.010

PASSED

Jul 02, 2024 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pages 1 of 5

SAFETY RESULTS







Heavy Metals PASSED



Microbials **PASSED**



Mycotoxins PASSED



Residuals Solvents **PASSED**



PASSED



Water Activity **PASSED**



Moisture **NOT TESTED**





Terpenes NOT **TESTED**

PASSED



Cannabinoid

Total THC

0.244%Total THC/Container: 100.040 mg



Total CBD

Total CBD/Container: 0.000 mg

Reviewed On: 07/01/24 18:37:49 Batch Date: 06/28/24 09:52:34



Total Cannabinoids

Total Cannabinoids/Container: 100.040

									9		
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.244	ND	ND	ND	ND	0.008	ND	0.002	ND	ND	0.003
mg/unit	100.04	ND	ND	ND	ND	3.28	ND	0.82	ND	ND	1.23
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
nalyzed by: 665, 585, 1440			Weig 2.972			ction date: 3/24 13:50:15				extracted by:	

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA074586POT Instrument Used: DA-LC-007 Analyzed Date: 06/28/24 13:51:09

Dilution: 40

Reagent: 061724.01; 060723.50; 060723.24 Consumables: 947.109; 120423CH01; CE0123; R1KB14270 Pipette: DA-079; DA-108; DA-078

m cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 07/02/24



Kaycha Labs

Sunnyside Chews 100mg 10pk Watermelon

Watermelon Matrix: Edible



Type: Soft Chew

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Fmail: jenna mlsna@crescolahs.com Sample : DA40627014-003 Harvest/Lot ID: 0001342864385398

Sampled: 06/27/24 Ordered: 06/27/24

Total Amount : 2604 units

Completed: 07/02/24 **Expires:** 07/02/25 Sample Method: SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

esticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	1.1.	30	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		3	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		1	PASS	ND	PHOSMET		0.010	ppm	0.2	PASS	ND
OTAL PYRETHRINS	0.010		1	PASS	ND	PIPERONYL BUTOXIDE		0.010	mag	3	PASS	ND
OTAL SPINETORAM	0.010		3	PASS	ND	PRALLETHRIN		0.010		0.4	PASS	ND
OTAL SPINOSAD	0.010		3	PASS	ND	PROPICONAZOLE		0.010		1	PASS	ND
BAMECTIN B1A	0.010		0.3	PASS	ND					_	PASS	
CEPHATE	0.010		3	PASS	ND	PROPOXUR		0.010		0.1		ND
CEQUINOCYL	0.010		2	PASS	ND	PYRIDABEN		0.010		3	PASS	ND
CETAMIPRID	0.010		3	PASS	ND	SPIROMESIFEN		0.010	ppm	3	PASS	ND
LDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	3	PASS	ND
ZOXYSTROBIN	0.010		3	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
FENAZATE	0.010		3	PASS	ND	TEBUCONAZOLE		0.010	ppm	1	PASS	ND
IFENTHRIN	0.010		0.5	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
OSCALID	0.010		3	PASS	ND	THIAMETHOXAM		0.010		1	PASS	ND
ARBARYL	0.010	111	0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		3	PASS	ND
ARBOFURAN	0.010		0.1	PASS	ND		IF (DCND) *	0.010		0.2	PASS	ND
HLORANTRANILIPROLE	0.010		3	PASS	ND	PENTACHLORONITROBENZEN	AE (LCNR) .					
HLORMEQUAT CHLORIDE	0.010		3	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
ILORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070		3	PASS	ND
OFENTEZINE	0.010	ppm	0.5	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
DUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
MINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	1	PASS	ND
AZINON	0.010	ppm	3	PASS	ND	CYPERMETHRIN *		0.050	PPM	1	PASS	ND
CHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:		tion date:		Extracte	
METHOATE	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	1.1663a		24 20:05:33		450	u by:
HOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.10				SOP T 40 101)
OFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	0211 2 (001110341110), 1	301111301201	L. (Davie),	501111101202	L (Odinesvine	,,
OXAZOLE	0.010	ppm	1.5	PASS	ND	Analytical Batch: DA074614P	ES		Reviewed O	n:07/01/24 1	L9:07:19	
NHEXAMID	0.010	ppm	3	PASS	ND	Instrument Used : DA-LCMS-0	03 (PES)		Batch Date	:06/28/24 11:	:40:02	
NOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A						
NPYROXIMATE	0.010	ppm	2	PASS	ND	Dilution: 250	2.00					
PRONIL	0.010	ppm	0.1	PASS	ND	Reagent: 062424.R04; 04042 Consumables: 326250IW	.5.00					
ONICAMID	0.010	ppm	2	PASS	ND	Pipette : N/A						
UDIOXONIL	0.010	ppm	3	PASS	ND	Testing for agricultural agents is	performed utilizing I	Liauid Chrom	atography Tri	ple-Ouadrupol	le Mass Spectror	metry in
XYTHIAZOX	0.010	ppm	2	PASS	ND	accordance with F.S. Rule 64ER2		.,				. ,
IAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extracti	on date:		Extracte	d by:
IIDACLOPRID	0.010	ppm	1	PASS	ND	450, 585, 1440	1.1663g		1 20:05:33		450	
RESOXIM-METHYL	0.010	ppm	1	PASS	ND	Analysis Method : SOP.T.30.15						
ALATHION	0.010	ppm	2	PASS	ND	Analytical Batch : DA074616V				07/01/24 15:4		
ETALAXYL	0.010	ppm	3	PASS	ND	Instrument Used : DA-GCMS-0 Analyzed Date : 06/28/24 20:1		Ва	tcn Date:06	/28/24 11:43	:19	
THIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250	13.30					
THOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 062424.R04; 04042	3 08: 060324 P01: 0	161824 R21				
EVINPHOS	0.010		0.1	PASS	ND	Consumables: 326250IW; 147		JO1024.NJI				
YCLOBUTANIL	0.010		3	PASS	ND	Pipette : DA-080; DA-146; DA-						
ALED		ppm	0.5	PASS	ND	Testing for agricultural agents is		C Chh	ography Triple	Oundrungla	Mace Constrains	sterr in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/02/24



Kaycha Labs

Sunnyside Chews 100mg 10pk Watermelon

Watermelon Matrix : Edible



Type: Soft Chew

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** ienna.mlsna@crescolabs.com Sample : DA40627014-003 Harvest/Lot ID: 0001342864385398

Sampled: 06/27/24 Ordered: 06/27/24 Sample Size Received: 533 gram

Total Amount: 2604 units

Completed: 07/02/24 Expires: 07/02/25

Sample Method: SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0214g	Extraction date: 07/01/24 22:39:32		E > 85	ctracted by:

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA074624SOL Instrument Used: DA-GCMS-003

Analyzed Date : N/A
Dilution : 1
Reagent : N/A
Consumables : N/A

Reviewed On: 07/02/24 19:19:05 **Batch Date:** 06/28/24 15:46:09

Pipette: N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2

Signature 07/02/24



Kaycha Labs

Sunnyside Chews 100mg 10pk Watermelon

Watermelon Matrix: Edible



Type: Soft Chew

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: ienna mlsna@crescolahs com Sample : DA40627014-003 Harvest/Lot ID: 0001342864385398

Sampled: 06/27/24 Ordered: 06/27/24

Total Amount : 2604 units Completed: 07/02/24 Expires: 07/02/25 Sample Method: SOP.T.20.010

Page 4 of 5



Microbial

PASSED



Mycotoxins

PASSED

Action

Level

Pass /

Fail

Result

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOX
ASPERGILLUS NIGER			Not Present	PASS		AFLATOX
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATO
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOX
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOX
ECOLI SHIGELLA			Not Present	PASS		Analyzed b
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3379, 585,

Analyzed by: Weight: **Extraction date:** Extracted by: 585, 1440, 3390 06/28/24 14:08:12 0.8g

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch: DA074579MIC

Reviewed On: 07/01/24

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Batch Date: 06/28/24 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block 09:39:50

(55*C) DA-020, Fisher Scientific Isotemp Heat Block (95*C) DA-049, Fisher Scientific Isotemp Heat Block (55*C) DA-021

Analyzed Date: 06/28/24 15:00:15

Dilution: 10

Reagent: 061324.41; 061324.51; 030724.34; 062424.R02

Consumables: 7574002041

Pipette: N/A

Analyzed by: 3379, 585, 1440	Weight: 1.1663g	06/28/24 20:			450	ed by:	
Amplumed by	Majalah	Eveno etion de		Extracted by:			
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02	
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02	
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02	
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02	
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02	

LOD

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA074615MYC

Reviewed On: 07/01/24 19:05:02 Instrument Used : N/A Batch Date: 06/28/24 11:41:44

Analyzed Date : N/A

Dilution: 250 Reagent: 062424.R04; 040423.08

Consumables: 326250IW

Pipette: N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Analyzed by: 585, 1440, 4531	Weight: 0.8g	Extraction date: 06/28/24 14:08:12	Extracted by: 4520
Analysis Method: SOP. Analytical Batch: DAO? Instrument Used: Incu Analyzed Date: 06/28/	74581TYM bator (25*C) DA		: 07/01/24 13:55:40 06/28/24 09:43:43
Dilution: 10 Reagent: 061324.41; (Consumables: N/A Pipette: N/A	061324.51; 0605	524.R53	
Total yeast and mold test accordance with F.S. Rule		tilizing MPN and traditional cult	ure based techniques in

Metal		LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINAL	NT LOAD METALS	0.080	ppm	ND	PASS	5	5
ARSENIC		0.020	ppm	ND	PASS	1.5	
CADMIUM		0.020	ppm	ND	PASS	0.5	
MERCURY		0.020	ppm	ND	PASS	3	
LEAD		0.020	ppm	ND	PASS	0.5	
. , ,		Extraction da		Extracted by:			
585, 1440, 1879	0.2398g	06/28/24 11:	JZ:U/		4056		

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA074577HEA Instrument Used : DA-ICPMS-004 Reviewed On: 07/01/24 13:55:35 Batch Date: 06/28/24 09:33:05 Analyzed Date: 06/28/24 17:01:39

Dilution: 50

Reagent: 062524.R26; 062424.R09; 062624.R31; 062424.R07; 062424.R08; 061724.01;

Consumables: 179436: 120423CH01: 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/02/24



Kaycha Labs

Sunnyside Chews 100mg 10pk Watermelon

Watermelon Matrix: Edible

Type: Soft Chew



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: ienna mlsna@crescolahs com Sample : DA40627014-003 Harvest/Lot ID: 0001342864385398

Sampled: 06/27/24 Ordered: 06/27/24

Batch#: 0001342864385398 Sample Size Received: 533 gram Total Amount : 2604 units Completed: 07/02/24 Expires: 07/02/25 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

PASSED

Homogeneity

PASSED

Level

Amount of tests conducted: 24

Analyzed by:	Weight:	Extractio	n date:	Ext	racted by:
Filth and Foreign Material	0.100	%	ND	PASS	1
Analyte	LOD	Units	Result	P/F	Action Level

Analyzed by: 585, 1440, 1879 Weight: NA N/A N/A Analysis Method: SOP.T.40.090

Analytical Batch : DA074621FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 06/28/24 19:40:08 Batch Date: 06/28/24 13:31:35 Analyzed Date : 06/28/24 15:00:56

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Reviewed On: 07/01/24 13:55:47

Α	nalyte	LO	D Units	Pass/Fai	l Result	Action

TOTAL THC - HOMOGENEITY 0.001 % **PASS** 1.543 25 (RSD)

Average Analyzed by Extraction date: Extracted By: Weight 585, 1440, 1879 06/28/24 12:31:06 4.126g

Analysis Method: SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA074569HOM Instrument Used : DA-LC-004 Reviewed On: 07/01/24 13:53:55 Batch Date: 06/28/24 08:29:03 Analyzed Date: 06/28/24 12:35:04

Reagent: 062124.R06; 071222.35; 020124.02; 062124.R02

Consumables: 947.109; LCJ0311R; 120423CH01; 1009034917; 1008994465; CE0123;

R1KB14270

Pipette: DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

LOD Units Result P/F **Action Level** Analyte PASS Water Activity 0.010 aw 0.614 0.85 Extraction date: 06/28/24 17:12:39 Analyzed by: 585, 1440, 4512 Extracted by: 4512

Analysis Method: SOP.T.40.019 Analytical Batch: DA074590WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 06/28/24 10:14:52

Analyzed Date: 06/29/24 15:11:43

Dilution: N/A Reagent: 051624.01 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 07/02/24

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors