



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40627014-010  
Harvest/Lot ID: 0001 3428 6438 5402  
Batch#: 0001 3428 6438 5402  
Cultivation Facility: FL - Indiantown (3734)  
Processing Facility: FL - Indiantown (3734)  
Source Facility: FL - Indiantown (3734)  
Seed to Sale#: 0001 3428 6438 5621  
Batch Date: 06/21/24  
Sample Size Received: 42 gram  
Total Amount: 1272 units  
Retail Product Size: 7 gram  
Retail Serving Size: 7 gram  
Servings: 1  
Ordered: 06/21/24  
Sampled: 06/27/24  
Completed: 07/01/24  
Sampling Method: SOP.T.20.010

Jul 01, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**NOT TESTED**



Filth  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**

### MISC.



Terpenes  
**TESTED**



### Cannabinoid

**PASSED**



Total THC

**22.143%**

Total THC/Container : 1550.010 mg



Total CBD

**0.052%**

Total CBD/Container : 3.640 mg



Total Cannabinoids

**25.454%**

Total Cannabinoids/Container : 1781.780 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.217	23.861	ND	0.060	0.044	0.073	0.154	ND	ND	ND	0.045
mg/unit	85.19	1670.27	ND	4.20	3.08	5.11	10.78	ND	ND	ND	3.15
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
585, 1440, 1665

Weight:  
0.2231g

Extraction date:  
06/28/24 13:42:14

Extracted by:  
3335,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA074578POT

Instrument Used : DA-LC-002

Analyzed Date : 06/28/24 13:43:47

Reviewed On : 07/01/24 15:48:29

Batch Date : 06/28/24 09:33:40

Dilution : 400

Reagent : 062124.R12; 060723.24; 061824.R01

Consumables : 947.109; 120423CH01; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
07/01/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Blue Pave (I)

Blue Pave

Matrix : Flower

Type: Flower-Cured-Small



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40627014-010

Harvest/Lot ID: 0001 3428 6438 5402

Batch# : 0001 3428 6438  
5402

Sample Size Received : 42 gram

Total Amount : 1272 units

Completed : 07/01/24 Expires: 07/01/25

Ordered : 06/27/24

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	179.62	2.566		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	41.16	0.588		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	30.94	0.442		ALPHA-CEDRENE	0.005	ND	ND	
BETA-MYRCENE	0.007	19.74	0.282		ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	16.03	0.229		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	13.86	0.198		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	11.55	0.165		CIS-NEROLIDOL	0.003	ND	ND	
TRANS-NEROLIDOL	0.005	9.45	0.135		GAMMA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	7.14	0.102		Analyzed by:	Weight:	Extraction date:	Extracted by:	
ALPHA-TERPINEOL	0.007	7.00	0.100		585, 1440, 4451	1.065g	06/28/24 12:26:24	3605	
ALPHA-PINENE	0.007	6.58	0.094		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
FENCHYL ALCOHOL	0.007	6.44	0.092		Analytical Batch : DA074572TER			Reviewed On : 07/01/24 15:48:55	
BORNEOL	0.013	3.29	0.047		Instrument Used : DA-GCMS-008			Batch Date : 06/28/24 09:14:28	
OCIMENE	0.007	2.73	0.039		Analyzed Date : 06/28/24 12:30:05				
FARNESENE	0.007	1.96	0.028		Dilution : 10				
CAMPHENE	0.007	1.75	0.025		Reagent : 022224.06				
3-CARENE	0.007	ND	ND		Consumables : 947.109; 230613-634-D; 280670723; CE0123				
CAMPHOR	0.007	ND	ND		Pipette : DA-065				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			2.566						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
07/01/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Blue Pave (I)  
Blue Pave  
Matrix : Flower  
Type: Flower-Cured-Small



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40627014-010

Harvest/Lot ID: 0001 3428 6438 5402

Batch# : 0001 3428 6438  
5402

Sampled : 06/27/24

Ordered : 06/27/24

Sample Size Received : 42 gram

Total Amount : 1272 units

Completed : 07/01/24 Expires: 07/01/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 1.0741g	Extraction date: 06/28/24 20:05:36	Extracted by: 450		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA074614PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Reviewed On : 07/01/24 20:09:04		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : N/A			Batch Date : 06/28/24 11:40:02		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 062424.R04; 040423.08					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie)	Weight: 1.0741g	Extraction date: 06/28/24 20:05:36	Extracted by: 450		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA074616VOL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Reviewed On : 07/01/24 15:51:24		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 06/28/24 20:15:58			Batch Date : 06/28/24 11:43:19		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 062424.R04; 040423.08; 060324.R01; 061824.R31					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
07/01/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Blue Pave (I)

Blue Pave

Matrix : Flower

Type: Flower-Cured-Small



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40627014-010

Harvest/Lot ID: 0001 3428 6438 5402

Batch# : 0001 3428 6438 5402

Sampled : 06/27/24

Ordered : 06/27/24



Sample Size Received : 42 gram

Total Amount : 1272 units

Completed : 07/01/24 Expires: 07/01/25

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED						Mycotoxins					PASSED													
Analyte						LOD	Units	Result	Pass / Fail	Action Level	Analyte						LOD	Units	Result	Pass / Fail	Action Level									
ASPERGILLUS TERREUS								Not Present	PASS		AFLATOXIN B2						0.002	ppm	ND	PASS	0.02									
ASPERGILLUS NIGER								Not Present	PASS		AFLATOXIN B1						0.002	ppm	ND	PASS	0.02									
ASPERGILLUS FUMIGATUS								Not Present	PASS		OCHRATOXIN A						0.002	ppm	ND	PASS	0.02									
ASPERGILLUS FLAVUS								Not Present	PASS		AFLATOXIN G1						0.002	ppm	ND	PASS	0.02									
SALMONELLA SPECIFIC GENE								Not Present	PASS		AFLATOXIN G2						0.002	ppm	ND	PASS	0.02									
ECOLI SHIGELLA								Not Present	PASS		Analyzed by: 3379, 585, 1440						Weight: 1.0741g	Extraction date: 06/28/24 20:05:36		Extracted by: 450										
TOTAL YEAST AND MOLD						10	CFU/g	430	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Analytical Batch : DA074615MYC					Reviewed On : 07/01/24 19:05:09								
Analyzed by: 585, 1440, 3390						Weight: 1.2g	Extraction date: 06/28/24 13:11:14		Extracted by: 4520,4044		Instrument Used : N/A						Analyzed Date : N/A					Batch Date : 06/28/24 11:41:44								
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA074582MIC					Reviewed On : 07/01/24 15:58:20					Dilution : 250					Reagent : 062424.R04; 040423.08									
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021						Batch Date : 06/28/24 09:46:05					Consumables : 326250IW					Pipette : N/A														
Analyzed Date : 06/28/24 15:00:14											Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																			
Dilution : 10						Reagent : 061324.41; 061324.51; 062424.R02; 030724.34										<div><div></div><div>Hg</div></div>					Heavy Metals					PASSED				
Consumables : 7574002041																														
Pipette : N/A																														
Analyzed by: 585, 1440, 4531						Weight: 1.2g	Extraction date: 06/28/24 13:11:14		Extracted by: 4520,4044		Metal					LOD	Units	Result	Pass / Fail	Action Level										
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						Analytical Batch : DA074583TYM					TOTAL CONTAMINANT LOAD METALS					0.080	ppm	ND	PASS	1.1										
Instrument Used : Incubator (25°C) DA- 328						Reviewed On : 07/01/24 16:00:48					ARSENIC					0.020	ppm	ND	PASS	0.2										
Analyzed Date : 06/28/24 14:19:26						Batch Date : 06/28/24 09:47:55					CADMIUM					0.020	ppm	ND	PASS	0.2										
Dilution : 10						Reagent : 061324.41; 061324.51; 060524.R53					MERCURY					0.020	ppm	ND	PASS	0.2										
Consumables : N/A						Pipette : N/A					LEAD					0.020	ppm	ND	PASS	0.5										
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											Analyzed by: 585, 1440, 1879					Weight: 0.278g	Extraction date: 06/28/24 09:59:49		Extracted by: 4056											
											Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					Analytical Batch : DA074570HEA					Reviewed On : 07/01/24 15:51:00									
											Instrument Used : DA-ICPMS-004					Batch Date : 06/28/24 09:06:47														
											Analyzed Date : 06/28/24 17:00:44					Dilution : 50					Reagent : 062524.R26; 062424.R09; 062624.R31; 062424.R07; 062424.R08; 061724.01; 060524.R41									
																Consumables : 179436; 120423CH01; 210508058					Pipette : DA-061; DA-191; DA-216									
																Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.														

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
07/01/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Blue Pave (I)  
Blue Pave  
Matrix : Flower  
Type: Flower-Cured-Small



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40627014-010

Harvest/Lot ID: 0001 3428 6438 5402

Batch# : 0001 3428 6438  
5402

Sampled : 06/27/24

Ordered : 06/27/24

Sample Size Received : 42 gram

Total Amount : 1272 units

Completed : 07/01/24 Expires: 07/01/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	14.43	PASS	15
Analyzed by: 585, 1440, 1879	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 585, 1440, 4512	Weight: 0.506g	Extraction date: 06/28/24 15:20:34	Extracted by: 4512		
Analysis Method : SOP.T.40.090 Analytical Batch : DA074621FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 06/28/24 15:00:56						Analysis Method : SOP.T.40.021 Analytical Batch : DA074580MOI Reviewed On : 06/28/24 19:40:02 Batch Date : 06/28/24 13:31:35 Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser Analyzed Date : 06/28/24 16:18:50					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 020124.02; 051624.01 Consumables : N/A Pipette : DA-066					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.											

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.488	PASS	0.65
Analyzed by: 585, 1440, 4512	Weight: 0.8891g	Extraction date: 06/28/24 16:41:03		Extracted by: 4512	
Analysis Method : SOP.T.40.019					
Analytical Batch : DA074588WAT			Reviewed On : 07/01/24 16:00:47		
Instrument Used : DA-028 Rotronic Hygropalm			Batch Date : 06/28/24 10:12:56		
Analyzed Date : 06/28/24 16:47:57					
Dilution : N/A					
Reagent : 051624.01					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
07/01/24