



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40701006-004  
Harvest/Lot ID: 0001 3428 6430 4775  
Batch#: 0001 3428 6430 4775  
Cultivation Facility: FL - Indiantown (3734)  
Processing Facility: FL - Indiantown (3734)  
Source Facility: FL - Indiantown (3734)  
Seed to Sale#: 1001 3428 6430 2513  
Batch Date: 06/26/24  
Sample Size Received: 11 units  
Total Amount: 1943 units  
Retail Product Size: 42.4041 gram  
Retail Serving Size: 41 gram  
Servings: 1  
Ordered: 06/28/24  
Sampled: 07/01/24  
Completed: 07/05/24  
Sampling Method: SOP.T.20.010

Jul 05, 2024 | Sunnyside  
22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**NOT TESTED**

### MISC.



### Cannabinoid

**PASSED**



Total THC  
**0.240%**

Total THC/Container : 101.770 mg



Total CBD  
**0.479%**

Total CBD/Container : 203.116 mg



Total Cannabinoids  
**0.744%**

Total Cannabinoids/Container : 315.487 mg

%	mg/unit	LOD	%	mg/unit	LOD	%	mg/unit	LOD	%	mg/unit	LOD
D9-THC	0.240	0.001	THCA	ND	0.001	CBD	0.479	0.001	CBDA	ND	0.001
101.77			ND			203.12			ND		
0.001			0.001			0.001			0.001		
%			%			%			%		
D8-THC	0.025	0.001	CBG	10.60	0.001	CBGA	ND	0.001	CBN	0.85	0.001
ND			ND			ND			ND		
0.001			0.001			0.001			0.001		
%			%			%			%		
THCV	ND	0.001	CBDV	1.27	0.001	CBC	0.006	0.001			
ND			1.27			2.54					
0.001			0.001			0.001					
%			%			%			%		

Analyzed by:  
1665, 585, 1440

Weight:  
3.188g

Extraction date:  
07/02/24 14:34:52

Extracted by:  
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA074773POT  
Instrument Used : DA-LC-007  
Analyzed Date : 07/02/24 14:35:45

Reviewed On : 07/03/24 10:30:29  
Batch Date : 07/02/24 12:46:08

Dilution : 40  
Reagent : 062824.R11; 060723.24; 061224.R01  
Consumables : 947.100; LLS-00-0005; 280670723; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
07/05/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sunnyside Chews 300mg 10pk Blk Chrry 2:1  
Black Cherry 2:1  
Matrix : Edible  
Type: Gummy



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40701006-004

Harvest/Lot ID: 0001 3428 6430 4775

Batch# : 0001 3428 6430  
4775

Sampled : 07/01/24

Ordered : 07/01/24

Sample Size Received : 11 units

Total Amount : 1943 units

Completed : 07/05/24 Expires: 07/05/25

Sample Method : SOP.T.20.010

Page 2 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.8592g	Extraction date: 07/02/24 13:20:58	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA074753PES		Reviewed On : 07/03/24 12:49:35			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 07/02/24 12:29:03			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	3	PASS	ND	Reagent : 062624.R32; 062624.R05; 062624.R33; 062624.R04; 062624.R03; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	2	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.8592g	Extraction date: 07/02/24 13:20:58	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	Analytical Batch : DA074756VOL		Reviewed On : 07/03/24 11:49:07			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 07/02/24 12:32:10			
IMIDACLOPRID	0.010	ppm	1	PASS	ND	Analyzed Date : N/A					
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	2	PASS	ND	Reagent : 040423.08; 060324.R01; 061824.R31					
METALAXYL	0.010	ppm	3	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
07/05/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sunnyside Chews 300mg 10pk Blk Chrry 2:1  
Black Cherry 2:1  
Matrix : Edible  
Type: Gummy



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crecolabs.com

Sample : DA40701006-004

Harvest/Lot ID: 0001 3428 6430 4775

Batch# : 0001 3428 6430  
4775

Sampled : 07/01/24

Ordered : 07/01/24

Sample Size Received : 11 units

Total Amount : 1943 units

Completed : 07/05/24 Expires: 07/05/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0243g

Extraction date:  
07/03/24 13:03:46

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA074843SOL  
Instrument Used : DA-GCMS-002  
Analyzed Date : 07/03/24 13:08:48

Reviewed On : 07/03/24 13:42:43  
Batch Date : 07/03/24 11:18:08

Dilution : 1  
Reagent : 030420.09  
Consumables : 429651; 306143  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
07/05/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sunnyside Chews 300mg 10pk Blk Chrry 2:1  
Black Cherry 2:1  
Matrix : Edible  
Type: Gummy



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40701006-004

Harvest/Lot ID: 0001 3428 6430 4775

Batch# : 0001 3428 6430  
4775

Sampled : 07/01/24  
Ordered : 07/01/24


Sample Size Received : 11 units


Total Amount : 1943 units


Completed : 07/05/24 Expires: 07/05/25

Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>										
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>							
ASPERGILLUS TERREUS			Not Present	PASS								
ASPERGILLUS NIGER			Not Present	PASS								
ASPERGILLUS FUMIGATUS			Not Present	PASS								
ASPERGILLUS FLAVUS			Not Present	PASS								
SALMONELLA SPECIFIC GENE			Not Present	PASS								
ECOLI SHIGELLA			Not Present	PASS								
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.03g	Extraction date: 07/02/24 16:58:37	Extracted by: 3390	Reviewed On : 07/03/24 14:38:57 Batch Date : 07/02/24 12:16:56								
Analytical Batch : DA074742MIC	Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021											
Analyzed Date : 07/02/24 16:59:01												
Dilution : 10												
Reagent : 061324.50; 061324.53; 062424.R02; 030724.32; 030724.34												
Consumables : 7574002037												
Pipette : N/A												
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL	Weight: 1.03g	Extraction date: 07/02/24 16:58:37	Extracted by: 3390	Reviewed On : 07/05/24 17:26:24 Batch Date : 07/02/24 12:19:42								
Analytical Batch : DA074743TYM	Instrument Used : Incubator (25°C) DA- 328											
Analyzed Date : 07/02/24 18:35:58												
Dilution : 10												
Reagent : 061324.50; 061324.53; 060524.R53												
Consumables : N/A												
Pipette : N/A												
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.												

	<b>Mycotoxins</b>	<b>PASSED</b>										
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>							
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02							
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02							
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02							
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02							
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02							
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Weight: 0.8592g	Extraction date: 07/02/24 13:20:58	Extracted by: 3379	Reviewed On : 07/03/24 10:03:10 Batch Date : 07/02/24 12:32:07								
Analytical Batch : DA074755MYC	Instrument Used : N/A											
Analyzed Date : N/A												
Dilution : 250												
Reagent : 062624.R32; 062624.R05; 062624.R33; 062524.R04; 062624.R03; 040423.08												
Consumables : 326250IW												
Pipette : DA-093; DA-094; DA-219												
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.												

	<b>Heavy Metals</b>	<b>PASSED</b>										
<b>Metal</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>							
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5							
ARSENIC	0.020	ppm	ND	PASS	1.5							
CADMIUM	0.020	ppm	ND	PASS	0.5							
MERCURY	0.020	ppm	ND	PASS	3							
LEAD	0.020	ppm	ND	PASS	0.5							
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2266g	Extraction date: 07/03/24 08:37:41	Extracted by: 4056	Reviewed On : 07/05/24 08:29:22 Batch Date : 07/02/24 09:34:42								
Analytical Batch : DA074737HEA	Instrument Used : DA-ICPMS-004											
Analyzed Date : 07/04/24 09:52:35												
Dilution : 50												
Reagent : 062524.R26; 070124.R05; 062624.R31; 070124.R03; 061724.01; 060524.R41												
Consumables : 179436; 120423CH01; 210508058												
Pipette : DA-061; DA-191; DA-216												
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.												

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
07/05/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sunnyside Chews 300mg 10pk Blk Chrry 2:1  
Black Cherry 2:1  
Matrix : Edible  
Type: Gummy



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40701006-004

Harvest/Lot ID: 0001 3428 6430 4775

Batch# : 0001 3428 6430  
4775

Sampled : 07/01/24

Ordered : 07/01/24

Sample Size Received : 11 units

Total Amount : 1943 units

Completed : 07/05/24 Expires: 07/05/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED

Homogeneity

PASSED

Amount of tests conducted : 20

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 07/03/24 09:43:32	Extracted by: N/A
---------------------------------	---------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.090	Reviewed On : 07/03/24 09:38:43 Batch Date : 07/03/24 09:21:17
Analytical Batch : DA074817FIL	
Instrument Used : Filth/Foreign Material Microscope	
Analyzed Date : 07/03/24 09:24:08	

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.717	PASS	0.85

Analyzed by: 4444, 585, 1440	Weight: 7.38g	Extraction date: 07/02/24 14:46:43	Extracted by: 4444,3807
---------------------------------	------------------	---------------------------------------	----------------------------

Analysis Method : SOP.T.40.019	Reviewed On : 07/03/24 09:07:42 Batch Date : 07/02/24 09:18:55
Analytical Batch : DA074734WAT	
Instrument Used : DA256 Rotronic HygroPalm	
Analyzed Date : 07/02/24 14:26:38	

Dilution : N/A  
Reagent : 051624.01  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	2.034	25
TOTAL CBD - HOMOGENEITY (RSD)	0.001	%	PASS	1.966	25

Analyzed by	Average Weight	Extraction date :	Extracted By :
4351, 1665, 585, 1440	4.48g	07/02/24 15:51:01	4351

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL	Reviewed On : 07/03/24 10:04:15 Batch Date : 07/02/24 07:31:17
Analytical Batch : DA074718HOM	
Instrument Used : DA-LC-005	
Analyzed Date : 07/02/24 15:56:20	

Dilution : 40  
Reagent : 062824.R13; 060723.50; 020124.02; 062824.R09  
Consumables : 947.109; LCJ0311R; 120423CH01; 250346; 1008994465; CE0123; R1KB14270  
Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
07/05/24