



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40701006-014
Harvest/Lot ID: 0001 3428 6438 6353
Batch#: 0001 3428 6438 6353
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale#: 0001 3428 6438 6904
Batch Date: 06/24/24
Sample Size Received: 26 units
Total Amount: 1000 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Ordered: 06/24/24
Sampled: 07/01/24
Completed: 07/05/24
Sampling Method: SOP.T.20.010

Jul 05, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents

NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

28.992%

Total THC/Container : 289.920 mg



Total CBD

0.075%

Total CBD/Container : 0.750 mg



Total Cannabinoids

34.143%

Total Cannabinoids/Container : 341.430 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.658	32.309	ND	0.086	0.014	0.128	0.901	ND	ND	ND	0.047
mg/unit	6.58	323.09	ND	0.86	0.14	1.28	9.01	ND	ND	ND	0.47
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
0.2077g

Extraction date:
07/02/24 14:45:37

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA074745POT
Instrument Used : DA-LC-002
Analyzed Date : 07/02/24 14:46:26

Reviewed On : 07/03/24 10:04:33
Batch Date : 07/02/24 12:22:02

Dilution : 400
Reagent : 062824.R11; 032123.11; 061224.R01
Consumables : 927.100; LLS-00-0005; 280670723; 0000185478
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/05/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Pre-Roll 1g - Rollins x Sgr Ddy (S)
Rollins X Sugar Daddy
Matrix : Flower
Type: Preroll



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40701006-014

Harvest/Lot ID: 0001 3428 6438 6353

Batch# : 0001 3428 6438

6353

Sampled : 07/01/24

Ordered : 07/01/24

Sample Size Received : 26 units

Total Amount : 1000 units

Completed : 07/05/24 Expires: 07/05/25

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	14.01	1.401		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	4.46	0.446		ALPHA-CEDRENE	0.005	ND	ND	
BETA-MYRCENE	0.007	3.31	0.331		ALPHA-PHELLANDRENE	0.007	ND	ND	
LIMONENE	0.007	1.76	0.176		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	1.38	0.138		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-PINENE	0.007	0.58	0.058		CIS-NEROLIDOL	0.003	ND	ND	
LINALOOL	0.007	0.57	0.057		GAMMA-TERPINENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	0.51	0.051		TRANS-NEROLIDOL	0.005	ND	ND	
ALPHA-TERPINEOL	0.007	0.50	0.050						
ALPHA-BISABOLOL	0.007	0.37	0.037		Analyzed by:	Weight:	Extraction date:	Extracted by:	
ALPHA-PINENE	0.007	0.32	0.032		3605, 585, 1440	1.0549g	07/03/24 09:23:16	3605	
FARNESENE	0.001	0.25	0.025		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
3-CARENE	0.007	ND	ND		Analytical Batch : DA074732TER			Reviewed On : 07/03/24 10:11:10	
BORNEOL	0.013	ND	ND		Instrument Used : DA-GCMS-004			Batch Date : 07/02/24 08:01:08	
CAMPHENE	0.007	ND	ND		Analyzed Date : 07/03/24 09:23:29				
CAMPHOR	0.007	ND	ND		Dilution : 10				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Reagent : 022224.06				
CEDROL	0.007	ND	ND		Consumables : 947.109; 230613-634-D; 280670723; CE0123				
EUCALYPTOL	0.007	ND	ND		Pipette : DA-065				
FENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						

Total (%) 1.401

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
07/05/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Pre-Roll 1g - Rollins x Sgr Ddy (S)
Rollins X Sugar Daddy
Matrix : Flower
Type: Preroll



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40701006-014

Harvest/Lot ID: 0001 3428 6438 6353

Batch# : 0001 3428 6438
6353

Sampled : 07/01/24

Ordered : 07/01/24

Sample Size Received : 26 units

Total Amount : 1000 units

Completed : 07/05/24 Expires: 07/05/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.9555g	Extraction date: 07/02/24 13:20:58	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA074753PES		Reviewed On : 07/03/24 11:51:58			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 07/02/24 12:29:03			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 062624.R32; 062624.R05; 062624.R33; 062624.R04; 062624.R03; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.9555g	Extraction date: 07/02/24 13:20:58	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA074756VOL		Reviewed On : 07/03/24 11:49:11			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 07/02/24 12:32:10			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : N/A					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 040423.08; 060324.R01; 061824.R31					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/05/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Pre-Roll 1g - Rollins x Sgr Ddy (S)
Rollins X Sugar Daddy
Matrix : Flower
Type: Preroll



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40701006-014

Harvest/Lot ID: 0001 3428 6438 6353

Batch# : 0001 3428 6438
6353

Sampled : 07/01/24
Ordered : 07/01/24



Sample Size Received : 26 units


Total Amount : 1000 units

Completed : 07/05/24 Expires: 07/05/25

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED						Mycotoxins					PASSED						
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Action Level										
ASPERGILLUS TERREUS				Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND	PASS	0.02										
ASPERGILLUS NIGER				Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PASS	0.02										
ASPERGILLUS FUMIGATUS				Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PASS	0.02										
ASPERGILLUS FLAVUS				Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PASS	0.02										
SALMONELLA SPECIFIC GENE				Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PASS	0.02										
ECOLI SHIGELLA				Not Present	PASS		Analyzed by: 3379, 585, 1440		Weight: 0.9555g	Extraction date: 07/02/24 13:20:58		Extracted by: 3379											
TOTAL YEAST AND MOLD		10	CFU/g	21000	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)		Analytical Batch : DA074755MYC					Reviewed On : 07/03/24 10:03:26									
Analyzed by: 3390, 4531, 585, 1440		Weight: 1.2g	Extraction date: 07/02/24 16:58:37		Extracted by: 3390		Instrument Used : N/A		Batch Date : 07/02/24 12:32:07														
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL		Analytical Batch : DA074742MIC		Reviewed On : 07/03/24 14:40:54		Batch Date : 07/02/24 12:16:56																	
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021		Analyzed Date : 07/02/24 16:59:01																					
Dilution : 10																							
Reagent : 061324.50; 061324.53; 062424.R02; 030724.32; 030724.34																							
Consumables : 7574002037																							
Pipette : N/A																							
Analyzed by: 3390, 585, 1440		Weight: 1.2g	Extraction date: 07/02/24 16:58:37		Extracted by: 3390																		
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL		Analytical Batch : DA074743TYM		Reviewed On : 07/05/24 17:33:14		Batch Date : 07/02/24 12:19:42																	
Instrument Used : Incubator (25°C) DA- 328																							
Analyzed Date : 07/02/24 18:35:58																							
Dilution : 10																							
Reagent : 061324.50; 061324.53; 060524.R53																							
Consumables : N/A																							
Pipette : N/A																							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																							

	Heavy Metals					PASSED							
Metal		LOD	Units	Result	Pass / Fail	Action Level	Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS		0.080	ppm	ND	PASS	1.1	ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2	MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5	Analyzed by: 1022, 585, 1440		Weight: 0.2185g	Extraction date: 07/02/24 14:25:57		Extracted by: 1022,4056	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL		Analytical Batch : DA074738HEA		Reviewed On : 07/05/24 08:25:33		Batch Date : 07/02/24 10:10:48							
Instrument Used : DA-ICPMS-004													
Analyzed Date : 07/03/24 14:50:58													
Dilution : 50													
Reagent : 062524.R26; 062624.R31; 061724.01; 060524.R41													
Consumables : 179436; 120423CH01; 210508058													
Pipette : DA-061; DA-191; DA-216													
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.													

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/05/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Pre-Roll 1g - Rollins x Sgr Ddy (S)
Rollins X Sugar Daddy
Matrix : Flower
Type: Preroll



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40701006-014

Harvest/Lot ID: 0001 3428 6438 6353

Batch# : 0001 3428 6438
6353

Sampled : 07/01/24

Ordered : 07/01/24

Sample Size Received : 26 units

Total Amount : 1000 units

Completed : 07/05/24 Expires: 07/05/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	11.11	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 07/03/24 09:43:32	Extracted by: 1879			Analyzed by: 3807, 585, 1440	Weight: 0.49g	Extraction date: 07/03/24 01:33:56	Extracted by: 3807		
Analysis Method : SOP.T.40.090						Analysis Method : SOP.T.40.021					
Analytical Batch : DA074817FIL			Reviewed On : 07/03/24 09:38:38			Analytical Batch : DA074733MOI			Reviewed On : 07/03/24 08:25:42		
Instrument Used : Filth/Foreign Material Microscope			Batch Date : 07/03/24 09:21:17			Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser					
Analyzed Date : 07/03/24 09:24:08											
Dilution : N/A						Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser					
Reagent : N/A						Analyzed Date : N/A					
Consumables : N/A						Dilution : N/A					
Pipette : N/A						Reagent : 020124.02; 051624.01					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64FR20-39						Consumables : N/A					
						Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.502	PASS	0.65
Analyzed by: 3807, 585, 1440	Weight: 0.606g	Extraction date: 07/03/24 06:17:41	Extracted by: 3807		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA074735WAT			Reviewed On : 07/03/24 08:27:30		
Instrument Used : DA256 Rotronic HygroPalm			Batch Date : 07/02/24 09:19:06		
Analyzed Date : N/A					
Dilution : N/A					
Reagent : 051624.01					
Consumables : PS-14					
Pipette : DA-066					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/05/24