



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40701006-015
 Harvest/Lot ID: 0001 3428 6438 5388
 Batch#: 0001 3428 6438 5388
 Cultivation Facility: FL - Indiantown (3734)
 Processing Facility: FL - Indiantown (3734)
 Source Facility: FL - Indiantown (3734)
 Seed to Sale# 0001 34286 438 6541
 Batch Date: 06/21/24
 Sample Size Received: 98 gram
 Total Amount: 7612 units
 Retail Product Size: 3.5 gram
 Retail Serving Size: 3.5 gram
 Servings: 1
 Ordered: 06/24/24
 Sampled: 07/01/24
 Completed: 07/05/24
 Sampling Method: SOP.T.20.010

Jul 05, 2024 | Sunnyside
 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
 Solvents
 NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
 TESTED

MISC.



Cannabinoid

PASSED



Total THC
21.593%
 Total THC/Container : 755.755 mg



Total CBD
0.056%
 Total CBD/Container : 1.960 mg



Total Cannabinoids
24.831%
 Total Cannabinoids/Container : 869.085 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.273	23.170	ND	0.064	0.045	0.068	0.164	ND	ND	ND	0.047
mg/unit	44.56	810.95	ND	2.24	1.58	2.38	5.74	ND	ND	ND	1.65
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 1665, 585, 1440 Weight: 0.2339g Extraction date: 07/02/24 14:45:40 Extracted by: 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 07/03/24 10:11:14
 Analytical Batch : DA074745POT Batch Date : 07/02/24 12:22:02
 Instrument Used : DA-LC-002
 Analyzed Date : 07/02/24 14:46:26

Dilution : 400
 Reagent : 062824.R11; 032123.11; 061224.R01
 Consumables : 927.100; LLS-00-0005; 280670723; 0000185478
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 07/05/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40701006-015
Harvest/Lot ID: 0001 3428 6438 5388

Batch# : 0001 3428 6438 Sample Size Received : 98 gram
5388 Total Amount : 7612 units
Sampled : 07/01/24 Completed : 07/05/24 Expires: 07/05/25
Ordered : 07/01/24 Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	90.37	2.582	SABINENE HYDRATE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	22.26	0.636	VALENCENE	0.007	ND	ND
LIMONENE	0.007	18.17	0.519	ALPHA-CEDRENE	0.005	ND	ND
BETA-MYRCENE	0.007	12.04	0.344	ALPHA-PHELLANDRENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	7.28	0.208	ALPHA-TERPINENE	0.007	ND	ND
LINALOOL	0.007	7.07	0.202	ALPHA-TERPINOLENE	0.007	ND	ND
ALPHA-BISABOLOL	0.007	5.64	0.161	CIS-NEROLIDOL	0.003	ND	ND
TRANS-NEROLIDOL	0.005	3.92	0.112	GAMMA-TERPINENE	0.007	ND	ND
BETA-PINENE	0.007	3.75	0.107	Analyzed by: 3605, 585, 1440 Weight: 1.2181g Extraction date: 07/03/24 08:58:16 Extracted by: 3605 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA074736TER Instrument Used : DA-GCMS-009 Reviewed On : 07/03/24 10:11:16 Analyzed Date : 07/03/24 08:59:20 Batch Date : 07/02/24 09:20:35			
ALPHA-PINENE	0.007	3.71	0.106	Dilution : 10 Reagent : 022224.06 Consumables : 947.109; 230613-634-D; 280670723; CE0123 Pipette : DA-065 Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
ALPHA-TERPINEOL	0.007	2.80	0.080				
FENCHYL ALCOHOL	0.007	2.66	0.076				
OCIMENE	0.007	1.09	0.031				
3-CARENE	0.007	ND	ND				
BORNEOL	0.013	ND	ND				
CAMPHENE	0.007	ND	ND				
CAMPHOR	0.007	ND	ND				
CARYOPHYLLENE OXIDE	0.007	ND	ND				
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FARNESENE	0.007	ND	ND				
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
Total (%)			2.582				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/05/24



Certificate of Analysis

PASSED

Sunnyside

Sample : DA40701006-015
Harvest/Lot ID: 0001 3428 6438 5388

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Batch# : 0001 3428 6438 Sample Size Received : 98 gram
5388 Total Amount : 7612 units
Sampled : 07/01/24 Completed : 07/05/24 Expires: 07/05/25
Ordered : 07/01/24 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 1.144g Extraction date: 07/02/24 13:20:58 Extracted by: 3379 Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch: DA074753PES Reviewed On: 07/03/24 11:51:59 Instrument Used: DA-LCMS-003 (PES) Batch Date: 07/02/24 12:29:03 Analyzed Date: N/A Dilution: 250 Reagent: 062624.R32; 062624.R05; 062624.R33; 062524.R04; 062624.R03; 040423.08 Consumables: 326250IW Pipette: DA-093; DA-094; DA-219					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 1.144g Extraction date: 07/02/24 13:20:58 Extracted by: 3379 Analysis Method: SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) Analytical Batch: DA074756VOL Reviewed On: 07/03/24 11:49:12 Instrument Used: DA-GCMS-001 Batch Date: 07/02/24 12:32:10 Analyzed Date: N/A Dilution: 250 Reagent: 040423.08; 060324.R01; 061824.R31 Consumables: 326250IW; 14725401 Pipette: DA-080; DA-146; DA-218					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/05/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40701006-015

Harvest/Lot ID: 0001 3428 6438 5388

Batch# : 0001 3428 6438

5388

Sampled : 07/01/24

Ordered : 07/01/24

Sample Size Received : 98 gram

Total Amount : 7612 units

Completed : 07/05/24 Expires: 07/05/25

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED
	Mycotoxins	PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	160	PASS	100000
Analyzed by: 3390, 4531, 585, 1440 Weight: 0.985g Extraction date: 07/02/24 16:58:37 Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA074742MIC Reviewed On : 07/03/24 14:41:02 Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021 Batch Date : 07/02/24 Analyzed Date : 07/02/24 16:59:01					
Dilution : 10 Reagent : 061324.50; 061324.53; 062424.R02; 030724.32; 030724.34 Consumables : 7574002037 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440 Weight: 1.144g Extraction date: 07/02/24 13:20:58 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA074755MYC Reviewed On : 07/03/24 10:03:28 Instrument Used : N/A Batch Date : 07/02/24 12:32:07 Analyzed Date : N/A Dilution : 250 Reagent : 062624.R32; 062624.R05; 062624.R33; 062524.R04; 062624.R03; 040423.08 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
Hg					
Heavy Metals					
PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.2581g Extraction date: 07/02/24 14:40:32 Extracted by: 1022,3807 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA074779HEA Reviewed On : 07/05/24 08:32:10 Instrument Used : DA-ICPMS-004 Batch Date : 07/02/24 14:33:52 Analyzed Date : 07/03/24 14:53:16 Dilution : 50 Reagent : 062524.R26; 070124.R05; 062624.R31; 070124.R03; 070124.R04; 061724.01; 060524.R41 Consumables : 179436; 120423CH01; 210508058 Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40701006-015

Harvest/Lot ID: 0001 3428 6438 5388

Batch# : 0001 3428 6438
5388

Sampled : 07/01/24
Ordered : 07/01/24

Sample Size Received : 98 gram

Total Amount : 7612 units

Completed : 07/05/24 Expires: 07/05/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material PASSED



Moisture PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440 Weight: 1g Extraction date: 07/03/24 09:43:32 Extracted by: N/A

Analysis Method : SOP.T.40.090
Analytical Batch : DA074817FIL Reviewed On : 07/03/24 09:41:16
Instrument Used : Filth/Foreign Material Microscope Batch Date : 07/03/24 09:21:17
Analyzed Date : 07/03/24 09:24:08

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.508	PASS	0.65

Analyzed by: 3807, 585, 1440 Weight: 0.668g Extraction date: 07/03/24 06:17:41 Extracted by: 3807

Analysis Method : SOP.T.40.019
Analytical Batch : DA074735WAT Reviewed On : 07/03/24 08:27:32
Instrument Used : DA256 Rotronic HygroPalm Batch Date : 07/02/24 09:19:06
Analyzed Date : N/A

Dilution : N/A
Reagent : 051624.01
Consumables : PS-14
Pipette : DA-066

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.00	%	13.56	PASS	15

Analyzed by: 3807, 585, 1440 Weight: 0.504g Extraction date: 07/03/24 01:33:56 Extracted by: 3807

Analysis Method : SOP.T.40.021
Analytical Batch : DA074733MOI Reviewed On : 07/03/24 08:25:43

Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser Batch Date : 07/02/24 09:18:35
Analyzed Date : N/A

Dilution : N/A
Reagent : 020124.02; 051624.01
Consumables : N/A
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.