



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40701006-016
Harvest/Lot ID: 0001342864379095
Batch#: 0001342864379095
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale# 0001342864304762
Batch Date: 06/25/24
Sample Size Received: 16 units
Total Amount: 273 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Ordered: 06/25/24
Sampled: 07/01/24
Completed: 07/05/24
Sampling Method: SOP.T.20.010

Jul 05, 2024 | Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED


Pages 1 of 6

SAFETY RESULTS

								
Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents PASSED	Filtration PASSED	Water Activity PASSED	Moisture NOT TESTED	Terpenes TESTED

MISC.

 **Cannabinoid** **PASSED**



Analyzed by: 1665, 585, 1440	Weight: 0.1019g	Extraction date: 07/02/24 14:32:43	Extracted by: 1665
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.031, SOP.T.30.031	Reviewed On : 07/03/24 10:04:38
Analytical Batch : DA074774POT	Batch Date : 07/02/24 12:53:05
Instrument Used : DA-LC-003	
Analyzed Date : 07/02/24 14:34:15	

Dilution : 400
Reagent : 062824.R11; 060723.24; 061224.R01
Consumables : 947.100; LLS-00-0005; 280670723; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
07/05/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40701006-016
Harvest/Lot ID: 0001342864379095

Batch# : 0001342864379095 Sample Size Received : 16 units
Sampled : 07/01/24 Total Amount : 273 units
Ordered : 07/01/24 Completed : 07/05/24 Expires: 07/05/25
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	75.78	7.578	SABINENE	0.007	ND	ND
LIMONENE	0.007	21.70	2.170	SABINENE HYDRATE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	17.58	1.758	VALENCENE	0.007	ND	ND
BETA-MYRCENE	0.007	11.70	1.170	ALPHA-CEDRENE	0.005	ND	ND
ALPHA-HUMULENE	0.007	5.62	0.562	ALPHA-PHELLANDRENE	0.007	ND	ND
LINALOOL	0.007	4.38	0.438	ALPHA-TERPINENE	0.007	ND	ND
GUAIOL	0.007	3.71	0.371	CIS-NEROLIDOL	0.003	ND	ND
BETA-PINENE	0.007	2.66	0.266	GAMMA-TERPINENE	0.007	ND	ND
FENCHYL ALCOHOL	0.007	1.62	0.162				
ALPHA-PINENE	0.007	1.59	0.159	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight: 0.2257g	Extraction date: 07/03/24 08:58:17	Extracted by: 3605
ALPHA-TERPINEOL	0.007	1.50	0.150	Analytical Batch : DA074736TER			Reviewed On : 07/03/24 10:04:41
ALPHA-BISABOLOL	0.007	1.06	0.106	Instrument Used : DA-GCMS-009			Batch Date : 07/02/24 09:20:35
TRANS-NEROLIDOL	0.005	0.67	0.067	Analyzed Date : 07/03/24 08:59:20			
BORNEOL	0.013	0.57	0.057	Dilution : 10			
CAMPHENE	0.007	0.49	0.049	Reagent : 022224.06			
FARNESENE	0.007	0.42	0.042	Consumables : 947.109; 230613-634-D; 280670723; CE0123			
ALPHA-TERPINOLENE	0.007	0.27	0.027	Pipette : DA-065			
CARYOPHYLLENE OXIDE	0.007	0.24	0.024	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
3-CARENE	0.007	ND	ND				
CAMPHOR	0.007	ND	ND				
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
Total (%)			7.578				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
07/05/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40701006-016
Harvest/Lot ID: 0001342864379095

Batch# : 0001342864379095 Sample Size Received : 16 units
Sampled : 07/01/24 Total Amount : 273 units
Ordered : 07/01/24 Completed : 07/05/24 Expires: 07/05/25
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINO CYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 0.232g Extraction date: 07/02/24 13:20:59 Extracted by: 3379					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA074753PES Instrument Used : DA-LCMS-003 (PES) Reviewed On : 07/03/24 11:51:59					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A Batch Date : 07/02/24 12:29:03					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 062624.R32; 062624.R05; 062624.R33; 062524.R04; 062624.R03; 040423.08					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.232g Extraction date: 07/02/24 13:20:59 Extracted by: 3379					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA074756VOL Instrument Used : DA-GCMS-001 Reviewed On : 07/03/24 11:49:12					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A Batch Date : 07/02/24 12:32:10					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 040423.08; 060324.R01; 061824.R31					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/05/24



Certificate of Analysis

PASSED
Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: jenna.mlsna@crecolabs.com

 Sample : DA40701006-016
 Harvest/Lot ID: 0001342864379095

 Batch# : 0001342864379095 Sample Size Received : 16 units
 Sampled : 07/01/24 Total Amount : 273 units
 Ordered : 07/01/24 Completed : 07/05/24 Expires: 07/05/25
 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0217g	Extraction date: 07/03/24 13:03:46	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA07484350L Instrument Used : DA-GCMS-002 Analyzed Date : 07/03/24 13:08:48	Reviewed On : 07/03/24 13:42:43 Batch Date : 07/03/24 11:18:08
---	---

 Dilution : 1
 Reagent : 030420.09
 Consumables : 429651; 306143
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: jenna.mlsna@crescolabs.com

 Sample : DA40701006-016
 Harvest/Lot ID: 0001342864379095
 Batch# : 0001342864379095 Sample Size Received : 16 units
 Sampled : 07/01/24 Total Amount : 273 units
 Ordered : 07/01/24 Completed : 07/05/24 Expires: 07/05/25
 Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3390, 4531, 585, 1440 Weight: 0.97g Extraction date: 07/02/24 16:58:38 Extracted by: 3390

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA074742MIC Reviewed On : 07/03/24 14:41:08 Batch Date : 07/02/24

Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021 Analyzed Date : 07/02/24 16:59:01

Dilution : 10 Reagent : 061324.50; 061324.53; 062424.R02; 030724.32; 030724.34 Consumables : 7574002037 Pipette : N/A

Analyzed by: 3390, 585, 1440 Weight: 0.97g Extraction date: 07/02/24 16:58:38 Extracted by: 3390

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA074743TYM Reviewed On : 07/05/24 17:33:24 Instrument Used : Incubator (25°C) DA- 328 Batch Date : 07/02/24 12:19:42 Analyzed Date : 07/02/24 18:35:58

Dilution : 10 Reagent : 061324.50; 061324.53; 060524.R53 Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440 Weight: 0.232g Extraction date: 07/02/24 13:20:59 Extracted by: 3379

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA074755MYC Reviewed On : 07/03/24 10:03:30 Instrument Used : N/A Batch Date : 07/02/24 12:32:07 Analyzed Date : N/A

Dilution : 250 Reagent : 062624.R32; 062624.R05; 062624.R33; 062524.R04; 062624.R03; 040423.08 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 Weight: 0.2621g Extraction date: 07/02/24 14:56:18 Extracted by: 1022,3807,4056

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA074780HEA Reviewed On : 07/05/24 08:35:17 Instrument Used : DA-ICPMS-004 Batch Date : 07/02/24 14:52:06 Analyzed Date : 07/03/24 14:57:16

Dilution : 50 Reagent : 062524.R26; 070124.R05; 062624.R31; 070124.R03; 070124.R04; 061724.01; 060524.R41 Consumables : 179436; 120423CH01; 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40701006-016
Harvest/Lot ID: 0001342864379095
Batch# : 0001342864379095 Sample Size Received : 16 units
Sampled : 07/01/24 Total Amount : 273 units
Ordered : 07/01/24 Completed : 07/05/24 Expires: 07/05/25
Sample Method : SOP.T.20.010

Page 6 of 6

	Filth/Foreign Material	PASSED
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 07/03/24 09:43:32	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA074817FIL
Instrument Used : Filth/Foreign Material Microscope
Analyzed Date : 07/03/24 09:24:08
Reviewed On : 07/03/24 09:38:38
Batch Date : 07/03/24 09:21:17

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	Water Activity	PASSED
---	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.542	PASS	0.85

Analyzed by: 4444, 585, 1440	Weight: 0.661g	Extraction date: 07/02/24 14:26:09	Extracted by: 4444
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA074734WAT
Instrument Used : DA256 Rotronic HygroPalm
Analyzed Date : 07/02/24 14:26:38
Reviewed On : 07/03/24 09:07:43
Batch Date : 07/02/24 09:18:55

Dilution : N/A
Reagent : 051624.01
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

