



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40701006-047
Harvest/Lot ID: 0001 3428 6437 6751
Batch#: 0001 3428 6437 6751
Cultivation Facility: FL - Indiantown (3734)
Processing Facility : FL - Indiantown (3734)
Source Facility : FL - Indiantown (3734)
Seed to Sale# 1001 3428 6430 0214
Batch Date: 06/24/24
Sample Size Received: 42 gram
Total Amount: 1352 units
Retail Product Size: 7 gram
Retail Serving Size: 7 gram
Servings: 1
Ordered: 06/25/24
Sampled: 07/01/24
Completed: 07/05/24
Sampling Method: SOP.T.20.010

Jul 05, 2024 | Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS


 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals
 Solvents
NOT TESTED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
PASSED

MISC.


 Terpenes
TESTED


Cannabinoid

PASSED


Total THC
29.064%

Total THC/Container : 2034.480 mg


Total CBD
0.058%

Total CBD/Container : 4.060 mg


Total Cannabinoids
34.088%

Total Cannabinoids/Container : 2386.160 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGa	CBN	THCV	CBDV	CBC
%	0.929	32.081	ND	0.067	0.019	0.115	0.826	ND	ND	ND	0.051
mg/unit	65.03	2245.67	ND	4.69	1.33	8.05	57.82	ND	ND	ND	3.57
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

 Analyzed by:
 1665, 585, 1440

 Weight:
 0.2144g

 Extraction date:
 07/02/24 14:41:26

 Extracted by:
 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA074754POT

Instrument Used : DA-LC-002

Analyzed Date : 07/02/24 14:42:33

Reviewed On : 07/03/24 10:05:41

Batch Date : 07/02/24 12:29:23

Dilution : 400

Reagent : 062824.R11; 032123.11; 061224.R01

Consumables : 947.100; LLS-00-0005; 280670723; 0000185478

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 07/05/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Rollins x Sgr Ddy (S)
Rollins X Sugar Daddy
Matrix : Flower
Type: Flower-Cured-Small



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40701006-047

Harvest/Lot ID: 0001 3428 6437 6751

Batch# : 0001 3428 6437

6751

Sampled : 07/01/24

Ordered : 07/01/24

Sample Size Received : 42 gram

Total Amount : 1352 units

Completed : 07/05/24 Expires: 07/05/25

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	127.96	1.828		VALENCENE	0.007	ND	ND	
BETA-MYRCENE	0.007	47.95	0.685		ALPHA-CEDRENE	0.005	ND	ND	
BETA-CARYOPHYLLENE	0.007	34.51	0.493		ALPHA-PHELLANDRENE	0.007	ND	ND	
LIMONENE	0.007	17.99	0.257		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	10.50	0.150		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-PINENE	0.007	4.13	0.059		CIS-NEROLIDOL	0.003	ND	ND	
LINALOOL	0.007	3.01	0.043		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-TERPINEOL	0.007	2.87	0.041		TRANS-NEROLIDOL	0.005	ND	ND	
FENCHYL ALCOHOL	0.007	2.73	0.039						
ALPHA-BISABOLOL	0.007	2.17	0.031		Analyzed by:	Weight:	Extraction date:	Extracted by:	
ALPHA-PINENE	0.007	2.10	0.030		4451, 3605, 585, 1440	1.0458g	07/03/24 08:27:18	3605	
3-CARENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BORNEOL	0.013	ND	ND		Analytical Batch : DA074741TER				
CAMPHENE	0.007	ND	ND		Instrument Used : DA-GCMS-008				
CAMPHOR	0.007	ND	ND		Analyzed Date : 07/03/24 08:27:36				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Dilution : 10				
CEDROL	0.007	ND	ND		Reagent : 022224.06				
EUCALYPTOL	0.007	ND	ND		Consumables : 947.109; 230613-634-D; 280670723; CE0123				
FARNESENE	0.007	ND	ND		Pipette : DA-065				
FENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)			1.828						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/05/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Rollins x Sgr Ddy (S)

Rollins X Sugar Daddy

Matrix : Flower

Type: Flower-Cured-Small



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40701006-047

Harvest/Lot ID: 0001 3428 6437 6751

Batch# : 0001 3428 6437
6751

Sampled : 07/01/24

Ordered : 07/01/24

Sample Size Received : 42 gram

Total Amount : 1352 units

Completed : 07/05/24 Expires: 07/05/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 1.0692g	Extraction date: 07/02/24 13:24:48	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA074759PES		Reviewed On : 07/03/24 13:10:59			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 07/02/24 12:33:09			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 062624.R32; 062624.R05; 062624.R33; 062624.R04; 062624.R03; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 1.0692g	Extraction date: 07/02/24 13:24:48	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA074763VOL		Reviewed On : 07/03/24 13:02:35			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 07/02/24 12:37:22			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : N/A					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 040423.08; 060324.R01; 061824.R31					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/05/24



Type: Flower-Cured-Small






PASSED

Email: ienna.mlsna@crescolabs.com

Ordered : 07/01/24

Sample Method : SOP.T.20.010

Page 4 of 5

	<h1>Microbial</h1>	<h1>PASSED</h1>																																																																																																																																																															
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>3000</td><td>PASS</td><td>100000</td></tr><tr><td>Analyzed by: 3390, 4531, 585, 1440</td><td>Weight: 0.9969g</td><td>Extraction date: 07/02/24 17:04:33</td><td>Extracted by: 3390</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td></tr><tr><td colspan="3">Analytical Batch : DA074744MIC</td><td colspan="3">Reviewed On : 07/03/24 14:45:10</td></tr><tr><td colspan="3">Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021</td><td colspan="3">Batch Date : 07/02/24</td></tr><tr><td colspan="6">Analyzed Date : 07/02/24 17:04:51</td></tr><tr><td colspan="6">Dilution : 10</td></tr><tr><td colspan="6">Reagent : 061324.50; 061324.53; 062424.R02; 030724.32; 030724.34</td></tr><tr><td colspan="6">Consumables : 7574002037</td></tr><tr><td colspan="6">Pipette : N/A</td></tr><tr><td>Analyzed by: 3390, 585, 1440</td><td>Weight: 0.9969g</td><td>Extraction date: 07/02/24 17:04:33</td><td>Extracted by: 3390</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL</td></tr><tr><td colspan="3">Analytical Batch : DA074747TYM</td><td colspan="3">Reviewed On : 07/05/24 17:06:36</td></tr><tr><td colspan="3">Instrument Used : Incubator (25°C) DA- 328</td><td colspan="3">Batch Date : 07/02/24 12:24:32</td></tr><tr><td colspan="6">Analyzed Date : 07/02/24 18:36:54</td></tr><tr><td colspan="6">Dilution : 10</td></tr><tr><td colspan="6">Reagent : 061324.50; 061324.53; 060524.R53</td></tr><tr><td colspan="6">Consumables : N/A</td></tr><tr><td colspan="6">Pipette : N/A</td></tr><tr><td colspan="6">Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	3000	PASS	100000	Analyzed by: 3390, 4531, 585, 1440	Weight: 0.9969g	Extraction date: 07/02/24 17:04:33	Extracted by: 3390	Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA074744MIC			Reviewed On : 07/03/24 14:45:10			Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021			Batch Date : 07/02/24			Analyzed Date : 07/02/24 17:04:51						Dilution : 10						Reagent : 061324.50; 061324.53; 062424.R02; 030724.32; 030724.34						Consumables : 7574002037						Pipette : N/A						Analyzed by: 3390, 585, 1440	Weight: 0.9969g	Extraction date: 07/02/24 17:04:33	Extracted by: 3390	Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						Analytical Batch : DA074747TYM			Reviewed On : 07/05/24 17:06:36			Instrument Used : Incubator (25°C) DA- 328			Batch Date : 07/02/24 12:24:32			Analyzed Date : 07/02/24 18:36:54						Dilution : 10						Reagent : 061324.50; 061324.53; 060524.R53						Consumables : N/A						Pipette : N/A						Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							<h1>Mycotoxins</h1>	<h1>PASSED</h1>
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																												
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																																													
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																																													
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																																													
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																																													
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																																													
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																																													
TOTAL YEAST AND MOLD	10	CFU/g	3000	PASS	100000																																																																																																																																																												
Analyzed by: 3390, 4531, 585, 1440	Weight: 0.9969g	Extraction date: 07/02/24 17:04:33	Extracted by: 3390																																																																																																																																																														
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL																																																																																																																																																																	
Analytical Batch : DA074744MIC			Reviewed On : 07/03/24 14:45:10																																																																																																																																																														
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021			Batch Date : 07/02/24																																																																																																																																																														
Analyzed Date : 07/02/24 17:04:51																																																																																																																																																																	
Dilution : 10																																																																																																																																																																	
Reagent : 061324.50; 061324.53; 062424.R02; 030724.32; 030724.34																																																																																																																																																																	
Consumables : 7574002037																																																																																																																																																																	
Pipette : N/A																																																																																																																																																																	
Analyzed by: 3390, 585, 1440	Weight: 0.9969g	Extraction date: 07/02/24 17:04:33	Extracted by: 3390																																																																																																																																																														
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL																																																																																																																																																																	
Analytical Batch : DA074747TYM			Reviewed On : 07/05/24 17:06:36																																																																																																																																																														
Instrument Used : Incubator (25°C) DA- 328			Batch Date : 07/02/24 12:24:32																																																																																																																																																														
Analyzed Date : 07/02/24 18:36:54																																																																																																																																																																	
Dilution : 10																																																																																																																																																																	
Reagent : 061324.50; 061324.53; 060524.R53																																																																																																																																																																	
Consumables : N/A																																																																																																																																																																	
Pipette : N/A																																																																																																																																																																	
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																	
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analyzed by: 3379, 585, 1440</td><td>Weight: 1.0692g</td><td>Extraction date: 07/02/24 13:24:48</td><td>Extracted by: 3379</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</td></tr><tr><td colspan="3">Analytical Batch : DA074762MYC</td><td colspan="3">Reviewed On : 07/03/24 11:24:53</td></tr><tr><td colspan="3">Instrument Used : N/A</td><td colspan="3">Batch Date : 07/02/24 12:37:18</td></tr><tr><td colspan="6">Analyzed Date : N/A</td></tr><tr><td colspan="6">Dilution : 250</td></tr><tr><td colspan="6">Reagent : 062624.R32; 062624.R05; 062624.R33; 062524.R04; 062624.R03; 040423.08</td></tr><tr><td colspan="6">Consumables : 326250IW</td></tr><tr><td colspan="6">Pipette : DA-093; DA-094; DA-219</td></tr><tr><td colspan="6">Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	Analyzed by: 3379, 585, 1440	Weight: 1.0692g	Extraction date: 07/02/24 13:24:48	Extracted by: 3379	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Analytical Batch : DA074762MYC			Reviewed On : 07/03/24 11:24:53			Instrument Used : N/A			Batch Date : 07/02/24 12:37:18			Analyzed Date : N/A						Dilution : 250						Reagent : 062624.R32; 062624.R05; 062624.R33; 062524.R04; 062624.R03; 040423.08						Consumables : 326250IW						Pipette : DA-093; DA-094; DA-219						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							<h1>Heavy Metals</h1>	<h1>PASSED</h1>																																																																
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																												
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																																																																																																																																												
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																																																																																																																																												
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																																																																																																																																												
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																																																																																																																																												
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																																																																																																																																												
Analyzed by: 3379, 585, 1440	Weight: 1.0692g	Extraction date: 07/02/24 13:24:48	Extracted by: 3379																																																																																																																																																														
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)																																																																																																																																																																	
Analytical Batch : DA074762MYC			Reviewed On : 07/03/24 11:24:53																																																																																																																																																														
Instrument Used : N/A			Batch Date : 07/02/24 12:37:18																																																																																																																																																														
Analyzed Date : N/A																																																																																																																																																																	
Dilution : 250																																																																																																																																																																	
Reagent : 062624.R32; 062624.R05; 062624.R33; 062524.R04; 062624.R03; 040423.08																																																																																																																																																																	
Consumables : 326250IW																																																																																																																																																																	
Pipette : DA-093; DA-094; DA-219																																																																																																																																																																	
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																	
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analyzed by: 1022, 585, 1440</td><td>Weight: 0.2287g</td><td>Extraction date: 07/02/24 14:40:32</td><td>Extracted by: 1022,3807</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td></tr><tr><td colspan="3">Analytical Batch : DA074779HEA</td><td colspan="3">Reviewed On : 07/05/24 08:32:10</td></tr><tr><td colspan="3">Instrument Used : DA-ICPMS-004</td><td colspan="3">Batch Date : 07/02/24 14:33:52</td></tr><tr><td colspan="6">Analyzed Date : 07/03/24 14:53:16</td></tr><tr><td colspan="6">Dilution : 50</td></tr><tr><td colspan="6">Reagent : 062524.R26; 070124.R05; 062624.R31; 070124.R03; 070124.R04; 061724.01; 060524.R41</td></tr><tr><td colspan="6">Consumables : 179436; 120423CH01; 210508058</td></tr><tr><td colspan="6">Pipette : DA-061; DA-191; DA-216</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5	Analyzed by: 1022, 585, 1440	Weight: 0.2287g	Extraction date: 07/02/24 14:40:32	Extracted by: 1022,3807	Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA074779HEA			Reviewed On : 07/05/24 08:32:10			Instrument Used : DA-ICPMS-004			Batch Date : 07/02/24 14:33:52			Analyzed Date : 07/03/24 14:53:16						Dilution : 50						Reagent : 062524.R26; 070124.R05; 062624.R31; 070124.R03; 070124.R04; 061724.01; 060524.R41						Consumables : 179436; 120423CH01; 210508058						Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																								
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																												
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																																																																																																																																												
ARSENIC	0.020	ppm	ND	PASS	0.2																																																																																																																																																												
CADMIUM	0.020	ppm	ND	PASS	0.2																																																																																																																																																												
MERCURY	0.020	ppm	ND	PASS	0.2																																																																																																																																																												
LEAD	0.020	ppm	ND	PASS	0.5																																																																																																																																																												
Analyzed by: 1022, 585, 1440	Weight: 0.2287g	Extraction date: 07/02/24 14:40:32	Extracted by: 1022,3807																																																																																																																																																														
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL																																																																																																																																																																	
Analytical Batch : DA074779HEA			Reviewed On : 07/05/24 08:32:10																																																																																																																																																														
Instrument Used : DA-ICPMS-004			Batch Date : 07/02/24 14:33:52																																																																																																																																																														
Analyzed Date : 07/03/24 14:53:16																																																																																																																																																																	
Dilution : 50																																																																																																																																																																	
Reagent : 062524.R26; 070124.R05; 062624.R31; 070124.R03; 070124.R04; 061724.01; 060524.R41																																																																																																																																																																	
Consumables : 179436; 120423CH01; 210508058																																																																																																																																																																	
Pipette : DA-061; DA-191; DA-216																																																																																																																																																																	
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/05/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Rollins x Sgr Ddy (S)
Rollins X Sugar Daddy
Matrix : Flower
Type: Flower-Cured-Small



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40701006-047

Harvest/Lot ID: 0001 3428 6437 6751

Batch# : 0001 3428 6437
6751

Sampled : 07/01/24

Ordered : 07/01/24

Sample Size Received : 42 gram

Total Amount : 1352 units

Completed : 07/05/24 Expires: 07/05/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	12.33	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 07/03/24 09:43:33	Extracted by: N/A			Analyzed by: 3807, 585, 1440	Weight: 0.489g	Extraction date: 07/03/24 01:33:56	Extracted by: 3807		
Analysis Method : SOP.T.40.090 Analytical Batch : DA074817FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 07/03/24 09:24:08						Analysis Method : SOP.T.40.021 Analytical Batch : DA074733MOI Reviewed On : 07/03/24 08:25:45 Batch Date : 07/02/24 09:18:35					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser Analyzed Date : N/A Dilution : N/A Reagent : 020124.02; 051624.01 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.509	PASS	0.65
Analyzed by: 3807, 585, 1440	Weight: 0.633g	Extraction date: 07/03/24 06:17:41	Extracted by: 3807		
Analysis Method : SOP.T.40.019 Analytical Batch : DA074735WAT Instrument Used : DA256 Rotronic HygroPalm Analyzed Date : N/A					
Dilution : N/A Reagent : 051624.01 Consumables : PS-14 Pipette : DA-066					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/05/24