



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40708007-005  
 Harvest/Lot ID: 0001 3428 6437 9025  
 Batch#: 0001 3428 6437 9025  
 Cultivation Facility: FL - Indiantown (3734)  
 Processing Facility: FL - Indiantown (3734)  
 Source Facility: FL - Indiantown (3734)  
 Seed to Sale# 1001 3428 6430 1129  
 Batch Date: 06/26/24  
 Sample Size Received: 49 gram  
 Total Amount: 1675 units  
 Retail Product Size: 7 gram  
 Retail Serving Size: 7 gram  
 Servings: 1  
 Ordered: 06/27/24  
 Sampled: 07/08/24  
 Completed: 07/11/24  
 Sampling Method: SOP.T.20.010

Jul 11, 2024 | Sunnyside

22205 Sw Martin Hwy  
 indiantown, FL, 34956, US

Sunnyside\*

PASSED

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
 Solvents  
 NOT TESTED



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
 TESTED

### MISC.



### Cannabinoid

PASSED



Total THC  
**25.400%**  
 Total THC/Container : 1778.000 mg



Total CBD  
**0.052%**  
 Total CBD/Container : 3.640 mg



Total Cannabinoids  
**29.753%**  
 Total Cannabinoids/Container : 2082.710 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.713	28.150	ND	0.060	0.020	0.102	0.641	ND	ND	ND	0.067
mg/unit	49.91	1970.50	ND	4.20	1.40	7.14	44.87	ND	ND	ND	4.69
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 1665, 585, 1440      Weight: 0.2008g      Extraction date: 07/09/24 11:20:08      Extracted by: 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031      Analytical Batch : DA074997POT      Instrument Used : DA-LC-002      Reviewed On : 07/10/24 09:50:37      Analyzed Date : 07/09/24 11:27:35      Batch Date : 07/09/24 09:58:21

Dilution : 400  
 Reagent : 070524.R03; 060723.24; 070524.R01  
 Consumables : 947.109; 120423CH01; CE0123; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 07/11/24



4131 SW 47th AVENUE SUITE 1408  
 DAVIE, FL, 33314, US  
 (954) 368-7664

Kaycha Labs

Supply Smalls 7g - Red Pop (I)  
 Red Pop  
 Matrix : Flower  
 Type: Flower-Cured-Small



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: Julio.Chavez@crescolabs.com

Sample : DA40708007-005  
 Harvest/Lot ID: 0001 3428 6437 9025

Batch# : 0001 3428 6437 9025  
 Sample Size Received : 49 gram  
 Total Amount : 1675 units  
 Completed : 07/11/24 Expires: 07/11/25  
 Ordered : 07/08/24  
 Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	160.58 2.294		VALENCENE	0.007	ND ND	
LIMONENE	0.007	41.23 0.589		ALPHA-BISABOLOL	0.007	ND ND	
BETA-CARYOPHYLLENE	0.007	39.76 0.568		ALPHA-CEDRENE	0.005	ND ND	
ALPHA-HUMULENE	0.007	11.76 0.168		ALPHA-PHELLANDRENE	0.007	ND ND	
LINALOOL	0.007	10.50 0.150		ALPHA-TERPINENE	0.007	ND ND	
FARNESENE	0.007	9.73 0.139		ALPHA-TERPINOLENE	0.007	ND ND	
BETA-MYRCENE	0.007	9.52 0.136		CIS-NEROLIDOL	0.003	ND ND	
OCIMENE	0.007	9.31 0.133		GAMMA-TERPINENE	0.007	ND ND	
ALPHA-PINENE	0.007	9.17 0.131					
BETA-PINENE	0.007	8.61 0.123		Analysis by:	Weight:	Extraction date:	Extracted by:
ALPHA-TERPINEOL	0.007	4.62 0.066		4451, 3605, 585, 1440	1.0777g	07/09/24 11:12:31	4451
FENCHYL ALCOHOL	0.007	3.50 0.050		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL			
TRANS-NEROLIDOL	0.005	2.87 0.041		Analytical Batch : DA074977ER		Revised On : 07/10/24 09:50:39	Batch Date : 07/09/24 07:52:42
3-CARENE	0.007	ND ND		Instrument Used : DA-GCMS-008			
BORNEOL	0.013	ND ND		Analyzed Date : 07/09/24 11:12:58			
CAMPHENE	0.007	ND ND		Dilution : 10			
CAMPHOR	0.007	ND ND		Reagent : 022224.07			
CARYOPHYLLENE OXIDE	0.007	ND ND		Consumables : 947.109; 230613-634-D; 280670723; CE0123			
CEDROL	0.007	ND ND		Pipette : DA-065			
EUCALYPTOL	0.007	ND ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
FENCHONE	0.007	ND ND					
GERANIOL	0.007	ND ND					
GERANYL ACETATE	0.007	ND ND					
GUAIOL	0.007	ND ND					
HEXAHYDROTHYMOL	0.007	ND ND					
ISOBORNEOL	0.007	ND ND					
ISOPULEGOL	0.007	ND ND					
NEROL	0.007	ND ND					
PULEGONE	0.007	ND ND					
SABINENE	0.007	ND ND					
SABINENE HYDRATE	0.007	ND ND					
<b>Total (%)</b>		<b>2.294</b>					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

Signature  
 07/11/24



# Certificate of Analysis

**PASSED**

Sunnyside

Sample : DA40708007-005  
Harvest/Lot ID: 0001 3428 6437 9025

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Batch# : 0001 3428 6437  
Sample Size Received : 49 gram  
Total Amount : 1675 units  
Sampled : 07/08/24  
Ordered : 07/08/24  
Completed : 07/11/24 Expires: 07/11/25  
Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3379, 585, 1440 <b>Weight:</b> 1.0317g <b>Extraction date:</b> 07/09/24 15:24:38 <b>Extracted by:</b> 3379 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA075008PES <b>Reviewed On :</b> 07/10/24 14:22:59 <b>Instrument Used :</b> DA-LCMS-003 (PES) <b>Batch Date :</b> 07/09/24 10:09:56 <b>Analyzed Date :</b> N/A <b>Dilution :</b> 250 <b>Reagent :</b> 070324.R31; 070324.R07; 070324.R06; 070524.R18; 062524.R04; 070324.R04; 040423.08 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219					
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
07/11/24



# Certificate of Analysis

**PASSED**

Sunnyside

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: Julio.Chavez@crescolabs.com

Sample : DA40708007-005

Harvest/Lot ID: 0001 3428 6437 9025

 Batch# : 0001 3428 6437  
 9025

 Sampled : 07/08/24  
 Ordered : 07/08/24

Sample Size Received : 49 gram

Total Amount : 1675 units

Completed : 07/11/24 Expires: 07/11/25

Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	70	PASS	100000

Analyzed by: 3390, 4520, 585, 1440  
 Weight: 1.1g  
 Extraction date: 07/09/24 12:16:51  
 Extracted by: 3390  
 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
 Analytical Batch : DA074995MIC  
 Reviewed On : 07/10/24 11:26:18  
 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021  
 Batch Date : 07/09/24 09:52:14  
 Analyzed Date : 07/09/24 12:18:10  
 Dilution : 10  
 Reagent : 061324.29; 061324.46; 062424.R02; 030724.34  
 Consumables : 7574002051  
 Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440  
 Weight: 1.0317g  
 Extraction date: 07/09/24 15:24:38  
 Extracted by: 3379  
 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)  
 Analytical Batch : DA075009MYC  
 Instrument Used : N/A  
 Analyzed Date : N/A  
 Reviewed On : 07/10/24 09:44:03  
 Batch Date : 07/09/24 10:11:57  
 Dilution : 250  
 Reagent : 070324.R31; 070324.R07; 070324.R06; 070524.R18; 062524.R04; 070324.R04; 040423.08  
 Consumables : 326250IW  
 Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 3390, 4520, 585, 1440  
 Weight: 1.1g  
 Extraction date: 07/09/24 12:16:51  
 Extracted by: 3390  
 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL  
 Analytical Batch : DA074996TYM  
 Instrument Used : Incubator (25°C) DA- 328  
 Batch Date : 07/09/24 09:54:17  
 Analyzed Date : 07/09/24 13:41:29  
 Dilution : 10  
 Reagent : 061324.29; 061324.46; 070324.R35  
 Consumables : N/A  
 Pipette : N/A

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 4056, 585, 1440  
 Weight: 0.2097g  
 Extraction date: 07/09/24 10:23:50  
 Extracted by: 4056  
 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
 Analytical Batch : DA074935HEA  
 Instrument Used : DA-ICPMS-004  
 Batch Date : 07/06/24 11:52:42  
 Analyzed Date : 07/09/24 14:05:27  
 Dilution : 50  
 Reagent : 062524.R26; 070824.R03; 070524.R27; 070824.R01; 070824.R02; 061724.01; 070524.R05  
 Consumables : 179436; 120423CH01; 210508058  
 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40708007-005  
Harvest/Lot ID: 0001 3428 6437 9025  
Batch# : 0001 3428 6437 9025  
Sample Size Received : 49 gram  
Total Amount : 1675 units  
Sampled : 07/08/24  
Ordered : 07/08/24  
Completed : 07/11/24 Expires: 07/11/25  
Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material** **PASSED**



**Moisture** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440  
Weight: 1g  
Extraction date: 07/10/24 20:40:30  
Extracted by: 1879  
Analysis Method : SOP.T.40.090  
Analytical Batch : DA075062FIL  
Instrument Used : Filth/Foreign Material Microscope  
Analyzed Date : 07/10/24 20:34:22  
Reviewed On : 07/10/24 20:51:06  
Batch Date : 07/10/24 20:21:08

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.478	PASS	0.65

Analyzed by: 4531, 585, 1440  
Weight: 1.41g  
Extraction date: 07/09/24 12:58:26  
Extracted by: 4531  
Analysis Method : SOP.T.40.019  
Analytical Batch : DA075021WAT  
Instrument Used : DA-028 Rotronic HygroPalm  
Analyzed Date : 07/09/24 14:03:47  
Reviewed On : 07/10/24 09:42:14  
Batch Date : 07/09/24 10:31:39

Dilution : N/A  
Reagent : 051624.01  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.00	%	14.01	PASS	15

Analyzed by: 4531, 585, 1440  
Weight: 0.514g  
Extraction date: 07/09/24 15:05:54  
Extracted by: 4531  
Analysis Method : SOP.T.40.021  
Analytical Batch : DA075022MOI  
Reviewed On : 07/10/24 09:35:56  
Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser  
Analyzed Date : 07/09/24 14:03:39  
Batch Date : 07/09/24 10:34:46

Dilution : N/A  
Reagent : 092520.50; 030724.34  
Consumables : N/A  
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

