

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Kaycha Labs

Good News Day Off 1:2 Cartridge 1g Day Off 1:2 Matrix: Derivative



Type: Distillate Sample:DA40708007-009 Harvest/Lot ID: 0001 3428 6438 4449 Batch#: 0001 3428 6438 4449 Cultivation Facility: FL - Indiantown (3734) Processing Facility : FL - Indiantown (3734) Source Facility : FL - Indiantown (3734)

Pages 1 of 6



Seed to Sale# 1001 3428 6430 3031 Batch Date: 07/01/24 Sample Size Received: 16 gram Total Amount: 830 units Retail Product Size: 1 gram Retail Serving Size: 1 gram Servings: 1 Ordered: 07/02/24 Sampled: 07/08/24 Completed: 07/11/24

Sampling Method: SOP.T.20.010

PASSED

MISC.

Jul 11, 2024 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US



SAFETY RESULTS

Pestici PASS	ides He	Hg eavy Metals PASSED	Microbials PASSED	တ္ဆီ Mycotoxin PASSED		Residuals Solvents	Filth PASSED		Activity SSED	Moisture NOT TESTED	Terpenes TESTED	
Ä	Canna	binoid								I	PASSED	
Total THC 59.356% Total THC/Container : 593.560 mg Total CBD/Container : 289.060 mg Total CBD/Container : 289.060 mg Total Cannabinoids/Container : 926.690												
%	^{D9-THC} 59.186	THCA 0.194	свр 28.906		ов-тнс).164	св д 2.458	CBGA ND	сви 0.472	тнсv 0.364	CBDV 0.102	свс 0.823	
% mg/unit	591.86	1.94	289.06		L.64	24.58	ND	4.72	3.64	1.02	8.23	
LOD	0.001	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	
	%	%	%	%	%	%	%	%	%	%	%	
Analyzed by: 3335, 585, 1440	D		Weight: 0.1103g			tion date: 24 11:26:10				Extracted by: 3335		
Analytical Batch Instrument Use	Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 07/10/24 09:51:02 Analyzical Batch : DA07A991POT Reviewed On : 07/10/24 09:51:02 Instrument Used : DA-LC-003 Batch Date : 07/09/24 09:41:20 Analyzed Date : 07/09/24 11:26:23 Batch Date : 07/09/24 09:41:20											
Consumables :												

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/11/24



Good News Day Off 1:2 Cartridge 1g Day Off 1:2 Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com
 Sample : DA40708007-009

 Harvest/Lot ID: 0001 3428 6438
 Sat449

 Batch#: 0001 3428 6438
 Sample

 4449
 Total Ar

Sampled : 07/08/24 Ordered : 07/08/24 Sample Size Received :16 gram Total Amount :830 units Completed : 07/11/24 Expires: 07/11/25 Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

erpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	59.11	5.911		SABINENE	0.007	ND	ND	
MONENE	0.007	14.71	1.471		SABINENE HYDRATE	0.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	11.01	1.101		VALENCENE	0.007	ND	ND	
ETA-MYRCENE	0.007	10.47	1.047		ALPHA-PHELLANDRENE	0.007	ND	ND	
NALOOL	0.007	4.75	0.475		ALPHA-TERPINENE	0.007	ND	ND	
TA-PINENE	0.007	3.16	0.316		CIS-NEROLIDOL	0.003	ND	ND	
PHA-BISABOLOL	0.007	2.74	0.274		GAMMA-TERPINENE	0.007	ND	ND	
NCHYL ALCOHOL	0.007	2.33	0.233		TRANS-NEROLIDOL	0.005	ND	ND	
PHA-TERPINEOL	0.007	2.17	0.217		Analyzed by:	Weight:		ion date:	Extracted by:
PHA-PINENE	0.007	1.76	0.176		4451, 3605, 585, 1440	0.205g	07/09/2	24 11:15:18	
PHA-HUMULENE	0.007	1.17	0.117		Analysis Method : SOP.T.30.061A.FL, SO	DP.T.40.061A.FL			
RANIOL	0.007	0.67	0.067		Analytical Batch : DA074981TER Instrument Used : DA-GCMS-004				/10/24 09:51:04 9/24 09:00:21
ROL	0.007	0.65	0.065		Analyzed Date : 07/09/24 11:15:52		batth	Date: 07/0	9/24 09.00.21
PHA-TERPINOLENE	0.007	0.59	0.059		Dilution : 10				
MPHENE	0.007	0.52	0.052		Reagent : 022224.07				
RYOPHYLLENE OXIDE	0.007	0.45	0.045		Consumables : 947.109; 230613-634-D; Pipette : DA-065	; 280670723; CE0123			
IAIOL	0.007	0.43	0.043						es, the Total Terpenes % is dry-weight corrected
IMENE	0.007	0.37	0.037		Terpenoid testing is performed utilizing Gas	Chromatography Mass Spectro	ometry. For all I	Hower samp	es, the Total Terpenes % is dry-weight corrected
XAHYDROTHYMOL	0.007	0.33	0.033						
BORNEOL	0.007	0.32	0.032						
PHA-CEDRENE	0.005	0.28	0.028						
CARENE	0.007	0.23	0.023						
RNEOL	0.013	ND	ND						
MPHOR	0.007	ND	ND						
DROL	0.007	ND	ND						
CALYPTOL	0.007	ND	ND						
RNESENE	0.001	ND	ND						
NCHONE	0.007	ND	ND						
ERANYL ACETATE	0.007	ND	ND						
	0.007	ND	ND						
OPULEGOL									
OPULEGOL ULEGONE	0.007	ND	ND						

Total (%)

5.911

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/11/24



Good News Day Off 1:2 Cartridge 1g Day Off 1:2 Matrix : Derivative Type: Distillate



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA40708007-009 Harvest/Lot ID: 0001 3428 6438 4449 Batch# : 0001 3428 6438 Sample

4449 Sampled : 07/08/24 Ordered : 07/08/24 Sample Size Received :16 gram Total Amount :830 units Completed : 07/11/24 Expires: 07/11/25 Sample Method : SOP.T.20.010

Page 3 of 6

R 0

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	nnm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010		0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND					3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		0.010				
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		0.010	nnm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010		0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND			0.010		0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	THIACLOPRID						
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (P	CNB) *	0.010	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *		0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050		0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050		0.5	PASS	ND
DICHLORVOS	0.010	maa	0.1	PASS	ND					0.5		
DIMETHOATE	0.010	ppm	0.1	PASS	ND				tion date:		Extracted	by:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	3379, 585, 1440 Analysis Method : SOP.T.30.101.FL			4 15:21:51	OD T 40 101 0	3379	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	(Gamesville), SOF.	1.30.10	Z.FL (Davie), 3	50F.1.40.101.1	L (Gamesville)	,
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA075003PES			Reviewed O	n:07/10/24 09	9:39:38	
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PI	ES)		Batch Date :	07/09/24 10:0	6:00	
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution : 250						
FIPRONIL	0.010	ppm	0.1	PASS	ND	Reagent: 070324.R31; 070324.R07	7; 070324.R06; 070)524.R1	8; 062524.R04	4; 070324.R04	; 040423.08	
FLONICAMID	0.010	ppm	0.1	PASS	ND	Consumables : 3262501W Pipette : DA-093; DA-094; DA-219						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is perfo	ormed utilizing Liqui	id Chron	atography Trir	le-Quadrunole	Mass Spectrom	etry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.		a chion	lacography m	ne quadrapore	nass spectron	icci y ini
IMAZALIL	0.010	ppm	0.1	PASS	ND		/eight: E	xtracti	on date:		Extracted	by:
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440 0.	.2733g C	07/09/24	15:21:51		3379	
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL	(Gainesville), SOP.	T.30.15	1A.FL (Davie),	SOP.T.40.151	.FL	
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA075006VOL				07/10/24 09:38		
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-010		Ba	atch Date : 07,	/09/24 10:09:0	1	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :07/09/24 16:08:09 Dilution : 250						
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 070324.R06; 040423.08;	041724 P34-0619	27/ 031				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 1472540		24.1131				
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-052; DA-218						
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is perfo		Chroma	tography Triple	-Quadrupole M	ass Spectromet	ry in
						accordance with F.S. Rule 64ER20-39.						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sen Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

07/11/24



Good News Day Off 1:2 Cartridge 1g Day Off 1:2 Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

kaycha°

LABS

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com
 Sample : DA40708007-009

 Harvest/Lot ID: 0001 3428 6438
 6438 4449

 Batch# : 0001 3428 6438
 Sample

 4449
 Total Ar

 Sampled: 07/08/24
 Complet

 Ordered: 07/08/24
 Sample

438 4449 Sample Size Received : 16 gram Total Amount : 830 units Completed : 07/11/24 Expires: 07/11/25 Sample Method : SOP.T.20.010 Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
L,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
CETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
THANOL	500.000	ppm	5000	PASS	ND
THYL ACETATE	40.000	ppm	400	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
EPTANE	500.000	ppm	5000	PASS	ND
IETHANOL	25.000	ppm	250	PASS	ND
-HEXANE	25.000	ppm	250	PASS	ND
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
ROPANE	500.000	ppm	5000	PASS	ND
OLUENE	15.000	ppm	150	PASS	ND
OTAL XYLENES	15.000	ppm	150	PASS	ND
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND
nalyzed by: 50, 585, 1440	Weight: 0.0267g	Extraction date: 07/10/24 13:34:44		E > 85	tracted by:
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA075023SOL nstrument Used : DA-GCMS-003 Analyzed Date : 07/10/24 13:45:40			d On : 07/11/24 09:07:38 t e : 07/09/24 14:07:21		
Analyzed Date : 07/10/24 13:45:40					

Dilution : 1 Reagent : 030420.09 Consumables : 429651; 306143 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/11/24

PASSED



Good News Day Off 1:2 Cartridge 1g Day Off 1:2 Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA40708007-009 Harvest/Lot ID: 0001 3428 6438 4449 Batch# : 0001 3428 6438 Sample

4449 Sampled : 07/08/24 Ordered : 07/08/24 Sample Size Received :16 gram Total Amount : 830 units Completed : 07/11/24 Expires: 07/11/25 Sample Method : SOP.T.20.010

Page 5 of 6

							1								
Ċ,	Microb	oial			PAS	SED	လ္နီ	Му	cotoxi	ns			PAS	SED	
Analyte		LOI	O Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN I	32		0.002	ppm	ND	PASS	0.02	
ASPERGILLU	S NIGER			Not Present	PASS		AFLATOXIN I	81		0.002	ppm	ND	PASS	0.02	
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXIN	A		0.002	ppm	ND	PASS	0.02	
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN (51		0.002	ppm	ND	PASS	0.02	
SALMONELL	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN (52		0.002	ppm	ND	PASS	0.02	
ECOLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Weight:	Extraction da	te.		Extracted	by:	
TOTAL YEAS	T AND MOLD	10	CFU/g	<10	PASS	100000		0	0.2733g	07/09/24 15:			3379	. Syl	
Analyzed by: 3390, 4520, 58	5, 1440	Weight: 0.867g	Extraction 0 07/09/24 12		Extractor 3390	ed by:	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)								
	od : SOP.T.40.056C :h : DA074995MIC	C, SOP.T.40.0)58.FL, SOP.T		wed On : 0	7/10/24	Analytical Batc Instrument Use Analyzed Date	d:N/A	D05MYC		wed On : 0 Date : 07/				
DA-049,Fisher Analyzed Date Dilution : 10	Fisher Scientific Is Scientific Isotemp : 07/09/24 12:18:1 324.29; 061324.46 7574002051	Heat Block LO	(55*C) DA-02	1			accordance with	3; DA-094 ing utilizing F.S. Rule 6	; DA-219 Liquid Chromatog 4ER20-39.		e-Quadrupo				
Analyzed by: 3390, 4520, 58	5, 1440	Weight: 0.867g	Extraction 0 07/09/24 12		Extractor 3390	ed by:	Hg	Неа	avy Me	etals			PAS	SED	
Analytical Bate	od : SOP.T.40.208 (:h : DA074996TYM ed : Incubator (25*		Revi	9.FL ewed On : 07/11 h Date : 07/09/2			Metal			LOD	Units	Result	Pass / Fail	Action Level	
	: 07/09/24 13:41:2		Date	II Date : 07/03/2	4 09.94.1	1	TOTAL CONT	AMINANT	LOAD METAL	S 0.080	ppm	ND	PASS	1.1	
Dilution : 10							ARSENIC			0.020	ppm	ND	PASS	0.2	
	324.29; 061324.46	6: 070324.R3	35				CADMIUM			0.020	ppm	ND	PASS	0.2	
Consumables :							MERCURY			0.020	ppm	ND	PASS	0.2	
Pipette : N/A							LEAD			0.020	ppm	ND	PASS	0.5	
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.								Analyzed by: Weight: Extraction date: Extracted by: 4056, 585, 1440 0.2105g 07/09/24 10:50:33 4056						l by:	
						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA074986HEA Reviewed On : 07/10/24 09:54:20 Instrument Used : DA-ICPMS-004 Batch Date : 07/09/24 09:17:12 Analyzed Date : 07/09/24 14:05:35 Batch Date : 07/09/24 09:17:12									
							Dilution : 50 Reagent : 0625 070524.R05	24.R26; 0	70824.R03; 070)524.R27; 0708	324.R01; C	70824.R0	2; 06172	4.01;	

Consumables : 179436; 120423CH01; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/11/24

PASSED



Good News Day Off 1:2 Cartridge 1g Day Off 1:2 Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA40708007-009 Harvest/Lot ID: 0001 3428 6438 4449 Batch# : 0001 3428 6438 Sample 4449 Sampled : 07/08/24 Complex

Batch Date : 07/10/24 20:21:08

Ordered : 07/08/24

38 4449 Sample Size Received :16 gram Total Amount :830 units Completed : 07/11/24 Expires: 07/11/25 Sample Method : SOP.T.20.010



Analytical Batch : DA075062FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 07/10/24 20:34:22

Dilution : N/A Reagent : N/A

Consumables : N/A

Pipette : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte Water Activity		LOD 0.010	Units aw	Result 0.566	P/F PASS	Action Level 0.85				
Analyzed by: 4351, 585, 1440	Weight: Extraction date: 0 0.315g 07/09/24 13:36:23				Extracted by: 23 4531					
Analysis Method : SOP.T.40.019 Reviewed On : 07/10/24 09:37:23 Analytical Batch : DA074990WAT Reviewed On : 07/10/24 09:37:23 Instrument Used : DA-028 Rotronic Hygropalm Batch Date : 07/09/24 09:41:07 Analyzed Date : N/A Reviewed On : 07/10/24 09:37:23										
Dilution : N/A Reagent : 051624.01 Consumables : PS-14										

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/11/24

PASSED

Page 6 of 6