



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40711011-006
Harvest/Lot ID: 0001 3428 6438 1147
Batch#: 0001 3428 6438 1147
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale#: 1001 3428 6430 4048
Batch Date: 07/02/24
Sample Size Received: 16 units
Total Amount: 3514 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Ordered: 07/03/24
Sampled: 07/11/24
Completed: 07/15/24
Sampling Method: SOP.T.20.010

Jul 15, 2024 | Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

87.158%

Total THC/Container : 871.580 mg



Total CBD

0.488%

Total CBD/Container : 4.880 mg



Total Cannabinoids

93.486%

Total Cannabinoids/Container : 934.860 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	87.014	0.165	0.488	ND	ND	3.737	ND	0.907	0.507	ND	0.668
mg/unit	870.14	1.65	4.88	ND	ND	37.37	ND	9.07	5.07	ND	6.68
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analized by:
3335, 1665, 585, 1440

Weight:
0.0942g

Extraction date:
07/12/24 11:44:11

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA075170POT
Instrument Used : DA-LC-007
Analized Date : 07/12/24 11:49:39

Reviewed On : 07/15/24 09:47:42
Batch Date : 07/12/24 10:33:06

Dilution : 400
Reagent : 071024.R02; 060723.24; 070524.R02
Consumables : 947.109; 120423CH01; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
07/15/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - Mobil One Breath (I) x Red Pop (I)
Mobil One Breath x Red Pop
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40711011-006

Harvest/Lot ID: 0001 3428 6438 1147

Batch# : 0001 3428 6438
1147

Sampled : 07/11/24
Ordered : 07/11/24

Sample Size Received : 16 units

Total Amount : 3514 units

Completed : 07/15/24 Expires: 07/15/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	18.25	1.825		PULEGONE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	3.64	0.364		SABINENE	0.007	ND	ND	
LIMONENE	0.007	3.05	0.305		SABINENE HYDRATE	0.007	ND	ND	
BETA-MYRCENE	0.007	2.50	0.250		VALENCENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	1.44	0.144		ALPHA-CEDRENE	0.005	ND	ND	
FARNESENE	0.001	0.92	0.092		ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	0.83	0.083		ALPHA-TERPINENE	0.007	ND	ND	
OCIMENE	0.007	0.73	0.073		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-BISABOLOL	0.007	0.69	0.069		Analyzed by:	Weight:	Extraction date:	Extracted by:	
ALPHA-TERPINEOL	0.007	0.67	0.067		4451, 585, 1440	0.2216g	07/12/24 11:53:09	4451	
TRANS-NEROLIDOL	0.005	0.67	0.067		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
FENCHYL ALCOHOL	0.007	0.61	0.061		Analytical Batch : DA07S144TER			Reviewed On : 07/15/24 09:47:44	
BORNEOL	0.013	0.57	0.057		Instrument Used : DA-GCMS-004			Batch Date : 07/12/24 09:42:55	
BETA-PINENE	0.007	0.38	0.038		Analyzed Date : 07/12/24 11:53:29				
CARYOPHYLLENE OXIDE	0.007	0.33	0.033		Dilution : 10				
ALPHA-PINENE	0.007	0.31	0.031		Reagent : 022224.07				
FENCHONE	0.007	0.25	0.025		Consumables : 947.109; 230613-634-D; 280670723; CE0123				
ALPHA-TERPINOLENE	0.007	0.24	0.024		Pipette : DA-065				
GUAJOL	0.007	0.22	0.022		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GAMMA-TERPINENE	0.007	0.20	0.020						
3-CARENE	0.007	ND	ND						
CAMPHENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
Total (%)			1.825						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/15/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - Mobil One Breath (I) x Red Pop (I)
Mobil One Breath x Red Pop
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA40711011-006

Harvest/Lot ID: 0001 3428 6438 1147

Batch# : 0001 3428 6438
1147

Sampled : 07/11/24

Ordered : 07/11/24

Sample Size Received : 16 units

Total Amount : 3514 units

Completed : 07/15/24 Expires: 07/15/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 0.2177g Extraction date: 07/12/24 14:54:43 Extracted by: 3621 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA075158PES Instrument Used : DA-LCMS-004 (PES) Batch Date : 07/12/24 10:20:34 Reviewed On : 07/15/24 11:46:07 Batch Date : 07/12/24 10:20:34					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Reagent : 070524.R17; 071024.R08; 070924.R04; 071024.R37; 062524.R04; 071024.R06; 040423.08					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440					
MALATHION	0.010	ppm	0.2	PASS	ND	Weight: 0.2177g					
METALAXYL	0.010	ppm	0.1	PASS	ND	Extraction date: 07/12/24 14:54:43					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Extracted by: 3621					
METHOMYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie)					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA075160VOL					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010					
NALED	0.010	ppm	0.25	PASS	ND	Batch Date : 07/12/24 10:22:30					
						Analysis Date : 07/12/24 18:17:47					
						Dilution : 250					
						Reagent : 070924.R04; 040423.08; 071024.R46; 071024.R47					
						Consumables : 326250IW; 14725401					
						Pipette : DA-080; DA-146; DA-218					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/15/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - Mobil One Breath (I) x Red Pop (I)
Mobil One Breath x Red Pop
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40711011-006

Harvest/Lot ID: 0001 3428 6438 1147

Batch# : 0001 3428 6438
1147

Sampled : 07/11/24

Ordered : 07/11/24

Sample Size Received : 16 units

Total Amount : 3514 units

Completed : 07/15/24 Expires: 07/15/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0224g

Extraction date:
07/14/24 14:51:48

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA07517850L
Instrument Used : DA-GCMS-002
Analyzed Date : 07/14/24 14:56:34

Reviewed On : 07/15/24 09:56:59
Batch Date : 07/12/24 11:21:48

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 306143
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/15/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - Mobil One Breath (I) x Red Pop (I)
Mobil One Breath x Red Pop
Matrix : Derivative
Type: Distillate



Certificate of Analysis



PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40711011-006
Harvest/Lot ID: 0001 3428 6438 1147
Batch# : 0001 3428 6438
Sample Size Received : 16 units
Total Amount : 3514 units
Completed : 07/15/24 Expires: 07/15/25
Sample Method : SOP.T.20.010
Sampled : 07/11/24
Ordered : 07/11/24

Page 5 of 6

	Microbial					PASSED						Mycotoxins					PASSED												
Analyte						LOD	Units	Result	Pass / Fail	Action Level	Analyte						LOD	Units	Result	Pass / Fail	Action Level								
ASPERGILLUS TERREUS								Not Present	PASS		AFLATOXIN B2						0.002	ppm	ND	PASS	0.02								
ASPERGILLUS NIGER								Not Present	PASS		AFLATOXIN B1						0.002	ppm	ND	PASS	0.02								
ASPERGILLUS FUMIGATUS								Not Present	PASS		OCHRATOXIN A						0.002	ppm	ND	PASS	0.02								
ASPERGILLUS FLAVUS								Not Present	PASS		AFLATOXIN G1						0.002	ppm	ND	PASS	0.02								
SALMONELLA SPECIFIC GENE								Not Present	PASS		AFLATOXIN G2						0.002	ppm	ND	PASS	0.02								
ECOLI SHIGELLA								Not Present	PASS		Analyzed by: 3379, 585, 1440						Weight: 0.2177g	Extraction date: 07/12/24 14:54:43	Extracted by: 3621										
TOTAL YEAST AND MOLD						10	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Reviewed On : 07/15/24 11:03:09 Batch Date : 07/12/24 10:22:28												
Analyzed by: 4520, 585, 1440		Weight: 0.93g		Extraction date: 07/12/24 13:09:55		Extracted by: 4520		Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL																					
Analytical Batch : DA075146MIC						Reviewed On : 07/15/24 10:00:53						Analytical Batch : DA075159MYC						Instrument Used : N/A											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021						Batch Date : 07/12/24 09:47:12						Analyzed Date : N/A						Dilution : 250											
Analyzed Date : 07/12/24 14:57:41												Reagent : 070524.R17; 071024.R08; 070924.R04; 071024.R37; 062524.R04; 071024.R06; 040423.08						Consumables : 326250IW											
Dilution : 10												Pipette : DA-093; DA-094; DA-219						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											
Reagent : 061324.39; 061324.43; 062424.R02; 030724.33												<div><div><div>Hg</div></div></div>						Heavy Metals						PASSED					
Consumables : N/A																													
Pipette : N/A																													
Analyzed by: 4044, 4531, 585, 1440		Weight: 0.93g		Extraction date: 07/12/24 13:09:55		Extracted by: 4520		Metal												LOD	Units	Result	Pass / Fail	Action Level					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL												TOTAL CONTAMINANT LOAD METALS						0.080	ppm	ND	PASS	1.1							
Analytical Batch : DA075147TYM						Reviewed On : 07/15/24 11:17:14						ARSENIC						0.020	ppm	ND	PASS	0.2							
Instrument Used : Incubator (25°C) DA- 328						Batch Date : 07/12/24 09:53:40						CADMIUM						0.020	ppm	ND	PASS	0.2							
Analyzed Date : 07/12/24 16:49:52												MERCURY						0.020	ppm	ND	PASS	0.2							
Dilution : 10												LEAD						0.020	ppm	ND	PASS	0.5							
Reagent : 061324.39; 061324.43; 070324.R35												Analyzed by: 4056, 1022, 585, 1440						Weight: 0.2894g	Extraction date: 07/12/24 11:33:31	Extracted by: 4056.3807									
Consumables : N/A																													
Pipette : N/A																													
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																													

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/15/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - Mobil One Breath (I) x Red Pop (I)
Mobil One Breath x Red Pop
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40711011-006

Harvest/Lot ID: 0001 3428 6438 1147

Batch# : 0001 3428 6438
1147

Sampled : 07/11/24

Ordered : 07/11/24

Sample Size Received : 16 units

Total Amount : 3514 units

Completed : 07/15/24 Expires: 07/15/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA075181FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 07/12/24 13:09:08

Reviewed On : 07/12/24 13:19:46

Batch Date : 07/12/24 13:01:04

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.487	PASS	0.85

Analyzed by: 4571, 1879, 585, 1440	Weight: 0.2273g	Extraction date: 07/12/24 15:15:42	Extracted by: 4571
---------------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA075176WAT

Instrument Used : DA-028 Rotronic HygroPalm, DA256

Rotronic HygroPalm

Analyzed Date : 07/12/24 15:16:06

Reviewed On : 07/15/24 08:50:00

Batch Date : 07/12/24 10:38:11

Dilution : N/A

Reagent : 051624.01

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/15/24