



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40715005-007
Harvest/Lot ID: 1001 3428 6430 4671
Batch#: 1001 3428 6430 4671
Cultivation Facility: FL - Indiantown (3734)
Processing Facility : FL - Indiantown (3734)
Source Facility : FL - Indiantown (3734)
Seed to Sale# 1001 3428 6430 4671
Batch Date: 07/08/24
Sample Size Received: 16 gram
Total Amount: 1321 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Ordered: 07/08/24
Sampled: 07/15/24
Completed: 07/18/24
Sampling Method: SOP.T.20.010

Jul 18, 2024 | Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS


 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals
 Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
NOT TESTED

 Terpenes
TESTED

MISC.



Cannabinoid

PASSED


Total THC
85.718%

Total THC/Container : 857.180 mg


Total CBD
0.238%

Total CBD/Container : 2.380 mg


Total Cannabinoids
90.301%

Total Cannabinoids/Container : 903.010 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	85.639	0.091	0.238	ND	0.475	2.585	ND	0.471	0.506	ND	0.296
mg/unit	856.39	0.91	2.38	ND	4.75	25.85	ND	4.71	5.06	ND	2.96
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 1665, 585, 1440

 Weight:
 0.1268g

 Extraction date:
 07/16/24 13:32:32

 Extracted by:
 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA075275POT

Instrument Used : DA-LC-003

Analyzed Date : 07/16/24 13:33:12

Reviewed On : 07/17/24 08:54:47

Batch Date : 07/16/24 09:06:40

Dilution : 400

Reagent : 071024.R01; 060723.24; 070524.R01

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 07/18/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Me Time Cartridge 1g
Me Time Berry
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40715005-007

Harvest/Lot ID: 1001 3428 6430 4671

Batch# : 1001 3428 6430
4671

Sampled : 07/15/24

Ordered : 07/15/24

Sample Size Received : 16 gram

Total Amount : 1321 units

Completed : 07/18/24 Expires: 07/18/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	36.24	3.624		SABINENE HYDRATE	0.007	ND	ND	
LIMONENE	0.007	10.94	1.094		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	8.39	0.839		ALPHA-CEDRENE	0.005	ND	ND	
BETA-MYRCENE	0.007	7.95	0.795		ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	2.65	0.265		ALPHA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	1.98	0.198		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-BISABOOL	0.007	1.39	0.139		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-TERPINEOL	0.007	1.17	0.117		TRANS-NEROLIDOL	0.005	ND	ND	
ALPHA-PINENE	0.007	0.98	0.098		Analysis by:	Weight:	Extraction date:	Extracted by:	
ALPHA-TERPINOLENE	0.007	0.30	0.030		4451, 3605, 585, 1440	0.2069g	07/16/24 13:35:27	4451	
CAMPHERE	0.007	0.27	0.027		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-HUMULENE	0.007	0.22	0.022		Analytical Batch : DA075282TER		Reviewed On : 07/17/24 10:20:58	Batch Date : 07/16/24 09:38:18	
3-CARENE	0.007	ND	ND		Instrument Used : DA-GCMS-009				
BORNEOL	0.013	ND	ND		Analyzed Date : 07/16/24 13:35:49				
CAMPHOR	0.007	ND	ND		Dilution : 10				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Reagent : 022224.07				
CEDROL	0.007	ND	ND		Consumables : 947.109; 230613-634-D; 280670723; CE0123				
EUCALYPTOL	0.007	ND	ND		Pipette : DA-065				
FARNESENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)				3.624					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/18/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Me Time Cartridge 1g
Me Time Berry
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40715005-007

Harvest/Lot ID: 1001 3428 6430 4671

Batch# : 1001 3428 6430
4671

Sampled : 07/15/24

Ordered : 07/15/24

Sample Size Received : 16 gram

Total Amount : 1321 units

Completed : 07/18/24 Expires: 07/18/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	0.2684g	07/16/24 15:12:50	3621		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA075289PES		Reviewed On : 07/17/24 11:22:25			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)		Batch Date : 07/16/24 10:40:24			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 071224.R22; 071024.R08; 070924.R04; 071024.R37; 062524.R04; 071024.R06; 040423.08					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.2684g	07/16/24 15:12:50	3621		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA075291VOL		Reviewed On : 07/17/24 11:21:33			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 07/16/24 10:43:49			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 07/16/24 20:00:13					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 070924.R04; 040423.08; 071024.R46; 071024.R47					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/18/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Me Time Cartridge 1g
Me Time Berry
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40715005-007

Harvest/Lot ID: 1001 3428 6430 4671

Batch# : 1001 3428 6430
4671

Sampled : 07/15/24

Ordered : 07/15/24

Sample Size Received : 16 gram

Total Amount : 1321 units

Completed : 07/18/24 Expires: 07/18/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0234g

Extraction date:
07/17/24 11:53:49

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA075331SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 07/17/24 11:56:32

Reviewed On : 07/17/24 16:22:39
Batch Date : 07/16/24 16:10:00

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 306143
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/18/24



Certificate of Analysis



PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: julio.Chavez@crescolabs.com

 Sample : DA40715005-007
 Harvest/Lot ID: 1001 3428 6430 4671
 Batch# : 1001 3428 6430 4671
 Sample Size Received : 16 gram
 Total Amount : 1321 units
 Completed : 07/18/24 Expires: 07/18/25
 Sample Method : SOP.T.20.010
 Sampled : 07/15/24
 Ordered : 07/15/24

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 4044, 4520, 585, 1440	Weight: 0.892g	Extraction date: 07/16/24 12:12:06		Extracted by: 4531	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL				Reviewed On : 07/18/24 11:54:02	
Analytical Batch : DA075259MIC				Batch Date : 07/16/24	
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems					
2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) 07:34:42					
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367					
Analyzed Date : 07/17/24 14:45:18					
Dilution : 10					
Reagent : 061324.37; 061324.48; 070324.R36; 030724.33; 083123.106					
Consumables : 7573003038					
Pipette : N/A					
Analyzed by: 4044, 3621, 585, 1440	Weight: 0.892g	Extraction date: 07/16/24 12:12:06		Extracted by: 4531	
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL				Reviewed On : 07/18/24 18:03:31	
Analytical Batch : DA075260TYM				Batch Date : 07/16/24 07:37:06	
Instrument Used : Incubator (25°C) DA- 328					
Analyzed Date : 07/16/24 18:44:51					
Dilution : 10					
Reagent : 061324.37; 061324.48; 070324.R35					
Consumables : N/A					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440	Weight: 0.2684g	Extraction date: 07/16/24 15:12:50		Extracted by: 3621	
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA075290MYC				Reviewed On : 07/17/24 09:24:10	
Instrument Used : N/A				Batch Date : 07/16/24 10:43:47	
Analyzed Date : N/A					
Dilution : 250					
Reagent : 071224.R22; 071024.R08; 070924.R04; 071024.R37; 062524.R04; 071024.R06; 040423.08					
Consumables : 326250IW					
Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

<div><div></div><div>Hg</div><div></div></div>	Heavy Metals			PASSED	
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 4056, 585, 1440	Weight: 0.2666g	Extraction date: 07/16/24 11:33:01	Extracted by: 4056		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA075280HEA		Reviewed On : 07/17/24 09:25:48			
Instrument Used : DA-ICPMS-004		Batch Date : 07/16/24 09:36:36			
Analyzed Date : 07/16/24 15:32:45					
Dilution : 50					
Reagent : 070924.R14; 071524.R04; 070524.R27; 071524.R02; 071524.R03; 061724.01; 070524.R05					
Consumables : 179436; 120423CH01; 210508058					
Pipette : DA-061; DA-191; DA-216					



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Me Time Cartridge 1g
Me Time Berry
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40715005-007

Harvest/Lot ID: 1001 3428 6430 4671

Batch# : 1001 3428 6430
4671

Sampled : 07/15/24

Ordered : 07/15/24

Sample Size Received : 16 gram

Total Amount : 1321 units

Completed : 07/18/24 Expires: 07/18/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA075373FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 07/17/24 11:38:09

Reviewed On : 07/17/24 11:52:18

Batch Date : 07/17/24 11:30:50

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.508	PASS	0.85

Analyzed by: 4571, 585, 1440	Weight: 0.4969g	Extraction date: 07/17/24 11:25:54	Extracted by: 4571
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA075314WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 07/17/24 10:49:42

Reviewed On : 07/17/24 11:27:26

Batch Date : 07/16/24 11:48:53

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/18/24