



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40718013-002
Harvest/Lot ID: 1101 3428 6430 8033
Batch#: 1101 3428 6430 8033
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale#: 1101 3428 6430 9644
Batch Date: 07/12/24
Sample Size Received: 11 gram
Total Amount: 1911 units
Retail Product Size: 41.5764 gram
Retail Serving Size: 41 gram
Servings: 1
Ordered: 07/15/24
Sampled: 07/18/24
Completed: 07/22/24
Sampling Method: SOP.T.20.010

Jul 22, 2024 | Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC
0.246%

Total THC/Container : 102.278 mg



Total CBD
ND

Total CBD/Container : 0.000 mg



Total Cannabinoids
0.254%

Total Cannabinoids/Container : 105.604 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.246	ND	ND	ND	ND	0.002	ND	0.003	ND	ND	0.003
mg/unit	102.28	ND	ND	ND	ND	0.83	ND	1.25	ND	ND	1.25
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
2.903g

Extraction date:
07/19/24 14:51:49

Extracted by:
3702,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA075452POT

Instrument Used : DA-LC-007

Analyzed Date : 07/19/24 14:52:11

Reviewed On : 07/22/24 08:58:09

Batch Date : 07/19/24 09:20:24

Dilution : 40

Reagent : 071024.R01; 060723.24; 070524.R01

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/22/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Sunnyside Chews 100mg 10pk Orange
Orange
Matrix : Edible
Type: Soft Chew



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40718013-002

Harvest/Lot ID: 1101 3428 6430 8033

Batch# : 1101 3428 6430
8033

Sampled : 07/18/24
Ordered : 07/18/24

Sample Size Received : 11 gram

Total Amount : 1911 units

Completed : 07/22/24 Expires: 07/22/25

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 1.0038g	Extraction date: 07/19/24 15:35:38	Extracted by: 3621		
DIAZINON	0.010	ppm	3	PASS	ND	Analysis Batch : DA075469PES			Reviewed On : 07/22/24 11:42:10 Batch Date : 07/19/24 10:53:26		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Date : N/A					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Reagent : 071824.R05; 040423.08					
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Consumables : 326250IW					
FENHEXAMID	0.010	ppm	3	PASS	ND	Pipette : N/A					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL	Weight: 1.0038g	Extraction date: 07/19/24 15:35:38	Extracted by: 3621		
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA075471VOL					
FLONICAMID	0.010	ppm	2	PASS	ND	Instrument Used : DA-GCMS-010			Reviewed On : 07/22/24 11:41:20		
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Analysis Date : 07/19/24 17:43:49			Batch Date : 07/19/24 10:56:57		
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	Dilution : 250					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Reagent : 071824.R05; 040423.08; 071024.R46; 071024.R47					
IMIDACLOPRID	0.010	ppm	1	PASS	ND	Consumables : 326250IW; 14725401					
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MALATHION	0.010	ppm	2	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METALAXYL	0.010	ppm	3	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/22/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Sunnyside Chews 100mg 10pk Orange
Orange
Matrix : Edible
Type: Soft Chew



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40718013-002

Harvest/Lot ID: 1101 3428 6430 8033

Batch# : 1101 3428 6430
8033

Sampled : 07/18/24

Ordered : 07/18/24

Sample Size Received : 11 gram

Total Amount : 1911 units

Completed : 07/22/24 Expires: 07/22/25

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0215g

Extraction date:
07/20/24 21:23:46

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA075489SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 07/20/24 21:30:58

Reviewed On : 07/20/24 22:00:53
Batch Date : 07/19/24 16:24:17

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 306143
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/22/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40718013-002

Harvest/Lot ID: 1101 3428 6430 8033

Batch# : 1101 3428 6430
8033

Sampled : 07/18/24
Ordered : 07/18/24


Sample Size Received : 11 gram


Total Amount : 1911 units


Completed : 07/22/24 Expires: 07/22/25

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 4520, 585, 1440	Weight: 1.05g	Extraction date: 07/19/24 11:01:48		Extracted by: 4044	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 07/22/24 07:43:00		
Analytical Batch : DA075442MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021					
Analyzed Date : 07/19/24 18:39:52					
Dilution : 10					
Reagent : 071824.44; 071824.48; 070324.R36; 030724.33					
Consumables : 7573003027					
Pipette : N/A					
Analyzed by: 4044, 4531, 585, 1440	Weight: 1.05g	Extraction date: 07/19/24 11:01:48		Extracted by: 4044	
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Reviewed On : 07/22/24 07:49:27		
Analytical Batch : DA075444TYM					
Instrument Used : Incubator (25°C) DA- 328					
Analyzed Date : 07/20/24 08:33:31					
Dilution : 10					
Reagent : 071824.44; 071824.48; 070324.R35					
Consumables : N/A					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	Mycotoxins	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440	Weight: 1.0038g	Extraction date: 07/19/24 15:35:38		Extracted by: 3621	
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA075470MYC		Reviewed On : 07/22/24 10:10:02			
Instrument Used : N/A		Batch Date : 07/19/24 10:56:32			
Analyzed Date : N/A					
Dilution : 250					
Reagent : 071824.R05; 040423.08					
Consumables : 326250IW					
Pipette : N/A					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2106g	Extraction date: 07/19/24 12:34:01		Extracted by: 1022,4056	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA075458HEA		Reviewed On : 07/22/24 08:44:44			
Instrument Used : DA-ICPMS-004		Batch Date : 07/19/24 10:23:48			
Analyzed Date : 07/19/24 17:19:29					
Dilution : 50					
Reagent : 070924.R14; 071524.R04; 071624.R10; 071524.R02; 071524.R03; 061724.01; 071724.R10					
Consumables : 179436; 120423CH01; 210508058					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Sunnyside Chews 100mg 10pk Orange
Orange
Matrix : Edible
Type: Soft Chew



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40718013-002

Harvest/Lot ID: 1101 3428 6430 8033

Batch# : 1101 3428 6430
8033

Sampled : 07/18/24

Ordered : 07/18/24

Sample Size Received : 11 gram

Total Amount : 1911 units

Completed : 07/22/24 Expires: 07/22/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filtration/Foreign
Material

PASSED

Homogeneity

PASSED

Amount of tests conducted : 20

Analyte	LOD	Units	Result	P/F	Action Level
Filtration and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA075476FIL

Instrument Used : Filtration/Foreign Material Microscope

Analyzed Date : 07/22/24 10:03:56

Reviewed On : 07/22/24 10:12:14

Batch Date : 07/19/24 11:32:47

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filtration and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.708	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 5.6858g	Extraction date: 07/19/24 17:18:12	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA075463WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 07/19/24 17:18:52

Reviewed On : 07/22/24 08:54:06

Batch Date : 07/19/24 10:41:59

Dilution : N/A

Reagent : 051624.01

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	5.661	25

3702, 585, 1440	Average Weight 4.234g	Extraction date : 07/19/24 12:54:04	Extracted By : 3702
-----------------	--------------------------	--	------------------------

Analyzed by

Average Weight

Extraction date :

Extracted By :

3702, 585, 1440

4.234g

07/19/24 12:54:04

3702

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA075440HOM

Instrument Used : DA-LC-004

Analyzed Date : 07/19/24 12:54:15

Reviewed On : 07/22/24 08:54:33

Batch Date : 07/19/24 08:10:46

Dilution : 40

Reagent : 071224.R19; 071222.35; 020124.02; 071224.R15

Consumables : 947.109; LCJ0311R; 120423CH01; 1009034917; 1008994465; CE0123;

R1KB14270

Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/22/24