



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40718013-005
Harvest/Lot ID: 1101 3428 6430 6039
Batch#: 1101 3428 6430 6039
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale# 1101 3428 6430 6039
Batch Date: 07/09/24
Sample Size Received: 31 gram
Total Amount: 1000 units
Retail Product Size: .5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Ordered: 07/09/24
Sampled: 07/18/24
Completed: 07/22/24
Sampling Method: SOP.T.20.010

Jul 22, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals
Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

93.452%

Total THC/Container : 467.260 mg



Total CBD

0.280%

Total CBD/Container : 1.400 mg



Total Cannabinoids

95.675%

Total Cannabinoids/Container : 478.375 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 93.365 | 0.100 | 0.280 | ND | ND | ND | ND | 0.659 | 0.620 | ND | 0.651 |
| mg/unit | 466.83 | 0.50 | 1.40 | ND | ND | ND | ND | 3.30 | 3.10 | ND | 3.26 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | % | % | % | % | % | % | % | % | % | % | % |

Analyzed by:
1665, 585, 1440

Weight:
0.0919g

Extraction date:
07/19/24 14:56:16

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA075437POT
 Instrument Used : DA-LC-003
 Analyzed Date : 07/19/24 14:57:18

Reviewed On : 07/22/24 09:42:12
 Batch Date : 07/19/24 07:50:55

Dilution : 400
 Reagent : 071024.R01; 062624.15; 061224.R01
 Consumables : 280670723; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164


 Signature
 07/22/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Brunch Cartridge 500mg
Brunch
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40718013-005

Harvest/Lot ID: 1101 3428 6430 6039

Batch# : 1101 3428 6430
6039

Sampled : 07/18/24
Ordered : 07/18/24

Sample Size Received : 31 gram

Total Amount : 1000 units

Completed : 07/22/24 Expires: 07/22/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

| Terpenes | LOD (%) | mg/unit | % | Result (%) | Terpenes | LOD (%) | mg/unit | % | Result (%) |
|---------------------|---------|---------|-------|------------|--|-----------------|------------------------------------|--------------------|------------|
| TOTAL TERPENES | 0.007 | 21.11 | 4.221 | | SABINENE | 0.007 | ND | ND | |
| LIMONENE | 0.007 | 6.55 | 1.310 | | SABINENE HYDRATE | 0.007 | ND | ND | |
| BETA-CARYOPHYLLENE | 0.007 | 4.18 | 0.835 | | VALENCENE | 0.007 | ND | ND | |
| BETA-MYRCENE | 0.007 | 4.10 | 0.819 | | ALPHA-CEDRENE | 0.005 | ND | ND | |
| LINALOOL | 0.007 | 1.66 | 0.332 | | ALPHA-PHELLANDRENE | 0.007 | ND | ND | |
| BETA-PINENE | 0.007 | 1.14 | 0.227 | | ALPHA-TERPINENE | 0.007 | ND | ND | |
| ALPHA-BISABOLOL | 0.007 | 0.87 | 0.174 | | CIS-NEROLIDOL | 0.003 | ND | ND | |
| FENCHYL ALCOHOL | 0.007 | 0.69 | 0.138 | | TRANS-NEROLIDOL | 0.005 | ND | ND | |
| ALPHA-TERPINEOL | 0.007 | 0.61 | 0.121 | | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL | | | | |
| ALPHA-PINENE | 0.007 | 0.60 | 0.120 | | Analyzed by: 4451, 585, 1440 | Weight: 0.2359g | Extraction date: 07/19/24 12:57:00 | Extracted by: 4451 | |
| ALPHA-HUMULENE | 0.007 | 0.17 | 0.033 | | Analysis Batch : DA075454TER | | | | |
| CAMPHENE | 0.007 | 0.16 | 0.032 | | Instrument Used : DA-GCMS-009 | | | | |
| NEROL | 0.007 | 0.15 | 0.029 | | Analyzed Date : 07/19/24 12:57:28 | | | | |
| ALPHA-TERPINOLENE | 0.007 | 0.15 | 0.029 | | Dilution : 10 | | | | |
| GAMMA-TERPINENE | 0.007 | 0.11 | 0.022 | | Reagent : 022224.07 | | | | |
| 3-CARENE | 0.007 | ND | ND | | Consumables : 947.109; 230613-634-D; 280670723; CE123 | | | | |
| BORNEOL | 0.013 | ND | ND | | Pipette : DA-065 | | | | |
| CAMPHOR | 0.007 | ND | ND | | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | | |
| CARYOPHYLLENE OXIDE | 0.007 | ND | ND | | | | | | |
| CEDROL | 0.007 | ND | ND | | | | | | |
| EUCALYPTOL | 0.007 | ND | ND | | | | | | |
| FARNESENE | 0.007 | ND | ND | | | | | | |
| FENCHONE | 0.007 | ND | ND | | | | | | |
| GERANIOL | 0.007 | ND | ND | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | |
| GUAIOL | 0.007 | ND | ND | | | | | | |
| HEXAHYDROTHYMOL | 0.007 | ND | ND | | | | | | |
| ISOBORNEOL | 0.007 | ND | ND | | | | | | |
| ISOPULEGOL | 0.007 | ND | ND | | | | | | |
| OCIMENE | 0.007 | ND | ND | | | | | | |
| PULEGONE | 0.007 | ND | ND | | | | | | |
| Total (%) | | | 4.221 | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/22/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Brunch Cartridge 500mg
Brunch
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40718013-005

Harvest/Lot ID: 1101 3428 6430 6039

Batch# : 1101 3428 6430
6039

Sampled : 07/18/24
Ordered : 07/18/24

Sample Size Received : 31 gram

Total Amount : 1000 units

Completed : 07/22/24 Expires: 07/22/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|-----------------|------------------------------------|--------------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | PPM | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | PPM | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | ND | CHLORDANE * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 3379, 585, 1440 | Weight: 0.2024g | Extraction date: 07/19/24 15:29:20 | Extracted by: 3621 | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) | | | | | |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA075462PES | | Reviewed On : 07/22/24 11:54:59 | | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-003 (PES) | | Batch Date : 07/19/24 10:39:26 | | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : N/A | | | | | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 071824.R05; 040423.08 | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 326250IW | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | Pipette : N/A | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 450, 585, 1440 | Weight: 0.2024g | Extraction date: 07/19/24 15:29:20 | Extracted by: 3621 | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA075465VOL | | Reviewed On : 07/22/24 11:46:27 | | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-GCMS-010 | | Batch Date : 07/19/24 10:43:34 | | | |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | Analyzed Date : 07/19/24 17:39:43 | | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | Reagent : 071824.R05; 040423.08; 071024.R46; 071024.R47 | | | | | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 326250IW; 14725401 | | | | | |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/22/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Brunch Cartridge 500mg
Brunch
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40718013-005

Harvest/Lot ID: 1101 3428 6430 6039

Batch# : 1101 3428 6430
6039

Sampled : 07/18/24

Ordered : 07/18/24

Sample Size Received : 31 gram

Total Amount : 1000 units

Completed : 07/22/24 Expires: 07/22/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| ETHANOL | 500.000 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |

Analyzed by:
850, 585, 1440

Weight:
0.0266g

Extraction date:
07/20/24 21:23:47

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA075489SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 07/20/24 21:30:58

Reviewed On : 07/20/24 22:01:08
Batch Date : 07/19/24 16:24:17

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 306143
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/22/24



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

Sample : DA40718013-005

Harvest/Lot ID: 1101 3428 6430 6039

 Batch# : 1101 3428 6430
 6039

 Sampled : 07/18/24
 Ordered : 07/18/24




Sample Size Received : 31 gram

Total Amount : 1000 units

Completed : 07/22/24 Expires: 07/22/25

Sample Method : SOP.T.20.010

Page 5 of 6

|  Microbial PASSED | | | | | |  Mycotoxins PASSED | | | | | |
|--|-------|-------|-------------|-------------|--------------|---|-------|-------|--------|-------------|--------------|
| Analyte | LOD | Units | Result | Pass / Fail | Action Level | Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| ASPERGILLUS TERREUS | | | Not Present | PASS | | AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS NIGER | | | Not Present | PASS | | AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 |
| ECOLI SHIGELLA | | | Not Present | PASS | | | | | | | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 | | | | | | |
| Analyzed by: 4520, 585, 1440 Weight: 1.03g Extraction date: 07/19/24 11:01:49 Extracted by: 4044 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA075442MIC Reviewed On : 07/22/24 07:43:02 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021 Batch Date : 07/19/24 Analyzed Date : 07/19/24 18:39:52 Dilution : 10 Reagent : 071824.44; 071824.48; 070324.R36; 030724.33 Consumables : 7573003027 Pipette : N/A | | | | | | Analyzed by: 3379, 585, 1440 Weight: 0.2024g Extraction date: 07/19/24 15:29:20 Extracted by: 3621 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA075464MYC Reviewed On : 07/22/24 09:10:54 Instrument Used : N/A Batch Date : 07/19/24 10:42:56 Analyzed Date : N/A Dilution : 250 Reagent : 071824.R05; 040423.08 Consumables : 326250IW Pipette : N/A Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| Analyzed by: 4044, 4531, 585, 1440 Weight: 1.03g Extraction date: 07/19/24 11:01:49 Extracted by: 4044 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA075444TYM Reviewed On : 07/22/24 07:49:28 Instrument Used : Incubator (25°C) DA- 328 Batch Date : 07/19/24 09:13:18 Analyzed Date : 07/20/24 08:33:31 Dilution : 10 Reagent : 071824.44; 071824.48; 070324.R35 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | |  Heavy Metals PASSED | | | | | |
| Metal | LOD | Units | Result | Pass / Fail | Action Level | | | | | | |
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 1.1 | | | | | | |
| ARSENIC | 0.020 | ppm | ND | PASS | 0.2 | | | | | | |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.2 | | | | | | |
| MERCURY | 0.020 | ppm | ND | PASS | 0.2 | | | | | | |
| LEAD | 0.020 | ppm | ND | PASS | 0.5 | | | | | | |
| Analyzed by: 1022, 585, 1440 Weight: 0.2237g Extraction date: 07/19/24 11:56:19 Extracted by: 4056, 3807 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA075443HEA Reviewed On : 07/22/24 09:10:11 Instrument Used : DA-ICPMS-004 Batch Date : 07/19/24 09:11:51 Analyzed Date : 07/19/24 17:20:14 Dilution : 50 Reagent : 070924.R14; 071524.R04; 071624.R10; 071524.R02; 071524.R03; 061724.01; 071724.R10 Consumables : 179436; 120423CH01; 210508058 Pipette : DA-061; DA-191; DA-219 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | |



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Brunch Cartridge 500mg
Brunch
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40718013-005

Harvest/Lot ID: 1101 3428 6430 6039

Batch# : 1101 3428 6430
6039

Sampled : 07/18/24

Ordered : 07/18/24

Sample Size Received : 31 gram

Total Amount : 1000 units

Completed : 07/22/24 Expires: 07/22/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 |

| | | | |
|---------------------------------|---------------|-------------------------|----------------------|
| Analyzed by: 1879, 585, 1440 | Weight: NA | Extraction date: N/A | Extracted by: N/A |
|---------------------------------|---------------|-------------------------|----------------------|

Analysis Method : SOP.T.40.090

Analytical Batch : DA075476FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 07/22/24 10:03:56

Reviewed On : 07/22/24 10:12:13

Batch Date : 07/19/24 11:32:47

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw | 0.518 | PASS | 0.85 |

| | | | |
|---------------------------------|--------------------|---------------------------------------|-----------------------|
| Analyzed by: 4512, 585, 1440 | Weight: 0.4518g | Extraction date: 07/19/24 17:18:12 | Extracted by: 4512 |
|---------------------------------|--------------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.019

Analytical Batch : DA075463WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 07/19/24 17:18:52

Reviewed On : 07/22/24 08:54:07

Batch Date : 07/19/24 10:41:59

Dilution : N/A

Reagent : 051624.01

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/22/24