

Kaycha Labs

Good News Vape Cartridge 500mg Pnppl

Pineapple

Matrix: Derivative Type: Distillate



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40718013-009

Harvest/Lot ID: 1101 3428 6430 7628

Batch#: 1101 3428 6430 7628

Cultivation Facility: FL - Indiantown (3734) Processing Facility: FL - Indiantown (3734)

Source Facility: FL - Indiantown (3734) Seed to Sale# 1101 3428 6430 7628

Batch Date: 07/10/24

Sample Size Received: 15.5 gram

Total Amount: 700 units

Retail Product Size: .5 gram Retail Serving Size: 0.5 gram

Servings: 1

Ordered: 07/11/24 Sampled: 07/18/24

Completed: 07/22/24 Revision Date: 07/23/24

Sampling Method: SOP.T.20.010

PASSED

Jul 23, 2024 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pages 1 of 6

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals PASSED



Microbials

CRD

0.626

3.13

0.001



Mycotoxins **PASSED**



Residuals Solvents **PASSED**



Filth **PASSED**



Water Activity **PASSED**



Moisture



Terpenes TESTED

PASSED

CBC

0.543

2.72

0.001



Cannabinoid

Total THC

85.744% Total THC/Container : 428.720 mg

0.45

0.001



CRDA

ND

0.001

D8-THC

ND

ND

%

0.001

Total CBD 0.626%

CRG

1.801

9.01

%

07/19/24 14:56:27

0.001

Total CBD/Container: 3.130 mg



THCV

0.508

2.54

0.001

CRN

0.741

3.71

0.001

Total Cannabinoids

CRDV

ND

ND

%

Extracted by: 1665

0.001

Total Cannabinoids/Container: 449.870 mg



428.33

0.001

Analyzed by: 1665, 585, 1440	
Analysis Method: SOP.T.40.031, SOI	Ρ.
Analytical Batch : DA075437POT	

mg/unit

LOD

Consumables: 280670723; CE0123; R1KB14270 Pipette: DA-079; DA-108; DA-078

.T.30.031 Instrument Used: DA-LC-003 Analyzed Date: 07/19/24 14:57:18

Reagent: 071024.R01; 062624.15; 061224.R01

Reviewed On: 07/22/24 08:54:54 Batch Date: 07/19/24 07:50:55

CRGA

ND

ND

0.001

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Weight: 0.0986a

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/22/24



Kaycha Labs

Good News Vape Cartridge 500mg Pnppl

Pineapple

Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Iulio.Chayez@crescolabs.com Sample : DA40718013-009 Harvest/Lot ID: 1101 3428 6430 7628

Batch#:1101 3428 6430

Sampled: 07/18/24 Ordered: 07/18/24 Sample Size Received: 15.5 gram
Total Amount: 700 units

Completed: 07/22/24 Expires: 07/23/25 Sample Method: SOP.T.20.010 Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	11.08	2.216		ALPHA-CEDRENE		0.005	ND	ND	
BETA-MYRCENE	0.007	3.66	0.731		ALPHA-PHELLANDRENE		0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	2.51	0.501		ALPHA-TERPINENE		0.007	ND	ND	
ALPHA-PINENE	0.007	2.10	0.420		ALPHA-TERPINEOL		0.007	ND	ND	
BETA-PINENE	0.007	0.88	0.176		ALPHA-TERPINOLENE		0.007	ND	ND	
LIMONENE	0.007	0.71	0.142		CIS-NEROLIDOL		0.003	ND	ND	
ALPHA-HUMULENE	0.007	0.35	0.070		GAMMA-TERPINENE		0.007	ND	ND	
FARNESENE	0.007	0.30	0.060		TRANS-NEROLIDOL		0.005	ND	ND	
ALPHA-BISABOLOL	0.007	0.26	0.052		Analyzed by:	Weight:		Extraction d	ate:	Extracted by:
LINALOOL	0.007	0.21	0.042		4451, 585, 1440	0.2011g		07/19/24 12		4451
VALENCENE	0.007	0.11	0.022		Analysis Method : SOP.T.30.061A.FL, SOI	P.T.40.061A.FL				
3-CARENE	0.007	ND	ND		Analytical Batch : DA075454TER Instrument Used : DA-GCMS-009					/22/24 09:42:22 9/24 10:04:01
BORNEOL	0.013	ND	ND		Analyzed Date: 07/19/24 12:57:28			Daten	Date: U//I	9/24 10.04.01
CAMPHENE	0.007	ND	ND		Dilution: 10					
CAMPHOR	0.007	ND	ND		Reagent: 022224.07					
CARYOPHYLLENE OXIDE	0.007	ND	ND		Consumables: 947.109; 230613-634-D; 3 Pipette: DA-065	280670723; CE	123			
CEDROL	0.007	ND	ND							es, the Total Terpenes % is dry-weight corrected.
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Ci	nromatograpny M	iss spectro	metry. For all	riower sampi	es, the Total Terpenes % is dry-weight corrected.
FENCHONE	0.007	ND	ND							
FENCHYL ALCOHOL	0.007	ND	ND							
GERANIOL	0.007	ND	ND							
GERANYL ACETATE	0.007	ND	ND							
GUAIOL	0.007	ND	ND							
HEXAHYDROTHYMOL	0.007	ND	ND							
ISOBORNEOL	0.007	ND	ND							
ISOPULEGOL	0.007	ND	ND							
NEROL	0.007	ND	ND							
OCIMENE	0.007	ND	ND							
PULEGONE	0.007	ND	ND							
SABINENE	0.007	ND	ND							
SABINENE HYDRATE	0.007	ND	ND							
= 1.1 (0()			2 216							_

Total (%) 2.216

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/22/24



Kaycha Labs

Good News Vape Cartridge 500mg Pnppl

Pineapple Matrix : Derivative

Type: Distillate



PASSED

Certificate of Analysis

Sunnyside Sample : DA40718013-009

Batch#: 1101 3428 6430

Harvest/Lot ID: 1101 3428 6430 7628

7628 Sampled: 07/18/24 Ordered: 07/18/24 Sample Size Received: 15.5 gram
Total Amount: 700 units
Completed: 07/22/24 Expires: 07/23/25
Sample Method: SOP.T.20.010

Page 3 of 6



22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257

Fmail: Julio Chavez@crescolabs.com

Pesticides

PASSED

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	1.1.	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	nnm	3	PASS	ND
TAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
TAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
AMECTIN B1A	0.010		0.1	PASS	ND				1.1.		PASS	
EPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010		0.1		ND
EQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ETAMIPRID	0.010	1.1.	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
OXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
FENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
FENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	mag	0.1	PASS	ND
SCALID	0.010	1.1.	0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND			0.010		0.15	PASS	ND
LORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZEN	IE (PCNB) *					
LORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
LORPYRIFOS	0.010	1.1	0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
OFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
UMAPHOS	0.010	1.1.	0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
MINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
AZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
CHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Evtract	ion date:		Extracte	d by
METHOATE	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	0.2782g		4 15:29:21		3621	и Бу.
HOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.10				SOP.T.40.101).
DFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)			()			
DXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch: DA075462P				On:07/22/24		
NHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-0	03 (PES)		Batch Date	:07/19/24 10	:39:26	
NOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A						
NPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 071824.R05: 04042	2.00					
PRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW	3.00					
ONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : N/A						
UDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is	performed utilizing	Liquid Chrom	natography T	riple-Quadrupo	le Mass Spectror	netry in
XYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER2						
AZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extracti			Extracted	l by:
IDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.2782g		15:29:21		3621	
ESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.15						
LATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA075465V Instrument Used : DA-GCMS-0				:07/22/24 11: 07/19/24 10:43		
TALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date: 07/19/24 17:3		Ва	ittii Date : (1//19/24 10:43	.34	
THIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250						
THOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 071824.R05; 04042	3.08: 071024 R46	071024.R47				
EVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 147						
	0.010	ppm	0.1	PASS	ND	Pipette: DA-080: DA-146: DA-						
YCLOBUTANIL	0.010	ppiii	0.1	1 733	IND	ripette : DA-000, DA-140, DA-	210					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 Signature

Signature 07/22/24



Kaycha Labs

Good News Vape Cartridge 500mg Pnppl

Pineapple Matrix : Derivative

Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Julio.Chavez@crescolabs.com Sample : DA40718013-009 Harvest/Lot ID: 1101 3428 6430 7628

Batch#:1101 3428 6430

Sampled: 07/18/24 Ordered: 07/18/24 Sample Size Received: 15.5 gram
Total Amount: 700 units

Completed: 07/22/24 Expires: 07/23/25 Sample Method: SOP.T.20.010 Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0212g	Extraction date: 07/22/24 12:26:12		Ext i 850	acted by:

Reviewed On: 07/22/24 13:49:18

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA075490SOL Instrument Used: DA-GCMS-002

Dilution: 1
Reagent: 030420.09

Consumables: 429651; 306143 Pipette: DA-309 25 uL Syringe 35028

Instrument Used: DA-GCMS-002 Batch Date: 07/19/24 16:33:13
Analyzed Date: 07/22/24 12:32:03

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/22/24



Kaycha Labs

Good News Vape Cartridge 500mg Pnppl

Pineapple

Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA40718013-009 Harvest/Lot ID: 1101 3428 6430 7628

Batch#: 1101 3428 6430

Sampled: 07/18/24 Ordered: 07/18/24 Sample Size Received: 15.5 gram Total Amount: 700 units

Completed: 07/22/24 Expires: 07/23/25 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		,
SALMONELLA SPECIFIC GENE			Not Present	PASS		
ECOLI SHIGELLA			Not Present	PASS		1
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3

Analyzed by: Weight: **Extraction date:** Extracted by: 4520, 585, 1440 07/19/24 11:01:49 0.97g

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA075442MIC Reviewed On: 07/22/24

Instrument Used: PathogenDx Scanner DA-111 Applied Biosystems Batch Date: 07/19/24 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block

(55*C) DA-020, Fisher Scientific Isotemp Heat Block (95*C) DA-049, Fisher Scientific Isotemp Heat Block (55*C) DA-021

Analyzed Date: 07/19/24 18:39:52

Dilution: 10

Reagent: 071824.44; 071824.48; 070324.R36; 030724.33

Consumables: 7573003027 Pipette: N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by Extracted by: Weight: Extraction date: 3379, 585, 1440 0.2782g 07/19/24 15:29:21 Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville).

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA075464MYC Reviewed On: 07/22/24 09:10:56 Instrument Used : N/A Batch Date: 07/19/24 10:42:56

Analyzed Date : N/A Dilution: 250

Reagent: 071824.R05; 040423.08 Consumables: 326250IW

Pipette: N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

4056.3807

Analyzed by: 4044, 4531, 585, 1440	Weight: 0.97g	Extraction date: 07/19/24 11:01:49	Extracted by: 4044
Analysis Method: SOP.T.40 Analytical Batch: DA075444 Instrument Used: Incubator Analyzed Date: 07/20/24 08	TYM (25*C) DA- 328), SOP.T.40.209.FL Reviewed On: 07 Batch Date: 07/1	, , , , , , , , , , , , , , , , , , , ,
Dilution: 10 Reagent: 071824.44; 07182 Consumables: N/A Pipette: N/A	4.48; 070324.R	35	

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal LOD Units Result Pass / Action Fail Level PASS TOTAL CONTAMINANT LOAD METALS 0.080 ppm ND 1.1 ARSENIC PASS 0.020 ppm ND 0.2 CADMIUM 0.020 ppm ND PASS 0.2 MERCURY 0.020 ppm ND PASS 0.2 LEAD 0.020 ND PASS 0.5 ppm Extraction date:

Analyzed by: 1022, 585, 1440 0.2934g 07/19/24 11:53:49 Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA075443HEA Instrument Used : DA-ICPMS-004

Reviewed On: 07/22/24 09:10:13 Batch Date: 07/19/24 09:11:51 Analyzed Date: 07/19/24 17:20:14

Dilution: 50

Reagent: 070924.R14; 071524.R04; 071624.R10; 071524.R02; 071524.R03; 061724.01;

Consumables: 179436: 120423CH01: 210508058

Pipette: DA-061; DA-191; DA-219

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 07/22/24



Kaycha Labs

Good News Vape Cartridge 500mg Pnppl

Pineapple

Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA40718013-009 Harvest/Lot ID: 1101 3428 6430 7628

Batch#: 1101 3428 6430

Sampled: 07/18/24 Ordered: 07/18/24 Sample Size Received: 15.5 gram Total Amount: 700 units

Completed: 07/22/24 Expires: 07/23/25

Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 1440 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA075476FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 07/22/24 10:12:10 Batch Date: 07/19/24 11:32:47

Analyzed Date : 07/22/24 10:03:56

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Reviewed On: 07/22/24 08:54:09

Analyte LOI		nits Result	: P/F	Action Level
Water Activity 0.0	10 av	v 0.51	7 PASS	0.85

Extraction date: 07/19/24 17:18:13 Analyzed by: 4512, 585, 1440 Weight: 0.4575g

Analysis Method: SOP.T.40.019 Analytical Batch: DA075463WAT Instrument Used : DA-028 Rotronic Hygropalm

Batch Date: 07/19/24 10:41:59 **Analyzed Date:** 07/19/24 17:18:52

Dilution: N/A Reagent: 051624.01 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/22/24