



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40718013-010
 Harvest/Lot ID: 1001 3428 6430 4719
 Batch#: 1001 3428 6430 4719
 Cultivation Facility: FL - Indiantown (3734)
 Processing Facility: FL - Indiantown (3734)
 Source Facility: FL - Indiantown (3734)
 Seed to Sale# 1101 3428 6430 5905
 Batch Date: 07/08/24
 Sample Size Received: 16 units
 Total Amount: 1522 units
 Retail Product Size: 1 gram
 Retail Serving Size: 1 gram
 Servings: 1
 Ordered: 07/09/24
 Sampled: 07/18/24
 Completed: 07/22/24
 Sampling Method: SOP.T.20.010

Jul 22, 2024 | Sunnyside

22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS

 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtration PASSED	 Water Activity PASSED	 Moisture NOT TESTED	 Terpenes TESTED
---	---	---	---	---	--	---	---	---

Cannabinoid PASSED

 Total THC 86.291% Total THC/Container : 862.910 mg	 Total CBD 0.264% Total CBD/Container : 2.640 mg	 Total Cannabinoids 90.768% Total Cannabinoids/Container : 907.680 mg
---	---	--

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	86.212	0.091	0.264	ND	ND	2.417	ND	0.615	0.570	ND	0.599
mg/unit	862.12	0.91	2.64	ND	ND	24.17	ND	6.15	5.70	ND	5.99
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analized by: 1665, 585, 1440	Weight: 0.102g	Extraction date: 07/19/24 14:56:30	Extracted by: 1665
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.031, SOP.T.30.031	Reviewed On : 07/22/24 08:54:58
Analytical Batch : DA075437POT	Batch Date : 07/19/24 07:50:55
Instrument Used : DA-LC-003	
Analized Date : 07/19/24 14:57:18	

Dilution : 400
 Reagent : 071024.R01; 062624.15; 061224.R01
 Consumables : 280670723; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 07/22/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40718013-010
Harvest/Lot ID: 1001 3428 6430 4719

Batch# : 1001 3428 6430 4719
Sample Size Received : 16 units
Total Amount : 1522 units
Completed : 07/22/24 Expires: 07/22/25
Ordered : 07/18/24
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	36.35 3.635		SABINENE	0.007	ND ND	
LIMONENE	0.007	8.85 0.885		SABINENE HYDRATE	0.007	ND ND	
BETA-CARYOPHYLLENE	0.007	8.44 0.844		ALPHA-CEDRENE	0.005	ND ND	
BETA-MYRCENE	0.007	6.01 0.601		ALPHA-PHELLANDRENE	0.007	ND ND	
VALENCENE	0.007	3.80 0.380		ALPHA-TERPINENE	0.007	ND ND	
LINALOOL	0.007	2.22 0.222		CIS-NEROLIDOL	0.003	ND ND	
GERANIOL	0.007	1.66 0.166		GAMMA-TERPINENE	0.007	ND ND	
BETA-PINENE	0.007	1.47 0.147		TRANS-NEROLIDOL	0.005	ND ND	
ALPHA-HUMULENE	0.007	1.28 0.128					
ALPHA-BISABOLOL	0.007	1.16 0.116		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight: 0.2361g	Extraction date: 07/19/24 12:57:00	Extracted by: 4451
ALPHA-PINENE	0.007	0.78 0.078		Analytical Batch : DA075454TER		Reviewed On : 07/22/24 09:42:23	Batch Date : 07/19/24 10:04:01
ALPHA-TERPINEOL	0.007	0.47 0.047		Instrument Used : DA-GCMS-009			
ALPHA-TERPINOLENE	0.007	0.21 0.021		Analyzed Date : 07/19/24 12:57:28			
3-CARENE	0.007	ND ND		Dilution : 10			
BORNEOL	0.013	ND ND		Reagent : 022224.07			
CAMPHENE	0.007	ND ND		Consumables : 947.109; 230613-634-D; 280670723; CE123			
CAMPHOR	0.007	ND ND		Pipette : DA-065			
CARYOPHYLLENE OXIDE	0.007	ND ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
CEDROL	0.007	ND ND					
EUCALYPTOL	0.007	ND ND					
FARNESENE	0.007	ND ND					
FENCHONE	0.007	ND ND					
FENCHYL ALCOHOL	0.007	ND ND					
GERANYL ACETATE	0.007	ND ND					
GUAIOL	0.007	ND ND					
HEXAHYDROTHYMOL	0.007	ND ND					
ISOBORNEOL	0.007	ND ND					
ISOPULEGOL	0.007	ND ND					
NEROL	0.007	ND ND					
OCIMENE	0.007	ND ND					
PULEGONE	0.007	ND ND					
Total (%)		3.635					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
07/22/24



Certificate of Analysis

PASSED

Sunnyside

Sample : DA40718013-010
Harvest/Lot ID: 1001 3428 6430 4719

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Batch# : 1001 3428 6430
Sample Size Received : 16 units
Total Amount : 1522 units
Completed : 07/22/24 Expires: 07/22/25
Ordered : 07/18/24
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 0.2462g Extraction date: 07/19/24 15:29:21 Extracted by: 3621 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA075462PES Reviewed On : 07/22/24 11:55:06 Instrument Used : DA-LCMS-003 (PES) Batch Date : 07/19/24 10:39:26 Analyzed Date : N/A Dilution : 250 Reagent : 071824.R05; 040423.08 Consumables : 326250IW Pipette : N/A					
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/22/24



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

 Sample : DA40718013-010
 Harvest/Lot ID: 1001 3428 6430 4719
 Batch# : 1001 3428 6430 4719
 Sample Size Received : 16 units
 Total Amount : 1522 units
 Completed : 07/22/24 Expires: 07/22/25
 Sample Method : SOP.T.20.010
 Sampled : 07/18/24
 Ordered : 07/18/24

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0213g	Extraction date: 07/22/24 12:26:12	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL	Reviewed On : 07/22/24 13:49:19
Analytical Batch : DA07549050L	Batch Date : 07/19/24 16:33:13
Instrument Used : DA-GCMS-002	
Analyzed Date : 07/22/24 12:32:03	

Dilution : 1
 Reagent : 030420.09
 Consumables : 429651; 306143
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40718013-010
Harvest/Lot ID: 1001 3428 6430 4719
Batch# : 1001 3428 6430 4719
Sample Size Received : 16 units
Total Amount : 1522 units
Sampled : 07/18/24
Completed : 07/22/24 Expires: 07/22/25
Ordered : 07/18/24
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 4520, 585, 1440 Weight: 0.99g Extraction date: 07/19/24 11:01:49 Extracted by: 4044

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA075442MIC Reviewed On : 07/22/24 07:43:06 Batch Date : 07/19/24 09:05:49

Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021
Batch Date : 07/19/24 18:39:52

Dilution : 10
Reagent : 071824.44; 071824.48; 070324.R36; 030724.33
Consumables : 7573003027
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440 Weight: 0.2462g Extraction date: 07/19/24 15:29:21 Extracted by: 3621

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA075464MYC Reviewed On : 07/22/24 09:10:56 Batch Date : 07/19/24 10:42:56

Instrument Used : N/A
Analyzed Date : N/A

Dilution : 250
Reagent : 071824.R05; 040423.08
Consumables : 326250IW
Pipette : N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 4044, 4531, 585, 1440 Weight: 0.99g Extraction date: 07/19/24 11:01:49 Extracted by: 4044

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA075444TYM Reviewed On : 07/22/24 07:49:30 Batch Date : 07/19/24 09:13:18

Instrument Used : Incubator (25°C) DA- 328
Analyzed Date : 07/20/24 08:33:31

Dilution : 10
Reagent : 071824.44; 071824.48; 070324.R35
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 Weight: 0.2322g Extraction date: 07/19/24 11:44:41 Extracted by: 4056,3807

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA075443HEA Reviewed On : 07/22/24 09:10:13 Batch Date : 07/19/24 09:11:51

Instrument Used : DA-ICPMS-004
Analyzed Date : 07/19/24 17:20:14

Dilution : 50
Reagent : 070924.R14; 071524.R04; 071624.R10; 071524.R02; 071524.R03; 061724.01; 071724.R10
Consumables : 179436; 120423CH01; 210508058
Pipette : DA-061; DA-191; DA-219

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164



Signature
07/22/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40718013-010
Harvest/Lot ID: 1001 3428 6430 4719
Batch# : 1001 3428 6430 4719
Sample Size Received : 16 units
Total Amount : 1522 units
Sampled : 07/18/24
Completed : 07/22/24 Expires: 07/22/25
Ordered : 07/18/24
Sample Method : SOP.T.20.010

Page 6 of 6

	Filth/Foreign Material	PASSED
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA075476FIL
Instrument Used : Filth/Foreign Material Microscope
Analyzed Date : 07/22/24 10:03:56
Reviewed On : 07/22/24 10:12:56
Batch Date : 07/19/24 11:32:47

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	Water Activity	PASSED
---	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.524	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.5018g	Extraction date: 07/19/24 17:18:13	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA075463WAT
Instrument Used : DA-028 Rotronic HygroPalm
Analyzed Date : 07/19/24 17:18:52
Reviewed On : 07/22/24 08:54:10
Batch Date : 07/19/24 10:41:59

Dilution : N/A
Reagent : 051624.01
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

