

COMPLIANCE FOR RETAIL

SUNNYSIDE

DA40718013-015

Kaycha Labs

Cresco Live Sgr 1g - Mt. Ripsmore (H)

Mt. Ripsmore

Matrix: Derivative Type: Live Resin



Batch#: 1001 3428 6430 0565

Cultivation Facility: FL - Indiantown (3734) Processing Facility: FL - Indiantown (3734) Source Facility: FL - Indiantown (3734)

Seed to Sale# 1101 3428 6430 7623

Harvest/Lot ID: 1001 3428 6430 0565

Batch Date: 07/11/24

Sample Size Received: 16 units Total Amount: 397 units Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1 Ordered: 07/11/24 Sampled: 07/18/24

Completed: 07/22/24

Sampling Method: SOP.T.20.010

Sunnyside

PASSED

SAFETY RESULTS

22205 Sw Martin Hwy indiantown, FL, 34956, US

Jul 22, 2024 | Sunnyside







Heavy Metals PASSED



Certificate of Analysis

Microbials **PASSED**



PASSED

Residuals Solvents



PASSED



Water Activity **PASSED**



Pages 1 of 6

Moisture **NOT TESTED**



Terpenes TESTED

PASSED



Cannabinoid

Total THC

Total THC/Container: 831.120 mg



Total CBD 0.032%

PASSED

Total CBD/Container: 0.320 mg

Reviewed On: 07/22/24 08:55:13

Batch Date: 07/19/24 07:50:55



Total Cannabinoids

Total Cannabinoids/Container: 941.500 mg

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA075437POT

Instrument Used: DA-LC-003 Analyzed Date: 07/19/24 14:57:18

Dilution: 400

Reagent: 071024.R01; 062624.15; 061224.R01 Consumables: 280670723; CE0123; R1KB14270

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

Cresco Live Sgr 1g - Mt. Ripsmore (H)

Mt. Ripsmore Matrix: Derivative Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA40718013-015 Harvest/Lot ID: 1001 3428 6430 0565

Batch#:1001 3428 6430

Sampled: 07/18/24 Ordered: 07/18/24

Sample Size Received: 16 units Total Amount: 397 units

Completed: 07/22/24 Expires: 07/22/25 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	: %	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	11.72	1.172		ALPHA-PHELLANDRENE		0.007	ND	ND		
BETA-MYRCENE	0.007	3.18	0.318		ALPHA-PINENE		0.007	ND	ND		
BETA-CARYOPHYLLENE	0.007	2.19	0.219		ALPHA-TERPINENE		0.007	ND	ND		
INALOOL	0.007	1.94	0.194		ALPHA-TERPINOLENE		0.007	ND	ND		
IMONENE	0.007	1.70	0.170		BETA-PINENE		0.007	ND	ND		
ARNESENE	0.007	0.86	0.086		CIS-NEROLIDOL		0.003	ND	ND		
LPHA-HUMULENE	0.007	0.74	0.074		GAMMA-TERPINENE		0.007	ND	ND		
LPHA-TERPINEOL	0.007	0.42	0.042		TRANS-NEROLIDOL		0.005	ND	ND		
LPHA-BISABOLOL	0.007	0.38	0.038		Analyzed by:	Weight:		Extraction d	late:		Extracted by:
ENCHYL ALCOHOL	0.007	0.31	0.031		4451, 585, 1440	0.2072g		07/19/24 12			4451
-CARENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SC	DP.T.40.061A.FL					
BORNEOL	0.013	ND	ND		Analytical Batch : DA075454TER Instrument Used : DA-GCMS-009					: 07/22/24 09:42:36 07/19/24 10:04:01	
AMPHENE	0.007	ND	ND		Analyzed Date : 07/19/24 12:57:28			Batch	Date:	07/13/24 10:04:01	
AMPHOR	0.007	ND	ND		Dilution: 10						
CARYOPHYLLENE OXIDE	0.007	ND	ND		Reagent: 022224.07						
EDROL	0.007	ND	ND		Consumables: 947.109; 230613-634-D;	; 280670723; CE1	23				
UCALYPTOL	0.007	ND	ND		Pipette : DA-065						
ENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas (Chromatography Ma	ss Spectro	ometry. For all	Flower sa	imples, the Total Terpenes % I	s ary-weight corrected.
GERANIOL	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
GUAIOL	0.007	ND	ND								
HEXAHYDROTHYMOL	0.007	ND	ND								
SOBORNEOL	0.007	ND	ND								
SOPULEGOL	0.007	ND	ND								
IEROL	0.007	ND	ND								
DCIMENE	0.007	ND	ND								
PULEGONE	0.007	ND	ND								
ABINENE	0.007	ND	ND								
ABINENE HYDRATE	0.007	ND	ND								
/ALENCENE	0.007	ND	ND								
ALPHA-CEDRENE	0.005	ND	ND								
otal (%)			1.172								

1.172 Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Cresco Live Sgr 1g - Mt. Ripsmore (H)

Mt. Ripsmore Matrix : Derivative Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Iulio.Chavez@crescolabs.com Sample : DA40718013-015 Harvest/Lot ID: 1001 3428 6430 0565

Batch#:1001 3428 6430

0565 Sampled: 07/18/24 Ordered: 07/18/24 Sample Size Received: 16 units Total Amount: 397 units

Completed: 07/22/24 Expires: 07/22/25 Sample Method: SOP.T.20.010 Page 3 of 6



Pesticides

PASSED

esticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
TAL CONTAMINANT LOAD (PESTICIDES)	0.010	11.11	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010	1.1	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
OTAL SPINOSAD	0.010	1.1.	0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND					0.1	PASS	ND
CEPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010			PASS	
EQUINOCYL	0.010	1.1.	0.1	PASS	ND	PYRIDABEN		0.010		0.2		ND
ETAMIPRID	0.010	1.1	0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010		0.1	PASS	ND
OXYSTROBIN	0.010	1.1.	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
FENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
ENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
SCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZENI	(PCNR) *	0.010		0.15	PASS	ND
LORANTRANILIPROLE	0.010		1	PASS PASS	ND	PARATHION-METHYL *	. (. 5110)	0.010		0.1	PASS	ND
LORMEQUAT CHLORIDE	0.010		1		ND			0.010		0.7	PASS	ND
LORPYRIFOS	0.010		0.1	PASS PASS	ND	CAPTAN *					PASS	
DFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010		0.1		ND
UMAPHOS	0.010		0.1		ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS PASS	ND	CYFLUTHRIN *		0.050		0.5	PASS	ND
AZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
CHLORVOS	0.010	11.11	0.1	PASS	ND ND	Analyzed by:	Weight:	Extract	ion date:		Extracted	d by:
METHOATE			0.1	PASS	ND	3379, 585, 1440	0.2677g	07/19/2	4 15:29:22		3621	
HOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.103	L.FL (Gainesville),	, SOP.T.30.102	2.FL (Davie)	, SOP.T.40.101	FL (Gainesville),
OFENPROX	0.010	1.1	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	_			• 07/22/24	11 55 10	
OXAZOLE			0.1	PASS	ND	Analytical Batch : DA075462PE Instrument Used : DA-LCMS-00				On:07/22/24 e:07/19/24 10		
NHEXAMID	0.010		0.1	PASS	ND	Analyzed Date : N/A	J (FLJ)		Dateii Dati	5 • 07/13/24 10	.33.20	
NOXYCARB	0.010		0.1	PASS	ND	Dilution: 250						
NPYROXIMATE PRONIL	0.010		0.1	PASS	ND	Reagent: 071824.R05; 040423	.08					
ONICAMID	0.010		0.1	PASS	ND	Consumables: 326250IW						
	0.010	1.1	0.1	PASS	ND	Pipette: N/A						
UDIOXONIL XYTHIAZOX	0.010		0.1	PASS	ND	Testing for agricultural agents is a accordance with F.S. Rule 64ER20		g Liquid Chrom	atography T	riple-Quadrupo	le Mass Spectror	netry in
AZALIL	0.010	1.1.	0.1	PASS	ND	Analyzed by:		Evelue -41	an data.		Evelunch	l borr
AZALIL IDACLOPRID	0.010		0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.2677a	07/19/24	15:29:22		Extracted 3621	ı ısy:
ESOXIM-METHYL	0.010		0.4	PASS	ND	Analysis Method : SOP.T.30.15:				e). SOP.T.40 1		
LATHION	0.010		0.1	PASS	ND	Analytical Batch : DA075465VC				:07/22/24 11:		
TALAXYL	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-01		Ba	tch Date :	7/19/24 10:43	:34	
THIOCARB	0.010		0.1	PASS	ND	Analyzed Date : 07/19/24 17:39	:43					
THOCARB	0.010	1.1.	0.1	PASS	ND	Dilution: 250						
EVINPHOS	0.010		0.1	PASS	ND	Reagent: 071824.R05; 040423 Consumables: 326250IW; 1472		; U/1024.R47				
CLOBUTANIL	0.010	11.11	0.1	PASS	ND	Pipette: DA-080: DA-146: DA-2						
CLODUIMNIL	0.010	Phili	0.25	PASS	ND	pesse : DA 000, DA 140, DA-2				ole-Quadrupole		

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2



Kaycha Labs

Cresco Live Sgr 1g - Mt. Ripsmore (H)

Mt. Ripsmore Matrix: Derivative Type: Live Resin



Certificate of Analysis

PASSED

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA40718013-015 Harvest/Lot ID: 1001 3428 6430 0565

Batch#: 1001 3428 6430

Sampled: 07/18/24 Ordered: 07/18/24

Sample Size Received: 16 units Total Amount: 397 units

Completed: 07/22/24 Expires: 07/22/25 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents 1,1-DICHLOROETHENE	LOD 0.800	Units ppm	Action Level 8	Pass/Fail Pass	Result ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by:	Weight:	Extraction date:			ctracted by:

Reviewed On: 07/22/24 13:49:21

Batch Date: 07/19/24 16:33:13

850, 585, 1440 0.0249g 07/22/24 12:26:12

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA075490SOL Instrument Used: DA-GCMS-002 Analyzed Date: 07/22/24 12:32:03

Dilution: 1 Reagent: 030420.09

Consumables: 429651; 306143 **Pipette :** DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Cresco Live Sgr 1g - Mt. Ripsmore (H)

Mt. Ripsmore Matrix : Derivative



Type: Live Resin

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA40718013-015 Harvest/Lot ID: 1001 3428 6430 0565

Batch#: 1001 3428 6430

Sampled: 07/18/24 Ordered: 07/18/24 Sample Size Received: 16 units Total Amount: 397 units

Completed: 07/22/24 Expires: 07/22/25 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	1
ASPERGILLUS TERREUS			Not Present	PASS		1
ASPERGILLUS NIGER			Not Present	PASS		1
ASPERGILLUS FUMIGATUS			Not Present	PASS		(
ASPERGILLUS FLAVUS			Not Present	PASS		1
SALMONELLA SPECIFIC GENE			Not Present	PASS		I
ECOLI SHIGELLA			Not Present	PASS		Α
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3

Analyzed by: Weight: **Extraction date:** Extracted by: 0.96g 4520, 585, 1440 07/19/24 11:33:07

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA075446MIC Reviewed On: 07/22/24

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Batch Date: 07/19/24 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block

(55*C) DA-020, Fisher Scientific Isotemp Heat Block (95*C) DA-049, Fisher Scientific Isotemp Heat Block (55*C) DA-021

Analyzed Date: 07/19/24 18:39:51

Dilution: 10

Reagent: 071824.44; 071824.48; 070324.R36; 030724.33

Consumables: 7573003027

Pipette: N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: **Extraction date:** Weight: Extracted by: 3379, 585, 1440 0.2677g 07/19/24 15:29:22 Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville).

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA075464MYC Reviewed On: 07/22/24 09:10:59 Instrument Used : N/A Batch Date: 07/19/24 10:42:56

Analyzed Date : N/A Dilution: 250

Reagent: 071824.R05; 040423.08

Consumables: 326250IW

Pipette: N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Analyzed by: 4044, 4531, 585, 1440	Weight: 0.96g	Extraction date: 07/19/24 11:33:07	Extracted by: 4044
Analysis Method: SOP.T.40.2 Analytical Batch: DA075449 Instrument Used: Incubator (Analyzed Date: 07/20/24 08:	TYM (25*C) DA- 328	Reviewed On: 07	, , , , , , , , , , , , , , , , , , , ,
Dilution: 10 Reagent: 071824.44; 071824 Consumables: N/A Pipette: N/A	4.48; 070324.R	35	
Total yeast and mold testing is p accordance with F.S. Rule 64ER2		g MPN and traditional culture b	pased techniques in

Metal			LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS			0.080	ppm	ND	PASS	1.1
ARSENIC			0.020	ppm	ND	PASS	0.2
CADMIUM			0.020	ppm	ND	PASS	0.2
MERCURY			0.020	ppm	ND	PASS	0.2
LEAD			0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2185g	Extraction 07/19/24	on date: 1 12:24:2!	5	Extract 1022,3	ted by: 8807,4056	j

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA075459HEA Instrument Used: DA-ICPMS-004 Reviewed On: 07/22/24 09:22:53 Batch Date: 07/19/24 10:28:58 **Analyzed Date :** 07/19/24 17:16:20

Dilution: 50

Reagent: 070924.R14; 071524.R04; 071624.R10; 071524.R02; 071524.R03; 061724.01;

Consumables: 179436: 120423CH01: 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Cresco Live Sgr 1g - Mt. Ripsmore (H)

Mt. Ripsmore Matrix: Derivative Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA40718013-015 Harvest/Lot ID: 1001 3428 6430 0565

Batch#: 1001 3428 6430

Sampled: 07/18/24 Ordered: 07/18/24 Sample Size Received: 16 units Total Amount: 397 units

Completed: 07/22/24 Expires: 07/22/25 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Reviewed On: 07/22/24 10:12:53 Batch Date: 07/19/24 11:32:47

Reviewed On: 07/22/24 08:54:12

Batch Date: 07/19/24 10:41:59

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 1440 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA075476FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 07/22/24 10:03:56

Dilution: N/AReagent: N/A Consumables : N/A

Pipette: N/A Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte LOD Units Result P/F **Action Level** 0.564 PASS Water Activity 0.010 aw 0.85

Extracted by: 4512 Extraction date: 07/19/24 17:18:13 Analyzed by: 4512, 585, 1440 Weight: 0.5262g

Analysis Method : SOP.T.40.019 Analytical Batch: DA075463WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 07/19/24 17:18:52

Dilution: N/A Reagent: 051624.01 Consumables : PS-14

Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/22/24

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors