



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40725013-001
Harvest/Lot ID: 1101 3428 6431 2738
Batch#: 1101 3428 6431 2738
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale#: 1101 3428 6431 2738
Batch Date: 07/18/24
Sample Size Received: 3 units
Total Amount: 400 units
Retail Product Size: 14 gram
Retail Serving Size: 14 gram
Servings: 1
Ordered: 07/23/24
Sampled: 07/25/24
Completed: 07/29/24
Sampling Method: SOP.T.20.010

Jul 29, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

22.117%

Total THC/Container : 3096.380 mg



Total CBD

0.052%

Total CBD/Container : 7.280 mg



Total Cannabinoids

25.946%

Total Cannabinoids/Container : 3632.440 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.610	24.524	ND	0.060	0.047	0.066	0.565	ND	ND	ND	0.074
mg/unit	85.40	3433.36	ND	8.40	6.58	9.24	79.10	ND	ND	ND	10.36
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analized by:
3335, 1665, 585, 1440

Weight:
0.2012g

Extraction date:
07/26/24 13:25:21

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA075792POT
Instrument Used : DA-LC-002
Analized Date : 07/26/24 13:29:07

Reviewed On : 07/29/24 09:40:47
Batch Date : 07/26/24 07:09:31

Dilution : 400
Reagent : 072224.R15; 042723.19; 071924.R15
Consumables : 947.100; LLS-00-0005; 280670723; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/29/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Grntz (I)

Gruntz

Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40725013-001

Harvest/Lot ID: 1101 3428 6431 2738

Batch# : 1101 3428 6431 2738

Sampled : 07/25/24

Ordered : 07/25/24

Sample Size Received : 3 units

Total Amount : 400 units

Completed : 07/29/24 Expires: 07/29/25

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	258.02	1.843		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	86.10	0.615		ALPHA-CEDRENE	0.005	ND	ND	
LIMONENE	0.007	40.32	0.288		ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	38.22	0.273		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	25.62	0.183		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	11.90	0.085		CIS-NEROLIDOL	0.003	ND	ND	
FARNESENE	0.007	11.62	0.083		GAMMA-TERPINENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	11.62	0.083		TRANS-NEROLIDOL	0.005	ND	ND	
ALPHA-TERPINEOL	0.007	11.34	0.081						
BETA-PINENE	0.007	9.24	0.066		Analyzed by:	Weight:	Extraction date:	Extracted by:	
ALPHA-PINENE	0.007	7.14	0.051		4451, 585, 1440	1.0344g	07/26/24 13:27:50	4451	
BETA-MYRCENE	0.007	4.90	0.035		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
3-CARENE	0.007	ND	ND		Analytical Batch : DA0758077ER			Reviewed On : 07/29/24 11:27:05	
BORNEOL	0.013	ND	ND		Instrument Used : DA-GCMS-008			Batch Date : 07/26/24 09:39:14	
CAMPHENE	0.007	ND	ND		Analyzed Date : 07/26/24 13:28:21				
CAMPHOR	0.007	ND	ND		Dilution : 10				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Reagent : 022224.07				
CEDROL	0.007	ND	ND		Consumables : 947.109; 230613-634-D; 280670723; CE0123				
EUCALYPTOL	0.007	ND	ND		Pipette : DA-065				
FENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)			1.843						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/29/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Grntz (I)

Grntz

Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA40725013-001

Harvest/Lot ID: 1101 3428 6431 2738

Batch# : 1101 3428 6431
2738

Sampled : 07/25/24

Ordered : 07/25/24

Sample Size Received : 3 units

Total Amount : 400 units

Completed : 07/29/24 Expires: 07/29/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.9461g	Extraction date: 07/26/24 14:06:57	Extracted by: 3621		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA075816PES		Reviewed On : 07/29/24 09:41:25			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)		Batch Date : 07/26/24 10:17:41			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 072324.R04; 071824.R06; 071824.R05; 072324.R06; 072224.R19; 071824.R03					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 795, 585, 1440	Weight: 0.9461g	Extraction date: 07/26/24 14:06:57	Extracted by: 3621		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA075818VOL		Reviewed On : 07/29/24 09:11:54			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 07/26/24 10:19:26			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 07/26/24 17:55:01					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 071824.R05; 071024.R46; 071024.R47					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/29/24





Type: Flower-Cured



PASSED

Sample Method : SOP T 20.010

Page 4 of 5

	<h1>Microbial</h1>	<h1>PASSED</h1>																																																																																																																																																																																																																																																											
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>2000</td><td>PASS</td><td>100000</td></tr><tr><td colspan="6">Analyzed by: 3390, 4520, 585, 1440</td></tr><tr><td colspan="6">Weight: 1g</td></tr><tr><td colspan="6">Extraction date: 07/26/24 14:03:01</td></tr><tr><td colspan="6">Extracted by: 3390</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td></tr><tr><td colspan="6">Analytical Batch : DA075798MIC</td></tr><tr><td colspan="6">Reviewed On : 07/29/24 09:24:10</td></tr><tr><td colspan="6">Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021</td></tr><tr><td colspan="6">Batch Date : 07/26/24 09:09:52</td></tr><tr><td colspan="6">Analyzed Date : 07/26/24 14:18:08</td></tr><tr><td colspan="6">Dilution : 10</td></tr><tr><td colspan="6">Reagent : 071924.10; 071924.14; 030724.30; 070324.R36</td></tr><tr><td colspan="6">Consumables : 7573003022</td></tr><tr><td colspan="6">Pipette : N/A</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	2000	PASS	100000	Analyzed by: 3390, 4520, 585, 1440						Weight: 1g						Extraction date: 07/26/24 14:03:01						Extracted by: 3390						Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA075798MIC						Reviewed On : 07/29/24 09:24:10						Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021						Batch Date : 07/26/24 09:09:52						Analyzed Date : 07/26/24 14:18:08						Dilution : 10						Reagent : 071924.10; 071924.14; 030724.30; 070324.R36						Consumables : 7573003022						Pipette : N/A						<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td colspan="6">Analyzed by: 3379, 585, 1440</td></tr><tr><td colspan="6">Weight: 0.9461g</td></tr><tr><td colspan="6">Extraction date: 07/26/24 14:06:57</td></tr><tr><td colspan="6">Extracted by: 3621</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</td></tr><tr><td colspan="6">Analytical Batch : DA075817MYC</td></tr><tr><td colspan="6">Reviewed On : 07/29/24 09:39:47</td></tr><tr><td colspan="6">Instrument Used : N/A</td></tr><tr><td colspan="6">Batch Date : 07/26/24 10:19:24</td></tr><tr><td colspan="6">Analyzed Date : N/A</td></tr><tr><td colspan="6">Dilution : 250</td></tr><tr><td colspan="6">Reagent : 072324.R04; 071824.R06; 071824.R05; 072324.R06; 072224.R19; 071824.R03</td></tr><tr><td colspan="6">Consumables : 326250IW</td></tr><tr><td colspan="6">Pipette : DA-093; DA-094; DA-219</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	Analyzed by: 3379, 585, 1440						Weight: 0.9461g						Extraction date: 07/26/24 14:06:57						Extracted by: 3621						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Analytical Batch : DA075817MYC						Reviewed On : 07/29/24 09:39:47						Instrument Used : N/A						Batch Date : 07/26/24 10:19:24						Analyzed Date : N/A						Dilution : 250						Reagent : 072324.R04; 071824.R06; 071824.R05; 072324.R06; 072224.R19; 071824.R03						Consumables : 326250IW						Pipette : DA-093; DA-094; DA-219					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																																																																								
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																																																																																																																																									
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																																																																																																																																									
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																																																																																																																																									
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																																																																																																																																									
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																																																																																																																																									
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																																																																																																																																									
TOTAL YEAST AND MOLD	10	CFU/g	2000	PASS	100000																																																																																																																																																																																																																																																								
Analyzed by: 3390, 4520, 585, 1440																																																																																																																																																																																																																																																													
Weight: 1g																																																																																																																																																																																																																																																													
Extraction date: 07/26/24 14:03:01																																																																																																																																																																																																																																																													
Extracted by: 3390																																																																																																																																																																																																																																																													
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL																																																																																																																																																																																																																																																													
Analytical Batch : DA075798MIC																																																																																																																																																																																																																																																													
Reviewed On : 07/29/24 09:24:10																																																																																																																																																																																																																																																													
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021																																																																																																																																																																																																																																																													
Batch Date : 07/26/24 09:09:52																																																																																																																																																																																																																																																													
Analyzed Date : 07/26/24 14:18:08																																																																																																																																																																																																																																																													
Dilution : 10																																																																																																																																																																																																																																																													
Reagent : 071924.10; 071924.14; 030724.30; 070324.R36																																																																																																																																																																																																																																																													
Consumables : 7573003022																																																																																																																																																																																																																																																													
Pipette : N/A																																																																																																																																																																																																																																																													
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																																																																								
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																																																																								
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																																																																								
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																																																																								
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																																																																								
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																																																																								
Analyzed by: 3379, 585, 1440																																																																																																																																																																																																																																																													
Weight: 0.9461g																																																																																																																																																																																																																																																													
Extraction date: 07/26/24 14:06:57																																																																																																																																																																																																																																																													
Extracted by: 3621																																																																																																																																																																																																																																																													
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)																																																																																																																																																																																																																																																													
Analytical Batch : DA075817MYC																																																																																																																																																																																																																																																													
Reviewed On : 07/29/24 09:39:47																																																																																																																																																																																																																																																													
Instrument Used : N/A																																																																																																																																																																																																																																																													
Batch Date : 07/26/24 10:19:24																																																																																																																																																																																																																																																													
Analyzed Date : N/A																																																																																																																																																																																																																																																													
Dilution : 250																																																																																																																																																																																																																																																													
Reagent : 072324.R04; 071824.R06; 071824.R05; 072324.R06; 072224.R19; 071824.R03																																																																																																																																																																																																																																																													
Consumables : 326250IW																																																																																																																																																																																																																																																													
Pipette : DA-093; DA-094; DA-219																																																																																																																																																																																																																																																													
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																																																																													
	<h1>Heavy Metals</h1>	<h1>PASSED</h1>																																																																																																																																																																																																																																																											
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td colspan="6">Analyzed by: 1022, 585, 1440</td></tr><tr><td colspan="6">Weight: 0.2334g</td></tr><tr><td colspan="6">Extraction date: 07/26/24 11:33:54</td></tr><tr><td colspan="6">Extracted by: 1022,4056</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td></tr><tr><td colspan="6">Analytical Batch : DA075800HEA</td></tr><tr><td colspan="6">Reviewed On : 07/29/24 09:09:32</td></tr><tr><td colspan="6">Instrument Used : DA-ICPMS-004</td></tr><tr><td colspan="6">Batch Date : 07/26/24 09:11:16</td></tr><tr><td colspan="6">Analyzed Date : N/A</td></tr><tr><td colspan="6">Dilution : 50</td></tr><tr><td colspan="6">Reagent : 071924.R14; 072224.R03; 072524.R19; 072224.R01; 072224.R02; 061724.01; 071724.R10</td></tr><tr><td colspan="6">Consumables : 179436; 120423CH01; 210508058</td></tr><tr><td colspan="6">Pipette : DA-061; DA-191; DA-216</td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5	Analyzed by: 1022, 585, 1440						Weight: 0.2334g						Extraction date: 07/26/24 11:33:54						Extracted by: 1022,4056						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA075800HEA						Reviewed On : 07/29/24 09:09:32						Instrument Used : DA-ICPMS-004						Batch Date : 07/26/24 09:11:16						Analyzed Date : N/A						Dilution : 50						Reagent : 071924.R14; 072224.R03; 072524.R19; 072224.R01; 072224.R02; 061724.01; 071724.R10						Consumables : 179436; 120423CH01; 210508058						Pipette : DA-061; DA-191; DA-216						<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td colspan="6">Analyzed by: 1022, 585, 1440</td></tr><tr><td colspan="6">Weight: 0.2334g</td></tr><tr><td colspan="6">Extraction date: 07/26/24 11:33:54</td></tr><tr><td colspan="6">Extracted by: 1022,4056</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td></tr><tr><td colspan="6">Analytical Batch : DA075800HEA</td></tr><tr><td colspan="6">Reviewed On : 07/29/24 09:09:32</td></tr><tr><td colspan="6">Instrument Used : DA-ICPMS-004</td></tr><tr><td colspan="6">Batch Date : 07/26/24 09:11:16</td></tr><tr><td colspan="6">Analyzed Date : N/A</td></tr><tr><td colspan="6">Dilution : 50</td></tr><tr><td colspan="6">Reagent : 071924.R14; 072224.R03; 072524.R19; 072224.R01; 072224.R02; 061724.01; 071724.R10</td></tr><tr><td colspan="6">Consumables : 179436; 120423CH01; 210508058</td></tr><tr><td colspan="6">Pipette : DA-061; DA-191; DA-216</td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5	Analyzed by: 1022, 585, 1440						Weight: 0.2334g						Extraction date: 07/26/24 11:33:54						Extracted by: 1022,4056						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA075800HEA						Reviewed On : 07/29/24 09:09:32						Instrument Used : DA-ICPMS-004						Batch Date : 07/26/24 09:11:16						Analyzed Date : N/A						Dilution : 50						Reagent : 071924.R14; 072224.R03; 072524.R19; 072224.R01; 072224.R02; 061724.01; 071724.R10						Consumables : 179436; 120423CH01; 210508058						Pipette : DA-061; DA-191; DA-216																	
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																																																																								
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																																																																																																																																																																																																																																								
ARSENIC	0.020	ppm	ND	PASS	0.2																																																																																																																																																																																																																																																								
CADMIUM	0.020	ppm	ND	PASS	0.2																																																																																																																																																																																																																																																								
MERCURY	0.020	ppm	ND	PASS	0.2																																																																																																																																																																																																																																																								
LEAD	0.020	ppm	ND	PASS	0.5																																																																																																																																																																																																																																																								
Analyzed by: 1022, 585, 1440																																																																																																																																																																																																																																																													
Weight: 0.2334g																																																																																																																																																																																																																																																													
Extraction date: 07/26/24 11:33:54																																																																																																																																																																																																																																																													
Extracted by: 1022,4056																																																																																																																																																																																																																																																													
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL																																																																																																																																																																																																																																																													
Analytical Batch : DA075800HEA																																																																																																																																																																																																																																																													
Reviewed On : 07/29/24 09:09:32																																																																																																																																																																																																																																																													
Instrument Used : DA-ICPMS-004																																																																																																																																																																																																																																																													
Batch Date : 07/26/24 09:11:16																																																																																																																																																																																																																																																													
Analyzed Date : N/A																																																																																																																																																																																																																																																													
Dilution : 50																																																																																																																																																																																																																																																													
Reagent : 071924.R14; 072224.R03; 072524.R19; 072224.R01; 072224.R02; 061724.01; 071724.R10																																																																																																																																																																																																																																																													
Consumables : 179436; 120423CH01; 210508058																																																																																																																																																																																																																																																													
Pipette : DA-061; DA-191; DA-216																																																																																																																																																																																																																																																													
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																																																																								
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																																																																																																																																																																																																																																								
ARSENIC	0.020	ppm	ND	PASS	0.2																																																																																																																																																																																																																																																								
CADMIUM	0.020	ppm	ND	PASS	0.2																																																																																																																																																																																																																																																								
MERCURY	0.020	ppm	ND	PASS	0.2																																																																																																																																																																																																																																																								
LEAD	0.020	ppm	ND	PASS	0.5																																																																																																																																																																																																																																																								
Analyzed by: 1022, 585, 1440																																																																																																																																																																																																																																																													
Weight: 0.2334g																																																																																																																																																																																																																																																													
Extraction date: 07/26/24 11:33:54																																																																																																																																																																																																																																																													
Extracted by: 1022,4056																																																																																																																																																																																																																																																													
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL																																																																																																																																																																																																																																																													
Analytical Batch : DA075800HEA																																																																																																																																																																																																																																																													
Reviewed On : 07/29/24 09:09:32																																																																																																																																																																																																																																																													
Instrument Used : DA-ICPMS-004																																																																																																																																																																																																																																																													
Batch Date : 07/26/24 09:11:16																																																																																																																																																																																																																																																													
Analyzed Date : N/A																																																																																																																																																																																																																																																													
Dilution : 50																																																																																																																																																																																																																																																													
Reagent : 071924.R14; 072224.R03; 072524.R19; 072224.R01; 072224.R02; 061724.01; 071724.R10																																																																																																																																																																																																																																																													
Consumables : 179436; 120423CH01; 210508058																																																																																																																																																																																																																																																													
Pipette : DA-061; DA-191; DA-216																																																																																																																																																																																																																																																													
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																																																																													
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																																																																													

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/29/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Grntz (I)
Grntz
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40725013-001

Harvest/Lot ID: 1101 3428 6431 2738

Batch# : 1101 3428 6431
2738

Sampled : 07/25/24
Ordered : 07/25/24

Sample Size Received : 3 units

Total Amount : 400 units

Completed : 07/29/24 Expires: 07/29/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	13.40	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 07/26/24 21:50:39		Extracted by: N/A		Analyzed by: 4512, 585, 1440	Weight: 0.501g	Extraction date: 07/26/24 15:42:04		Extracted by: 4512	
Analysis Method : SOP.T.40.090 Analytical Batch : DA075851FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 07/26/24 21:37:51						Analysis Method : SOP.T.40.021 Analytical Batch : DA075834MOI Reviewed On : 07/29/24 09:23:03 Batch Date : 07/26/24 11:27:59					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser Analyzed Date : 07/26/24 15:54:48 Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.											



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.514	PASS	0.65
Analyzed by: 4512, 585, 1440	Weight: 0.721g	Extraction date: 07/26/24 16:19:58	Extracted by: 4512		
Analysis Method : SOP.T.40.019 Analytical Batch : DA075837WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 07/26/24 16:26:30					
Dilution : N/A Reagent : 051624.01 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/29/24