

Certificate of Analysis

COMPLIANCE FOR RETAIL



Kaycha Labs

Supply Shake 7g - TK/CD (I)

TK/CD

Matrix: Flower Type: Flower-Cured

Sample:DA40725013-006

Harvest/Lot ID: 1101 3428 6431 2112

Batch#: 1101 3428 6431 2112

Cultivation Facility: FL - Indiantown (3734) Processing Facility: FL - Indiantown (3734)

Source Facility: FL - Indiantown (3734) Seed to Sale# 1101 3428 6431 2112

Batch Date: 07/19/24

Sample Size Received: 6 units Total Amount: 1201 units Retail Product Size: 7 gram

Retail Serving Size: 7 gram

Servings: 1 Ordered: 07/21/24

Sampled: 07/25/24 Completed: 07/29/24

Sampling Method: SOP.T.20.010

PASSED

SAFETY RESULTS

22205 Sw Martin Hwy indiantown, FL, 34956, US

Jul 29, 2024 | Sunnyside







Heavy Metals PASSED



Microbials **PASSED**



Mycotoxins **PASSED**



Sunnyside

Residuals Solvents **NOT TESTED**



Filth **PASSED**



Water Activity **PASSED**



Pages 1 of 5

Moisture **PASSED**





Terpenes TESTED

PASSED



Cannabinoid

Total THC

Total THC/Container: 1578.710 mg



Total CBD 0.049%

Total CBD/Container: 3.430 mg

Reviewed On: 07/29/24 09:43:54

Batch Date: 07/26/24 10:33:35



Total Cannabinoids

Total Cannabinoids/Container: 1843.590

	1.186 24.364 ND 0.056 0.066 0.071 0.542 ND ND ND 0.052 g/unit 83.02 1705.48 ND 3.92 4.62 4.97 37.94 ND ND ND ND 3.64 DD 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001	Analyzed by: 3335, 1665, 585, 1440			Weight: Extraction date: 0.2187g 07/26/24 13:33:42				Extracted by: 3335				
1.186 24.364 ND 0.056 0.066 0.071 0.542 ND ND ND 0.052 /unit 83.02 1705.48 ND 3.92 4.62 4.97 37.94 ND ND ND ND 3.64	1.186 24.364 ND 0.056 0.066 0.071 0.542 ND ND ND 0.052 g/unit 83.02 1705.48 ND 3.92 4.62 4.97 37.94 ND ND ND ND 3.64		%	%	%	%	%	%	%	%	%	%	%
1.186 24.364 ND 0.056 0.066 0.071 0.542 ND ND ND 0.052	1.186 24.364 ND 0.056 0.066 0.071 0.542 ND ND ND 0.052	OD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
		ng/unit	83.02	1705.48	ND	3.92	4.62	4.97	37.94	ND	ND	ND	3.64
D9-THC THCA CBD CBDA D8-THC CBG CBGA CBN THCV CBDV CBC	D9-THC THCA CBD CBDA D8-THC CBG CBGA CBN THCV CBDV CBC		1.186	24.364	ND	0.056	0.066	0.071	0.542	ND	ND	ND	0.052
			D9-THC	THCA	CBD	CBDA	рв-тнс	CBG	CBGA	СВИ	THCV	CBDV	CBC

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA075821POT Instrument Used: DA-LC-002 Analyzed Date: 07/26/24 13:33:55

Dilution: 400

Reagent: 072224.R15; 030624.05; 071924.R15 Consumables: 947.109; 280670723; CE0123; R1KB14270

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 07/29/24



Kaycha Labs

Supply Shake 7g - TK/CD (I)

TK/CD

Matrix : Flower Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Julio.Chavez@crescolabs.com Sample : DA40725013-006 Harvest/Lot ID: 1101 3428 6431 2112

Batch#:1101 3428 6431

Sampled: 07/25/24 Ordered: 07/25/24 Sample Size Received : 6 units Total Amount : 1201 units

Completed: 07/29/24 Expires: 07/29/25 Sample Method: SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	: %	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	115.71	1.653		ALPHA-CEDRENE		0.005	ND	ND		
BETA-CARYOPHYLLENE	0.007	36.47	0.521		ALPHA-HUMULENE		0.007	ND	ND		
BETA-MYRCENE	0.007	24.92	0.356		ALPHA-PHELLANDRENE		0.007	ND	ND		
LIMONENE	0.007	20.16	0.288		ALPHA-PINENE		0.007	ND	ND		
INALOOL	0.007	10.36	0.148		ALPHA-TERPINENE		0.007	ND	ND		
LPHA-BISABOLOL	0.007	6.37	0.091		ALPHA-TERPINOLENE		0.007	ND	ND		
LPHA-TERPINEOL	0.007	5.32	0.076		CIS-NEROLIDOL		0.003	ND	ND		
ENCHYL ALCOHOL	0.007	4.83	0.069		GAMMA-TERPINENE		0.007	ND	ND		
RANS-NEROLIDOL	0.005	4.06	0.058		Analyzed by:	Weight:		Extraction d	ate:		Extracted by:
BETA-PINENE	0.007	3.22	0.046		4451, 585, 1440	1.1006g		07/26/24 13			4451
-CARENE	0.007	ND	ND			0.061A.FL, SOP.T.40.061A.FL					
ORNEOL	0.013	ND	ND		Analytical Batch : DA0758					07/29/24 11:27:11	
AMPHENE	0.007	ND	ND		Instrument Used : DA-GCN Analyzed Date : 07/26/24			Batch	pate: 0/	7/26/24 09:39:14	
AMPHOR	0.007	ND	ND		Dilution : 10						
CARYOPHYLLENE OXIDE	0.007	ND	ND		Reagent: 022224.07						
CEDROL	0.007	ND	ND			30613-634-D; 280670723; CI	0123				
UCALYPTOL	0.007	ND	ND		Pipette : DA-065						
ARNESENE	0.007	ND	ND		Terpenoid testing is performe	d utilizing Gas Chromatography I	lass Spectr	ometry. For all	Flower sam	iples, the Total Terpenes % is o	dry-weight corrected.
ENCHONE	0.007	ND	ND								
GERANIOL	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
GUAIOL	0.007	ND	ND								
HEXAHYDROTHYMOL	0.007	ND	ND								
SOBORNEOL	0.007	ND	ND								
SOPULEGOL	0.007	ND	ND								
NEROL	0.007	ND	ND								
CIMENE	0.007	ND	ND								
PULEGONE	0.007	ND	ND								
ABINENE	0.007	ND	ND								
SABINENE HYDRATE	0.007	ND	ND								
VALENCENE	0.007	ND	ND								
otal (%)			1.653								

Total (%) 1.653

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/29/24



Kaycha Labs

Supply Shake 7g - TK/CD (I)

TK/CD

Matrix : Flower Type: Flower-Cured



Certificate of Analysis

LOD Unite

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Julio.Chavez@crescolabs.com Sample : DA40725013-006 Harvest/Lot ID: 1101 3428 6431 2112

Pacc/Fail Pocult

Batch#: 1101 3428 6431

2112 Sampled: 07/25/24 Ordered: 07/25/24 Sample Size Received: 6 units Total Amount: 1201 units

Completed: 07/29/24 Expires: 07/29/25 Sample Method: SOP.T.20.010 Page 3 of 5



Pesticides

PASSED

Dage/Eail Beauth

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	nnm	5	PASS	ND			0.010		Level	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	OXAMYL		0.010		0.5		ND
TOTAL PERMETHRIN	0.010		0.1	PASS	ND	PACLOBUTRAZOL		0.010		0.1	PASS	ND
TOTAL PERMETHRINS	0.010		0.5	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TOTAL PINETORAM	0.010		0.2	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TOTAL SPINOSAD	0.010		0.1	PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND	PROPOXUR		0.010	nnm	0.1	PASS	ND
ACEPHATE	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ACEQUINOCYL	0.010		0.1	PASS	ND			0.010		0.1	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN						
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010		0.1	PASS	ND
AZOXYSTROBIN			0.1	PASS	ND	SPIROXAMINE		0.010		0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
BOSCALID			0.5	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
CARBARYL	0.010		0.3	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
CARBOFURAN	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PARATHION-METHYL *	,	0.010	PPM	0.1	PASS	ND
CHLORMEQUAT CHLORIDE	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND			0.010		0.1	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *						
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050		0.5	PASS	ND
DIAZINON			0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND ND	Analyzed by:	Weight:	Extract	tion date:		Extracted	l by:
DIMETHOATE ETHOPROPHOS	0.010		0.1	PASS	ND	3379, 585, 1440	1.0165g		24 14:06:58		3621	
	0.010		0.1	PASS	ND	Analysis Method: SOP.T.30.101.F	L (Gainesville), SOI	P.T.30.10	2.FL (Davie),	SOP.T.40.101	.FL (Gainesville),
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)			B	07/20/24 (0.41.31	
ETOXAZOLE FENHEXAMID	0.010		0.1	PASS	ND	Analytical Batch : DA075816PES Instrument Used : DA-LCMS-004 ((PES)			n:07/29/24 (:07/26/24 10:		
	0.010		0.1	PASS	ND	Analyzed Date : N/A	1 12)		Duten Dute	.07/20/24 10	.17.71	
FENOXYCARB	0.010		0.1	PASS	ND ND	Dilution: 250						
FENPYROXIMATE FIPRONIL	0.010		0.1	PASS	ND	Reagent: 072324.R04; 071824.R0	06; 071824.R05; 07	72324.R0	6; 072224.R1	9; 071824.R0	3	
	0.010		0.1	PASS	ND	Consumables: 326250IW						
FLONICAMID	0.010		0.1	PASS	ND	Pipette: DA-093; DA-094; DA-219						
FLUDIOXONIL HEXYTHIAZOX	0.010		0.1	PASS	ND	Testing for agricultural agents is per accordance with F.S. Rule 64ER20-3		uid Chron	natography Tri	ple-Quadrupol	e Mass Spectron	netry in
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Frede	raction date:		Extracte	al boos
IMIDACLOPRID	0.010		0.4	PASS	ND	450, 795, 585, 1440	1.0165a		26/24 14:06:5		3621	u by:
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.151.F						
MALATHION	0.010		0.2	PASS	ND	Analytical Batch : DA075818VOL	_ (07/29/24 09:1		
METALAXYL	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-001		Ba	tch Date: 07	//26/24 10:19	:26	
METHIOCARB	0.010		0.1	PASS	ND	Analyzed Date : 07/26/24 17:55:0	1					
METHIOCARB	0.010		0.1	PASS	ND	Dilution: 250						
MEVINPHOS	0.010		0.1	PASS	ND	Reagent: 071824.R05; 071024.R4 Consumables: 326250IW: 147254						
MYCLOBUTANIL	0.010		0.1	PASS	ND ND	Pipette: DA-080; DA-146; DA-218						
NALED	0.010		0.25	PASS	ND	Testing for agricultural agents is per		Chromat	tography Triple	e-Ouadrunole	Mass Spectrome	try in
MALED	0.010	phiii	0.23	. 733	NU	accordance with F.S. Rule 64ER20-3		, cili olilai	cograpity tithi	c quadrapole	ass spectroffie	,

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/29/24



Kaycha Labs

Supply Shake 7g - TK/CD (I)

TK/CD

Matrix: Flower Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA40725013-006 Harvest/Lot ID: 1101 3428 6431 2112

Batch#: 1101 3428 6431

Sampled: 07/25/24 Ordered: 07/25/24 Sample Size Received: 6 units Total Amount: 1201 units

Completed: 07/29/24 Expires: 07/29/25 Sample Method: SOP.T.20.010

Page 4 of 5

ppm

ppm

ppm

ppm

ppm



Microbial

PASSED



AFLATOXIN B2

AFLATOXIN B1

OCHRATOXIN A

AFLATOXIN G1

AFLATOXIN G2

Mycotoxins

Weight:

PASSED

Action

Level

0.02

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

Extracted by:

Result

ND

ND

ND

TOTAL YEAST AND MOLD	10	CFU/a	46000	PASS	100000	Analyzed by: 3379, 585, 14
						AFLATOXIN
ASPERGILLUS FLAVUS	_		Not Present	PASS		AFLATOXIN
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXI
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte
	ASPERGILLUS TERREUS ASPERGILLUS NIGER ASPERGILLUS FUMIGATUS ASPERGILLUS FLAVUS	ASPERGILLUS TERREUS ASPERGILLUS NIGER ASPERGILLUS FUMIGATUS ASPERGILLUS FLAVUS SALMONELLA SPECIFIC GENE	ASPERGILLUS TERREUS ASPERGILLUS NIGER ASPERGILLUS FUMIGATUS ASPERGILLUS FLAVUS SALMONELLA SPECIFIC GENE	ASPERGILLUS TERREUS ASPERGILLUS NIGER ASPERGILLUS FUMIGATUS ASPERGILLUS FLAVUS Not Present ASPERGILLUS FLAVUS Not Present SALMONELLA SPECIFIC GENE Not Present	ASPERGILLUS TERREUS Not Present PASS ASPERGILLUS NIGER Not Present PASS ASPERGILLUS FUMIGATUS Not Present PASS ASPERGILLUS FLAVUS Not Present PASS SALMONELLA SPECIFIC GENE Not Present PASS	ASPERGILLUS TERREUS Not Present PASS ASPERGILLUS NIGER Not Present PASS ASPERGILLUS FUMIGATUS Not Present PASS ASPERGILLUS FLAVUS Not Present PASS SALMONELLA SPECIFIC GENE Not Present PASS

3390, 4520, 585, 1440 1.0839g 07/26/24 14:04:28 3390

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA075798MIC Reviewed On: 07/29/24

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Batch Date: 07/26/24 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block

(55*C) DA-020, Fisher Scientific Isotemp Heat Block (95*C) DA-049, Fisher Scientific Isotemp Heat Block (55*C) DA-021

Analyzed Date: 07/26/24 14:18:08

Dilution: 10

Reagent: 071924.10; 071924.14; 030724.30; 070324.R36

Consumables: 7573003022

Pipette: N/A

3379, 585, 1440	1.0165g	07/26/24 14:06:58	3621	
Analysis Method : SOP.T	.30.101.FL (Gai	nesville), SOP.T.40.101.FL (Gainesville),	
SOP.T.30.102.FL (Davie)	, SOP.T.40.102.	FL (Davie)		
Analytical Batch: DA075	817MYC	Reviewed On: 07/	29/24 09:39:49	
Instrument Used : N/A		Batch Date: 07/26	5/24 10:19:24	
Analyzed Date : N/A				
D.1 250				

LOD

0.002

0.002

0.002

0.002

0.002

Extraction date:

Reagent: 072324.R04; 071824.R06; 071824.R05; 072324.R06; 072224.R19; 071824.R03

Consumables: 326250IW **Pipette :** DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Analyzed by: 3390, 4531, 585, 1440	Weight: 1.0839g	Extraction date: 07/26/24 14:04:28	Extracted by: 3390						
Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch: DA075799TYM Reviewed On: 07/29/24 11:20:35 Instrument Used: Incubator (25*C) DA- 328 Batch Date: 07/26/24 09:11:14 Analyzed Date: 07/26/24 16:33:32									
Dilution: 10 Reagent: 071924.10; 07192 Consumables: N/A Pipette: N/A	24.14; 070324.R3	35							
Total yeast and mold testing is accordance with F.S. Rule 64ER		MPN and traditional culture b	ased techniques in						

Metal		LOD	Units	Result	Pass / Fail	Action Level		
TOTAL CONTAMINAL	NT LOAD METAI	.S 0.080	ppm	ND	PASS	1.1		
ARSENIC		0.020	ppm	ND	PASS	0.2		
CADMIUM MERCURY		0.020	ppm	ND	PASS PASS	0.2 0.2		
		0.020	ppm	ND				
LEAD		0.020	ppm	ND	PASS	0.5		
		Extraction dat		Extracted by:				
1022, 585, 1440	0.2987g	07/26/24 11:3	07/26/24 11:38:28			i		

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA075800HEA Instrument Used: DA-ICPMS-004 Reviewed On: 07/29/24 09:09:35 Batch Date: 07/26/24 09:11:16

Analyzed Date : N/A

Dilution: 50 Reagent: 071924.R14; 072224.R03; 072524.R19; 072224.R01; 072224.R02; 061724.01;

Consumables: 179436: 120423CH01: 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 07/29/24



Kaycha Labs

Supply Shake 7g - TK/CD (I)

TK/CD

Matrix: Flower Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA40725013-006 Harvest/Lot ID: 1101 3428 6431 2112

Batch#: 1101 3428 6431

Sampled: 07/25/24 Ordered: 07/25/24

Result

ND

Sample Size Received: 6 units Total Amount: 1201 units Completed: 07/29/24 Expires: 07/29/25 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

PASSED



Moisture

PASSED

Analyte Filth and Foreign Material

Analyzed Date: 07/26/24 21:37:51

LOD Units 0.100 %

P/F PASS Action Level Analyte 1

Moisture Content Analyzed by: 4512, 585, 1440

LOD Units 1.00 % Extraction date

07/26/24 15:42:04

Result P/F 11.04 PASS

15

4512

Action Level

Analyzed by: 1879, 585, 1440 Analysis Method: SOP.T.40.090

1g Analytical Batch : DA075851FIL
Instrument Used : Filth/Foreign Material Microscope

Extraction date 07/26/24 21:50:39

N/A Reviewed On: 07/26/24 21:45:40 Batch Date: 07/26/24 21:33:57

Analysis Method: SOP.T.40.021 Analytical Batch: DA075834MOI

Reviewed On: 07/29/24

Instrument Used: DA-003 Moisture Analyzer, DA-046 Moisture Batch Date: 07/26/24 11:27:59 Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser

0.511g

Analyzed Date: 07/26/24 15:54:48

Reagent: 092520.50; 020124.02 Consumables : N/A

Pipette: DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39

Reagent: N/A Pipette: N/A

Dilution: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

LOD Units Result P/F **Action Level** Analyte PASS Water Activity 0.010 aw 0.467 0.65 Extraction date: 07/26/24 16:19:58 Analyzed by: 4512, 585, 1440 Extracted by: 4512

Analysis Method: SOP.T.40.019 Analytical Batch: DA075837WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 07/26/24 16:26:30 Dilution: N/A

Reagent: 051624.01 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Reviewed On: 07/29/24 09:21:40 Batch Date: 07/26/24 11:42:18

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Vivian Celestino Lab Director

> Signature 07/29/24