

..... Sunnyside Sugar Free Chews 100mg 10pk Ctrs Blst Citrus Blast Matrix: Edible



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

SUNNYSIDE

Remark Lage the lines (line type in the line Remark, Sector #110 (102862) (000

121342854212778

## **Certificate of Analysis COMPLIANCE FOR RETAIL**

#### Sample:DA40725013-009 Harvest/Lot ID: 1101 3428 6431 1926 Batch#: 1101 3428 6431 1926 Cultivation Facility: FL - Indiantown (3734) Processing Facility : FL - Indiantown (3734) Source Facility : FL - Indiantown (3734) Seed to Sale# 1101 3428 6431 2728 Batch Date: 07/19/24 Sample Size Received: 8 units Total Amount: 1379 units Retail Product Size: 39.4931 gram Retail Serving Size: 41 gram Servings: 1 Ordered: 07/23/24 Sampled: 07/25/24 Completed: 07/29/24 Sampling Method: SOP.T.20.010

Pages 1 of 5

Type: Soft Chew

Jul 29, 2024 | Sunnyside


Sunnyside\*

Sugar Free Chews

Hybrid

22205 Sw Martin Hwy indiantown, FL, 34956, US

SAFETY RESULTS



Sunnyside<sup>7</sup>

Full St m cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 07/29/24



Type: Soft Chew

Sunnyside Sugar Free Chews 100mg 10pk Ctrs Blst Citrus Blast Matrix : Edible



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA40725013-009 Harvest/Lot ID: 1101 3428 6431 1926 Batch# : 1101 3428 6431 Sample

1926 Sampled : 07/25/24 Ordered : 07/25/24 Sample Size Received : 8 units Total Amount : 1379 units Completed : 07/29/24 Expires: 07/29/25 Sample Method : SOP.T.20.010

Page 2 of 5



## Pesticides

Pesticide		Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010		3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010		1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
FOTAL PYRETHRINS	0.010	T. D.	1	PASS	ND	PIPERONYL BUTOXIDE	0.010		3	PASS	ND
TOTAL SPINETORAM	0.010		3	PASS	ND	PRALLETHRIN	0.010		0.4	PASS	ND
TOTAL SPINOSAD	0.010		3	PASS	ND		0.010		1	PASS	ND
ABAMECTIN B1A	0.010		0.3	PASS	ND	PROPICONAZOLE			0.1	PASS	
ACEPHATE	0.010		3	PASS	ND	PROPOXUR	0.010				ND
ACEQUINOCYL	0.010		2	PASS	ND	PYRIDABEN	0.010		3	PASS	ND
ACETAMIPRID	0.010		3	PASS	ND	SPIROMESIFEN	0.010		3	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
AZOXYSTROBIN	0.010		3	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	T. D.	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENTHRIN	0.010		0.5	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BOSCALID	0.010		3	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN	0.010		3	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.2	PASS	ND
CHLORANTRANILIPROLE	0.010		3	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
CHLORMEQUAT CHLORIDE	0.010		3	PASS	ND		0.010		3	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *					
CLOFENTEZINE	0.010		0.5	PASS	ND	CHLORDANE *	0.010		0.1	PASS	ND
COUMAPHOS	0.010	T. D.	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
DIAZINON	0.010		3	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weight:	Extrac	tion date:		Extracted	bv:
DIMETHOATE	0.010		0.1	PASS	ND	3379, 585, 1440 1.0764g	07/26/2	24 14:43:23		3621	
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville)	SOP.T.30.10	2.FL (Davie), 9	SOP.T.40.101.	.FL (Gainesville	),
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.010		1.5	PASS	ND	Analytical Batch : DA075820PES			n:07/29/24 1		
FENHEXAMID	0.010		3	PASS	ND	Instrument Used :DA-LCMS-003 (PES) Analyzed Date :N/A		Batch Date	:07/26/24 10:	31:20	
FENOXYCARB	0.010	T. D.	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010		2	PASS	ND	Reagent : 072324.R03; 071824.R06; 071824.R0	5; 072324.R0	5; 072224.R1	9; 071824.R0	3	
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010		2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010		3	PASS	ND	Testing for agricultural agents is performed utilizing	g Liquid Chron	natography Trij	ple-Quadrupol	e Mass Spectror	netry in
HEXYTHIAZOX	0.010		2	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by: Weight: 450, 585, 1440 1.0764g		on date: 4 14:43:23		Extracted 3621	l by:
IMIDACLOPRID	0.010		1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville)			COD T 40 15		
KRESOXIM-METHYL	0.010		1	PASS	ND	Analytical Batch : DA075823VOL		eviewed On :			
MALATHION	0.010	T. F.	2 3	PASS PASS	ND ND	Instrument Used : DA-GCMS-010		atch Date : 07			
METALAXYL	0.010					Analyzed Date :07/26/24 17:54:08					
METHIOCARB	0.010		0.1	PASS	ND	Dilution : 250					
METHOMYL	0.010		0.1	PASS	ND	Reagent: 071824.R05; 071024.R46; 071024.R4	7				
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.010		3	PASS	ND	Pipette : DA-080; DA-146; DA-218	0 0		0 1 1		
NALED	0.010	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing accordance with F.S. Rule 64ER20-39.	g Gas Chroma	lography Triple	e-quadrupole l	viass Spectrome	ury in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/29/24



Type: Soft Chew

Sunnyside Sugar Free Chews 100mg 10pk Ctrs Blst Citrus Blast Matrix : Edible



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com 
 Sample : DA40725013-009

 Harvest/Lot ID: 1101 3428 6431
 Sample

 1926
 Total Ar

 Sampled: 07/25/24
 Complet

 Ordered: 07/25/24
 Sample

8 6431 1926 Sample Size Received : 8 units Total Amount : 1379 units Completed : 07/29/24 Expires: 07/29/25 Sample Method : 50P.T.20.010

Page 3 of 5



## **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result		
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND		
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND		
2-PROPANOL	50.000	ppm	500	PASS	ND		
ACETONE	75.000	ppm	750	PASS	ND		
ACETONITRILE	6.000	ppm	60	PASS	ND		
BENZENE	0.100	ppm	1	PASS	ND		
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND		
CHLOROFORM	0.200	ppm	2	PASS	ND		
DICHLOROMETHANE	12.500	ppm	125	PASS	ND		
THANOL	500.000	ppm		TESTED	ND		
THYL ACETATE	40.000	ppm	400	PASS	ND		
THYL ETHER	50.000	ppm	500	PASS	ND		
THYLENE OXIDE	0.500	ppm	5	PASS	ND		
IEPTANE	500.000	ppm	5000	PASS	ND		
IETHANOL	25.000	ppm	250	PASS	ND		
I-HEXANE	25.000	ppm	250	PASS	ND		
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND		
PROPANE	500.000	ppm	5000	PASS	ND		
TOLUENE	15.000	ppm	150	PASS	ND		
TOTAL XYLENES	15.000	ppm	150	PASS	ND		
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND		
nalyzed by: 50, 585, 1440	Weight: 0.0288g	Extraction date: 07/29/24 13:07:19		<b>E</b> x 85	tracted by:		
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA075848SOL nstrument Used : DA-GCMS-003 Analyzed Date : 07/29/24 13:11:09	<b>Reviewed On :</b> 07/29/24 13:36:07 <b>Batch Date :</b> 07/26/24 16:42:53						

Dilution : 1 Reagent : 030420.09 Consumables : 429651; 313386

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/29/24



Type: Soft Chew

. . . . . . . . . . . . . . . . . . Sunnyside Sugar Free Chews 100mg 10pk Ctrs Blst Citrus Blast Matrix : Edible



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA40725013-009 Harvest/Lot ID: 1101 3428 6431 1926 Batch#:1101 3428 6431

Sampled : 07/25/24 Ordered : 07/25/24

Sample Size Received : 8 units Total Amount : 1379 units Completed : 07/29/24 Expires: 07/29/25 Sample Method : SOP.T.20.010

Pa	qe	e 4	4 (	of	5

🚯 Micro	bial			PAS	SED	သို့	Му	<b>cotox</b>	ins			PAS	SED
Analyte	LOD	0 Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN	32		0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXI	A		0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN	<b>31</b>		0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GEN	IE		Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA TOTAL YEAST AND MOLD	10	CFU/a	Not Present <10	PASS PASS	100000	Analyzed by: 3379, 585, 144	0	Weight: 1.0764q	Extraction da			Extracted 3621	l by:
Analyzed by:	Weight:	Extraction	data	Evaluate									
3390, 4520, 585, 1440	1.0902g	07/26/24 1		Extracte 3390	a by:			.30.101.FL (Gair , SOP.T.40.102.		40.101.FL	. (Gamesvi	nie),	
Analysis Method : SOP.T.40.056 Analytical Batch : DA075798MI0		58.FL, SOP.T		ved On : 07	7/29/24	Analytical Bate Instrument Us Analyzed Date	<b>h</b> :DA075 ed:N/A		Review		7/29/24 1 26/24 10::		
Instrument Used : PathogenDx 2720 Thermocycler DA-010,Fis (55*C) DA-020,Fisher Scientific DA-049,Fisher Scientific Isotem Analyzed Date : 07/26/24 14:18	her Scientific Isotemp Heat p Heat Block	lsotemp Heat Block (95*C)	: Block 09:09: )			Consumables : Pipette : DA-0	326250IV 93; DA-09						
Dilution : 10 Reagent : 071924.10; 071924.1 Consumables : 7573003022 Pipette : N/A						accordance wit	n F.S. Rule						SED
Analyzed by: 3390, 4531, 585, 1440	Weight: 1.0902q	Extraction 07/26/24 1		Extracte 3390	ed by:			_					
Analysis Method : SOP.T.40.208 Analytical Batch : DA075799TY	(Gainesville)		)9.FL ewed On : 07/29	12/1 11.20.	27	Metal			LOD	Units	Result	Pass / Fail	Action Level
Instrument Used : Incubator (25			h Date : 07/26/2			TOTAL CONT	AMINAN	T LOAD METAL	<b>.s</b> 0.080	ppm	ND	PASS	5
Analyzed Date : 07/26/24 16:33	:32					ARSENIC			0.020	ppm	ND	PASS	1.5
Dilution: 10						CADMIUM			0.020	ppm	ND	PASS	0.5
Reagent : 071924.10; 071924.1	L4; 070324.R3	5				MERCURY			0.020	ppm	ND	PASS	3
Consumables : N/A						LEAD			0.020	ppm	ND	PASS	0.5
Pipette : N/A Total yeast and mold testing is perf		MPN and tradit	tional culture based	d techniques	s in	Analyzed by: 1022, 585, 144	0	Weight: 0.2779g	Extraction dat 07/26/24 13:4			<b>tracted</b> b 022,4056	
accordance with F.S. Rule 64ER20-	39.					Analysis Meth Analytical Bate Instrument Us Analyzed Date	h:DA075 ed:DA-IC	PMS-004	Reviewe		/29/24 09: 6/24 09:36		

Dilution: 50 Reagent : 071924.R14; 072224.R03; 072524.R19; 072224.R01; 072224.R02; 061724.01; 071724.R10

Consumables : 179436; 120423CH01; 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/29/24



Type: Soft Chew

Page 5 of 5

Sunnyside Sugar Free Chews 100mg 10pk Ctrs Blst Citrus Blast Matrix : Edible



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA40725013-009 Harvest/Lot ID: 1101 3428 6431 1926 Batch# : 1101 3428 6431 Sample 1926 Total Ar

Sampled : 07/25/24 Ordered : 07/25/24 Sample Size Received : 8 units Total Amount : 1379 units Completed : 07/29/24 Expires: 07/29/25 Sample Method : SOP.T.20.010

Filth/Foreign Material

PASSED

## Homogeneity

Amount of tests conducted : 14

Analyte Filth and Foreign Material		<b>LOD</b> 0.100	Units %	<b>Result</b> ND	P/F PASS	Action Level
Analyzed by: 1879, 585, 1440	<b>Weight:</b> 1g		r <b>action da</b> 26/24 21:		Ex N/	<b>tracted by:</b> A
		ial Micro	oscope			5/24 21:45:38 24 21:33:57
Dilution : N/A Reagent : N/A Consumables : N Pipette : N/A	I/A					
	naterial inspection is per cordance with F.S. Rule			spection utilizi	ng naked ey	e and microscope
$(\bigcirc)$	Water A	ctiv	ity		ΡΑ	SSED

Analyte Water Activity	-	L <b>OD</b> 0.010	<b>Units</b> aw	Result 0.591	P/F PASS	Action Level 0.85
Analyzed by: 4512, 585, 1440		traction d /26/24 16		Extracted by: 4512		
Analysis Method : SOP Analytical Batch : DAO Instrument Used : DA- Analyzed Date : 07/26/	75843WAT 028 Rotronic Hy	gropal	m	Reviewed Or Batch Date :		
Dilution: N/A Reagent: 051624.01 Consumables: PS-14 Pipette: N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

	Analyte	LOD	Units	Pass/Fail	Result	Action Level				
	TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	2.201	25				
	Analyzed by	Average Weight	Extra	ction date :		Extracted By :				
	4351, 3702, 585, 1440	4.07g	07/26	5/24 14:08:38		4351				
	Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL           Analytical Batch : DA075793HOM         Reviewed On : 07/29/24 09:43:59           Instrument Used : DA-LC-004         Batch Date : 07/26/24 07:58:01           Analyzed Date : 07/26/24 14:11:13         Control of the second seco									
	Dilution : 40 Reagent : 071924.R20; 030322.03; 020124.02; 072224.R16 Consumables : 947.109; 1800430; 120423CH01; 250346; 1008994465; CE0123; R1KB14270 Pipette : DA-055; DA-063; DA-067									
	Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/29/24