



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40725013-012  
Harvest/Lot ID: 1101 3428 6430 9711  
Batch#: 1101 3428 6430 9711  
Cultivation Facility: FL - Indiantown (3734)  
Processing Facility: FL - Indiantown (3734)  
Source Facility: FL - Indiantown (3734)  
Seed to Sale#: 1101 3428 6431 0445  
Batch Date: 07/17/24  
Sample Size Received: 11 units  
Total Amount: 1600 units  
Retail Product Size: 2.5 gram  
Retail Serving Size: 2.5 gram  
Servings: 1  
Ordered: 07/17/24  
Sampled: 07/25/24  
Completed: 07/29/24  
Sampling Method: SOP.T.20.010

Jul 29, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**



Total THC

**21.753%**

Total THC/Container : 543.825 mg



Total CBD

**0.049%**

Total CBD/Container : 1.225 mg



Total Cannabinoids

**25.373%**

Total Cannabinoids/Container : 634.325 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.263	23.364	ND	0.057	0.064	0.071	0.503	ND	ND	ND	0.051
mg/unit	31.58	584.10	ND	1.43	1.60	1.78	12.58	ND	ND	ND	1.28
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analysed by:  
3335, 1665, 585, 1440

Weight:  
0.1957g

Extraction date:  
07/26/24 13:33:43

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA075821POT

Instrument Used : DA-LC-002

Analyzed Date : 07/26/24 13:33:55

Reviewed On : 07/29/24 09:48:04

Batch Date : 07/26/24 10:33:35

Dilution : 400

Reagent : 072224.R15; 030624.05; 071924.R15

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
07/29/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Pre-Roll Multipack 2.5g - TK/CD (I)

TK/CD

Matrix : Flower

Type: Preroll



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA40725013-012

Harvest/Lot ID: 1101 3428 6430 9711

Batch# : 1101 3428 6430 9711

Sampled : 07/25/24

Ordered : 07/25/24

Sample Size Received : 11 units

Total Amount : 1600 units

Completed : 07/29/24 Expires: 07/29/25

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	44.58	1.783		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	14.08	0.563		ALPHA-CEDRENE	0.005	ND	ND	
BETA-MYRCENE	0.007	7.03	0.281		ALPHA-PHELLANDRENE	0.007	ND	ND	
LIMONENE	0.007	6.45	0.258		ALPHA-PINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	4.63	0.185		ALPHA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	3.65	0.146		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	2.40	0.096		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-TERPINEOL	0.007	1.95	0.078		GAMMA-TERPINENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	1.78	0.071		Analysis by:	Weight:	Extraction date:	Extracted by:	
TRANS-NEROLIDOL	0.005	1.43	0.057		4451, 585, 1440	1.1518g	07/26/24 13:27:51	4451	
BETA-PINENE	0.007	1.20	0.048		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
3-CARENE	0.007	ND	ND		Analytical Batch : DA075807TER			Reviewed On : 07/29/24 11:31:57	
BORNEOL	0.013	ND	ND		Instrument Used : DA-GCMS-008			Batch Date : 07/26/24 09:39:14	
CAMPHENE	0.007	ND	ND		Analyzed Date : 07/26/24 13:28:21				
CAMPHOR	0.007	ND	ND		Dilution : 10				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Reagent : 022224.07				
CEDROL	0.007	ND	ND		Consumables : 947.109; 230613-634-D; 280670723; CE0123				
EUCALYPTOL	0.007	ND	ND		Pipette : DA-065				
FARNESENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)				1.783					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
07/29/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Pre-Roll Multipack 2.5g - TK/CD (I)

TK/CD

Matrix : Flower

Type: Preroll



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.chavez@crescolabs.com

Sample : DA40725013-012

Harvest/Lot ID: 1101 3428 6430 9711

Batch# : 1101 3428 6430  
9711

Sampled : 07/25/24

Ordered : 07/25/24

Sample Size Received : 11 units

Total Amount : 1600 units

Completed : 07/29/24 Expires: 07/29/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 1.0805g Extraction date: 07/26/24 14:06:59 Extracted by: 3621 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA075816PES Instrument Used : DA-LCMS-004 (PES) Reviewed On : 07/29/24 09:41:37 Batch Date : 07/26/24 10:17:41 Analysis Date : N/A					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 072324.R04; 071824.R06; 071824.R05; 072324.R06; 072224.R19; 071824.R03					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 795, 585, 1440	Weight: 1.0805g	Extraction date: 07/26/24 14:06:59	Extracted by: 3621		
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie)					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA075818VOL					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Date : 07/26/24 17:55:01					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Reagent : 071824.R05; 071024.R46; 071024.R47					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Consumables : 326250IW; 14725401					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MALATHION	0.010	ppm	0.2	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
07/29/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Pre-Roll Multipack 2.5g - TK/CD (I)

TK/CD

Matrix : Flower

Type: Preroll



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40725013-012

Harvest/Lot ID: 1101 3428 6430 9711

Batch# : 1101 3428 6430  
9711

Sample Size Received : 11 units


Total Amount : 1600 units


Completed : 07/29/24 Expires: 07/29/25


Ordered : 07/25/24

Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>										
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>							
ASPERGILLUS TERREUS			Not Present	PASS								
ASPERGILLUS NIGER			Not Present	PASS								
ASPERGILLUS FUMIGATUS			Not Present	PASS								
ASPERGILLUS FLAVUS			Not Present	PASS								
SALMONELLA SPECIFIC GENE			Not Present	PASS								
ECOLI SHIGELLA			Not Present	PASS								
TOTAL YEAST AND MOLD	10	CFU/g	32000	PASS	100000							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.0505g	Extraction date: 07/26/24 14:04:29	Extracted by: 3390	Reviewed On : 07/29/24 09:24:18								
Analytical Batch : DA075798MIC	Batch Date : 07/26/24 09:09:52											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021												
Analysis Date : 07/26/24 14:18:08												
Dilution : 10												
Reagent : 071924.10; 071924.14; 030724.30; 070324.R36												
Consumables : 7573003022												
Pipette : N/A												
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL	Weight: 1.0505g	Extraction date: 07/26/24 14:04:29	Extracted by: 3390	Reviewed On : 07/29/24 11:20:38								
Analytical Batch : DA075799TYM	Batch Date : 07/26/24 09:11:14											
Instrument Used : Incubator (25°C) DA- 328												
Analysis Date : 07/26/24 16:33:32												
Dilution : 10												
Reagent : 071924.10; 071924.14; 070324.R35												
Consumables : N/A												
Pipette : N/A												
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.												

	<b>Mycotoxins</b>	<b>PASSED</b>										
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>							
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02							
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02							
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02							
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02							
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02							
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Weight: 1.0805g	Extraction date: 07/26/24 14:06:59	Extracted by: 3621	Reviewed On : 07/29/24 09:39:51								
Analytical Batch : DA075817MYC	Batch Date : 07/26/24 10:19:24											
Instrument Used : N/A												
Analysis Date : N/A												
Dilution : 250												
Reagent : 072324.R04; 071824.R06; 071824.R05; 072324.R06; 072224.R19; 071824.R03												
Consumables : 326250IW												
Pipette : DA-093; DA-094; DA-219												
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.												

	<b>Heavy Metals</b>	<b>PASSED</b>										
<b>Metal</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>							
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1							
ARSENIC	0.020	ppm	ND	PASS	0.2							
CADMIUM	0.020	ppm	ND	PASS	0.2							
MERCURY	0.020	ppm	ND	PASS	0.2							
LEAD	0.020	ppm	ND	PASS	0.5							
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2405g	Extraction date: 07/26/24 12:48:39	Extracted by: 1022,4056	Reviewed On : 07/29/24 09:09:37								
Analytical Batch : DA075800HEA	Batch Date : 07/26/24 09:11:16											
Instrument Used : DA-ICPMS-004												
Analysis Date : N/A												
Dilution : 50												
Reagent : 071924.R14; 072224.R03; 072524.R19; 072224.R01; 072224.R02; 061724.01; 071724.R10												
Consumables : 179436; 120423CH01; 210508058												
Pipette : DA-061; DA-191; DA-216												
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.												

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
07/29/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Pre-Roll Multipack 2.5g - TK/CD (I)

TK/CD

Matrix : Flower

Type: Preroll



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA40725013-012

Harvest/Lot ID: 1101 3428 6430 9711

Batch# : 1101 3428 6430  
9711

Sampled : 07/25/24

Ordered : 07/25/24

Sample Size Received : 11 units

Total Amount : 1600 units

Completed : 07/29/24 Expires: 07/29/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filtration/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filtration and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	13.29	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 07/26/24 21:50:40	Extracted by: N/A			Analyzed by: 4512, 585, 1440	Weight: 0.507g	Extraction date: 07/26/24 15:42:05	Extracted by: 4512		
Analysis Method : SOP.T.40.090 Analytical Batch : DA075851FIL Instrument Used : Filtration/Foreign Material Microscope Analyzed Date : 07/26/24 21:37:51						Analysis Method : SOP.T.40.021 Analytical Batch : DA075834MOI Reviewed On : 07/29/24 09:23:07 Batch Date : 07/26/24 11:27:59					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser Analyzed Date : 07/26/24 15:54:48 Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066					
Filtration and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.						Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.					



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.473	PASS	0.65
Analyzed by: 4512, 585, 1440	Weight: 0.806g	Extraction date: 07/26/24 16:19:58	Extracted by: 4512		
Analysis Method : SOP.T.40.019 Analytical Batch : DA075837WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 07/26/24 16:26:30					
Dilution : N/A Reagent : 051624.01 Consumables : PS-14 Pipette : N/A					
Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
07/29/24