



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40725013-016  
Harvest/Lot ID: 1001 3428 6430 0680  
Batch#: 1001 3428 6430 0680  
Cultivation Facility: FL - Indiantown (3734)  
Processing Facility: FL - Indiantown (3734)  
Source Facility: FL - Indiantown (3734)  
Seed to Sale#: 1101 3428 6431 0587  
Batch Date: 07/17/24  
Sample Size Received: 16 units  
Total Amount: 446 units  
Retail Product Size: 1 gram  
Retail Serving Size: 1 gram  
Servings: 1  
Ordered: 07/17/24  
Sampled: 07/25/24  
Completed: 07/29/24  
Sampling Method: SOP.T.20.010

Jul 29, 2024 | Sunnyside  
22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filth  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**



Total THC

**79.569%**

Total THC/Container : 795.690 mg



Total CBD

**0.213%**

Total CBD/Container : 2.130 mg



Total Cannabinoids

**91.421%**

Total Cannabinoids/Container : 914.210 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.154	89.413	ND	0.244	0.074	0.444	ND	ND	ND	ND	0.092
mg/unit	11.54	894.13	ND	2.44	0.74	4.44	ND	ND	ND	ND	0.92
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
0.1029g

Extraction date:  
07/26/24 13:45:48

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA075819POT

Instrument Used : DA-LC-003

Analyzed Date : 07/26/24 13:41:24

Reviewed On : 07/29/24 11:31:59

Batch Date : 07/26/24 10:28:17

Dilution : 400

Reagent : 072224.R15; 030624.05; 071924.R15

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
07/29/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FloraCal Live Badder Rosin 1g - Lmn Ersr (H)  
lemon Eraser  
Matrix : Derivative  
Type: Rosin



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA40725013-016

Harvest/Lot ID: 1001 3428 6430 0680

Batch# : 1001 3428 6430  
0680

Sampled : 07/25/24  
Ordered : 07/25/24

Sample Size Received : 16 units

Total Amount : 446 units

Completed : 07/29/24 Expires: 07/29/25

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	50.31	5.031		SABINENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	15.39	1.539		SABINENE HYDRATE	0.007	ND	ND	
BETA-MYRCENE	0.007	8.40	0.840		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	8.10	0.810		ALPHA-CEDRENE	0.005	ND	ND	
ALPHA-HUMULENE	0.007	5.44	0.544		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-PINENE	0.007	1.84	0.184		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	1.82	0.182		CIS-NEROLIDOL	0.003	ND	ND	
LINALOOL	0.007	1.81	0.181		GAMMA-TERPINENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	1.57	0.157		Analysis by:	Weight:	Extraction date:	Extracted by:	
ALPHA-TERPINEOL	0.007	1.47	0.147		4451, 585, 1440	0.2462g	07/26/24 14:14:27	4451	
ALPHA-PINENE	0.007	1.16	0.116		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
TRANS-NEROLIDOL	0.005	0.84	0.084		Analytical Batch : DA075809TER			Reviewed On : 07/29/24 11:26:14	
BORNEOL	0.013	0.82	0.082		Instrument Used : DA-GCMS-004			Batch Date : 07/26/24 09:53:41	
CAMPHENE	0.007	0.43	0.043		Analyzed Date : 07/26/24 14:14:53				
FARNESENE	0.001	0.42	0.042		Dilution : 10				
CARYOPHYLLENE OXIDE	0.007	0.30	0.030		Reagent : 022224.07				
ALPHA-TERPINOLENE	0.007	0.28	0.028		Consumables : 947.109; 230613-634-D; 280670723; CE0123				
FENCHONE	0.007	0.22	0.022		Pipette : DA-065				
3-CARENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
Total (%)			5.031						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
07/29/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FloraCal Live Badder Rosin 1g - Lmn Ersr (H)  
lemon Eraser  
Matrix : Derivative  
Type: Rosin



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.chavez@crescolabs.com

Sample : DA40725013-016

Harvest/Lot ID: 1001 3428 6430 0680

Batch# : 1001 3428 6430

0680

Sampled : 07/25/24

Ordered : 07/25/24

Sample Size Received : 16 units

Total Amount : 446 units

Completed : 07/29/24 Expires: 07/29/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.2906g	Extraction date: 07/26/24 14:32:05	Extracted by: 3621		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA075811PES		Reviewed On : 07/29/24 10:12:57			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 07/26/24 10:13:57			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 072324.R03; 071824.R06; 071824.R05; 072324.R05; 072224.R19; 071824.R03					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.2906g	Extraction date: 07/26/24 14:32:05	Extracted by: 3621		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA075815VOL		Reviewed On : 07/29/24 10:04:52			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 07/26/24 10:16:40			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 07/26/24 17:51:18					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 071824.R05; 071024.R46; 071024.R47					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
07/29/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FloraCal Live Badder Rosin 1g - Lmn Ersr (H)  
lemon Eraser  
Matrix : Derivative  
Type: Rosin



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA40725013-016

Harvest/Lot ID: 1001 3428 6430 0680

Batch# : 1001 3428 6430  
0680

Sampled : 07/25/24

Ordered : 07/25/24

Sample Size Received : 16 units

Total Amount : 446 units

Completed : 07/29/24 Expires: 07/29/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0244g

Extraction date:  
07/29/24 13:07:19

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA07584850L  
Instrument Used : DA-GCMS-003  
Analyzed Date : 07/29/24 13:11:09

Reviewed On : 07/29/24 13:36:09  
Batch Date : 07/26/24 16:42:53

Dilution : 1  
Reagent : 030420.09  
Consumables : 429651; 313386  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
07/29/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FloraCal Live Badder Rosin 1g - Lmn Ersr (H)  
lemon Eraser  
Matrix : Derivative  
Type: Rosin



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40725013-016

Harvest/Lot ID: 1001 3428 6430 0680

Batch# : 1001 3428 6430  
0680

Sampled : 07/25/24  
Ordered : 07/25/24


Sample Size Received : 16 units


Total Amount : 446 units


Completed : 07/29/24 Expires: 07/29/25

Sample Method : SOP.T.20.010

Page 5 of 6

	<h1>Microbial</h1>	<h2>PASSED</h2>																																																					
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>&lt;10</td><td>PASS</td><td>100000</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	<table><tr><td>Weight:</td><td>Extraction date:</td><td>Extracted by:</td></tr><tr><td>0.9946g</td><td>07/26/24 14:04:30</td><td>3390</td></tr></table>	Weight:	Extraction date:	Extracted by:	0.9946g	07/26/24 14:04:30	3390
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																		
ASPERGILLUS TERREUS			Not Present	PASS																																																			
ASPERGILLUS NIGER			Not Present	PASS																																																			
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																			
ASPERGILLUS FLAVUS			Not Present	PASS																																																			
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																			
ECOLI SHIGELLA			Not Present	PASS																																																			
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000																																																		
Weight:	Extraction date:	Extracted by:																																																					
0.9946g	07/26/24 14:04:30	3390																																																					
<p>Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</p> <p>Analytical Batch : DA075798MIC</p> <p>Reviewed On : 07/29/24 09:24:21</p> <p>Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021</p> <p>Batch Date : 07/26/24 09:09:52</p> <p>Analysis Date : 07/26/24 14:18:08</p>																																																							
<p>Dilution : 10</p> <p>Reagent : 071924.10; 071924.14; 030724.30; 070324.R36</p> <p>Consumables : 7573003022</p> <p>Pipette : N/A</p>																																																							
<table><tr><td>Weight:</td><td>Extraction date:</td><td>Extracted by:</td></tr><tr><td>0.9946g</td><td>07/26/24 14:04:30</td><td>3390</td></tr></table>						Weight:	Extraction date:	Extracted by:	0.9946g	07/26/24 14:04:30	3390																																												
Weight:	Extraction date:	Extracted by:																																																					
0.9946g	07/26/24 14:04:30	3390																																																					
<p>Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL</p> <p>Analytical Batch : DA075799TYM</p> <p>Instrument Used : Incubator (25°C) DA- 328</p> <p>Batch Date : 07/26/24 09:11:14</p> <p>Analysis Date : 07/26/24 16:33:32</p>																																																							
<p>Dilution : 10</p> <p>Reagent : 071924.10; 071924.14; 070324.R35</p> <p>Consumables : N/A</p> <p>Pipette : N/A</p>																																																							
<p>Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.</p>																																																							

	<h1>Mycotoxins</h1>	<h2>PASSED</h2>																																									
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	<table><tr><td>Weight:</td><td>Extraction date:</td><td>Extracted by:</td></tr><tr><td>0.2906g</td><td>07/26/24 14:32:05</td><td>3621</td></tr></table>	Weight:	Extraction date:	Extracted by:	0.2906g	07/26/24 14:32:05	3621
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																						
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																						
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																						
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																						
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																						
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																						
Weight:	Extraction date:	Extracted by:																																									
0.2906g	07/26/24 14:32:05	3621																																									
<p>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</p> <p>Analytical Batch : DA075814MYC</p> <p>Instrument Used : N/A</p> <p>Reviewed On : 07/29/24 09:50:38</p> <p>Batch Date : 07/26/24 10:16:38</p> <p>Analysis Date : N/A</p>																																											
<p>Dilution : 250</p> <p>Reagent : 072324.R03; 071824.R06; 071824.R05; 072324.R05; 072224.R19; 071824.R03</p> <p>Consumables : 326250IW</p> <p>Pipette : DA-093; DA-094; DA-219</p>																																											
<p>Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</p>																																											

	<h1>Heavy Metals</h1>	<h2>PASSED</h2>																																									
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5	<table><tr><td>Weight:</td><td>Extraction date:</td><td>Extracted by:</td></tr><tr><td>0.2188g</td><td>07/26/24 11:52:47</td><td>1022,4056</td></tr></table>	Weight:	Extraction date:	Extracted by:	0.2188g	07/26/24 11:52:47	1022,4056
Metal	LOD	Units	Result	Pass / Fail	Action Level																																						
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																						
ARSENIC	0.020	ppm	ND	PASS	0.2																																						
CADMIUM	0.020	ppm	ND	PASS	0.2																																						
MERCURY	0.020	ppm	ND	PASS	0.2																																						
LEAD	0.020	ppm	ND	PASS	0.5																																						
Weight:	Extraction date:	Extracted by:																																									
0.2188g	07/26/24 11:52:47	1022,4056																																									
<p>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</p> <p>Analytical Batch : DA075803HEA</p> <p>Instrument Used : DA-ICPMS-004</p> <p>Reviewed On : 07/29/24 09:51:55</p> <p>Batch Date : 07/26/24 09:16:21</p> <p>Analysis Date : 07/26/24 14:50:07</p>																																											
<p>Dilution : 50</p> <p>Reagent : 071924.R14; 072224.R03; 072524.R19; 072224.R01; 072224.R02; 061724.01; 071724.R10</p> <p>Consumables : 179436; 120423CH01; 210508058</p> <p>Pipette : DA-061; DA-191; DA-216</p>																																											
<p>Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</p>																																											

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
07/29/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FloraCal Live Badder Rosin 1g - Lmn Ersr (H)  
lemon Eraser  
Matrix : Derivative  
Type: Rosin



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA40725013-016

Harvest/Lot ID: 1001 3428 6430 0680

Batch# : 1001 3428 6430  
0680

Sampled : 07/25/24

Ordered : 07/25/24

Sample Size Received : 16 units

Total Amount : 446 units

Completed : 07/29/24 Expires: 07/29/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filtration/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filtration and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 07/26/24 21:50:40	Extracted by: N/A
---------------------------------	---------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA075851FIL

Instrument Used : Filtration/Foreign Material Microscope

Analyzed Date : 07/26/24 21:37:51

Reviewed On : 07/26/24 21:45:29

Batch Date : 07/26/24 21:33:57

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filtration and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.484	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.6357g	Extraction date: 07/26/24 16:42:04	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA075843WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 07/26/24 16:49:43

Reviewed On : 07/29/24 09:46:16

Batch Date : 07/26/24 11:51:26

Dilution : N/A

Reagent : 051624.01

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
07/29/24