



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40729003-002
Harvest/Lot ID: 0001 3428 6430 4752
Batch#: 0001 3428 6430 4752
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale#: 1101 3428 6431 1244
Batch Date: 07/17/24
Sample Size Received: 16 gram
Total Amount: 312 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Ordered: 07/18/24
Sampled: 07/29/24
Completed: 08/02/24
Sampling Method: SOP.T.20.010

Aug 02, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

81.787%

Total THC/Container : 817.870 mg



Total CBD

0.020%

Total CBD/Container : 0.200 mg



Total Cannabinoids

95.413%

Total Cannabinoids/Container : 954.130 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	6.083	86.322	0.020	<0.010	0.050	1.305	1.367	ND	0.041	ND	0.225
mg/unit	60.83	863.22	0.20	<0.10	0.50	13.05	13.67	ND	0.41	ND	2.25
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1164g

Extraction date:
07/30/24 14:30:16

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA075974POT
Instrument Used : DA-LC-003
Analyzed Date : 07/30/24 14:39:21

Reviewed On : 08/01/24 00:10:53
Batch Date : 07/30/24 10:32:22

Dilution : 400
Reagent : 060723.24
Consumables : 947.109; 120423CH01; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164


Signature
08/02/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Live Sgr 1g - Metaverse (S)

Metaverse

Matrix : Derivative

Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40729003-002

Harvest/Lot ID: 0001 3428 6430 4752

Batch# : 0001 3428 6430 4752

Sampled : 07/29/24

Ordered : 07/29/24

Sample Size Received : 16 gram

Total Amount : 312 units

Completed : 08/02/24 Expires: 08/02/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	15.47	1.547		ALPHA-BISABOLOL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	3.58	0.358		ALPHA-CEDRENE	0.005	ND	ND	
LINALOOL	0.007	3.51	0.351		ALPHA-PHELLANDRENE	0.007	ND	ND	
LIMONENE	0.007	2.01	0.201		ALPHA-PINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	1.44	0.144		ALPHA-TERPINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	1.23	0.123		BETA-PINENE	0.007	ND	ND	
ALPHA-TERPINEOL	0.007	0.78	0.078		CIS-NEROLIDOL	0.003	ND	ND	
FENCHYL ALCOHOL	0.007	0.75	0.075		GAMMA-TERPINENE	0.007	ND	ND	
BORNEOL	0.013	0.58	0.058						
OCIMENE	0.007	0.44	0.044		Analyzed by:	Weight:	Extraction date:	Extracted by:	
TRANS-NEROLIDOL	0.005	0.42	0.042		4451, 585, 1440	0.2306g	07/30/24 14:22:58	4451	
CARYOPHYLLENE OXIDE	0.007	0.26	0.026		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
FENCHONE	0.007	0.25	0.025		Analytical Batch : DA075978TER			Reviewed On : 08/01/24 08:52:54	
ALPHA-TERPINOLENE	0.007	0.22	0.022		Instrument Used : DA-GCMS-004			Batch Date : 07/30/24 11:00:53	
3-CARENE	0.007	ND	ND		Analyzed Date : 07/30/24 14:23:13				
CAMPHENE	0.007	ND	ND		Dilution : 10				
CAMPHOR	0.007	ND	ND		Reagent : 022224.07				
CEDROL	0.007	ND	ND		Consumables : 947.109; 230613-634-D; 280670723; CE0123				
EUCALYPTOL	0.007	ND	ND		Pipette : DA-065				
FARNESENE	0.001	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
VALENCENE	0.007	ND	ND						
Total (%)			1.547						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/02/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Live Sgr 1g - Metaverse (S)

Metaverse

Matrix : Derivative

Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA40729003-002

Harvest/Lot ID: 0001 3428 6430 4752

Batch# : 0001 3428 6430
4752

Sampled : 07/29/24

Ordered : 07/29/24

Sample Size Received : 16 gram

Total Amount : 312 units

Completed : 08/02/24 Expires: 08/02/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.2109g	Extraction date: 07/30/24 16:38:10	Extracted by: 3621		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA075979PES		Reviewed On : 08/01/24 11:36:38			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 07/30/24 11:04:20			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 071824.R05; 072924.R15; 071824.R06; 072324.R05; 072224.R19; 071824.R03					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.2109g	Extraction date: 07/30/24 16:38:10	Extracted by: 3621		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA075981VOL		Reviewed On : 08/01/24 11:34:39			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 07/30/24 11:07:27			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : N/A					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 071824.R05; 071024.R46; 071024.R47					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/02/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Live Sgr 1g - Metaverse (S)

Metaverse

Matrix : Derivative

Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40729003-002

Harvest/Lot ID: 0001 3428 6430 4752

Batch# : 0001 3428 6430
4752

Sampled : 07/29/24

Ordered : 07/29/24

Sample Size Received : 16 gram

Total Amount : 312 units

Completed : 08/02/24 Expires: 08/02/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0286g

Extraction date:
07/31/24 14:06:25

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA07600850L
Instrument Used : DA-GCMS-003
Analyzed Date : 07/31/24 14:01:01

Reviewed On : 07/31/24 14:35:48
Batch Date : 07/30/24 14:38:11

Dilution : 1
Reagent : N/A
Consumables : N/A
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/02/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Live Sgr 1g - Metaverse (S)

Metaverse

Matrix : Derivative

Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40729003-002

Harvest/Lot ID: 0001 3428 6430 4752

Batch# : 0001 3428 6430 4752

Sampled : 07/29/24

Ordered : 07/29/24


Sample Size Received : 16 gram


Total Amount : 312 units


Completed : 08/02/24 Expires: 08/02/25

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3390, 4044, 585, 1440	Weight: 1.0144g	Extraction date: 07/30/24 12:37:51	Extracted by: 4520		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 07/31/24 14:37:50		
Analytical Batch : DA075951MIC				Batch Date : 07/30/24 08:12:14	
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) 08:12:14 DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367					
Analyzed Date : 07/30/24 15:09:59					
Dilution : 10					
Reagent : 071824.19; 071824.24; 071924.13; 070324.R36; 072424.11					
Consumables : 7573003019					
Pipette : N/A					
Analyzed by: 3390, 4520, 4351, 585, 1440	Weight: 1.0144g	Extraction date: 07/30/24 12:37:51	Extracted by: 4520		
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Reviewed On : 08/02/24 08:51:28		
Analytical Batch : DA075952TYM				Batch Date : 07/30/24 08:13:21	
Instrument Used : Incubator (25°C) DA- 328					
Analyzed Date : 07/30/24 15:11:03					
Dilution : 10					
Reagent : 071824.19; 071824.24; 071924.13; 070324.R35					
Consumables : N/A					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	Mycotoxins	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440	Weight: 0.2109g	Extraction date: 07/30/24 16:38:10	Extracted by: 3621		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA075980MYC		Reviewed On : 08/01/24 11:38:12			
Instrument Used : N/A			Batch Date : 07/30/24 11:06:37		
Analyzed Date : N/A					
Dilution : 250					
Reagent : 071824.R05					
Consumables : 326250IW					
Pipette : N/A					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2612g	Extraction date: 07/30/24 13:04:01	Extracted by: 1022,4056		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA075995HEA		Reviewed On : 08/01/24 09:00:37			
Instrument Used : DA-ICPMS-004			Batch Date : 07/30/24 11:43:23		
Analyzed Date : 07/30/24 19:54:00					
Dilution : 50					
Reagent : 071924.R14; 072924.R21; 072524.R19; 072924.R19; 072924.R20; 061724.01; 071724.R10					
Consumables : 0000182861; 120423CH01; 210508058					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/02/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Live Sgr 1g - Metaverse (S)

Metaverse

Matrix : Derivative

Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA40729003-002

Harvest/Lot ID: 0001 3428 6430 4752

Batch# : 0001 3428 6430
4752

Sampled : 07/29/24

Ordered : 07/29/24

Sample Size Received : 16 gram

Total Amount : 312 units

Completed : 08/02/24 Expires: 08/02/25

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA076050FIL

Instrument Used : N/A

Analyzed Date : 07/31/24 17:36:41

Reviewed On : 07/31/24 18:10:02

Batch Date : 07/31/24 17:21:25

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.572	PASS	0.85

Analyzed by: 4571, 795, 585, 1440	Weight: 0.5191g	Extraction date: 07/31/24 17:30:55	Extracted by: 795
--------------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA076013WAT

Instrument Used : DA-196 Rotronic HygroPalm

Analyzed Date : 07/31/24 11:57:37

Reviewed On : 08/01/24 08:55:55

Batch Date : 07/30/24 16:12:19

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/02/24