



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40801013-016
Harvest/Lot ID: 1101 3428 6431 4056
Batch#: 1101 3428 6431 4056
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale#: 1101 3428 6431 4240
Batch Date: 07/25/24
Sample Size Received: 7 units
Total Amount: 1656 units
Retail Product Size: 7 gram
Retail Serving Size: 7 gram
Servings: 1
Ordered: 07/29/24
Sampled: 08/01/24
Completed: 08/05/24
Sampling Method: SOP.T.20.010

Aug 05, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED

MISC.



Terpenes
TESTED



Cannabinoid

PASSED



Total THC

23.953%

Total THC/Container : 1676.710 mg



Total CBD

0.055%

Total CBD/Container : 3.850 mg



Total Cannabinoids

28.539%

Total Cannabinoids/Container : 1997.730 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.532	26.706	ND	0.063	0.026	0.118	1.069	ND	ND	ND	0.025
mg/unit	37.24	1869.42	ND	4.41	1.82	8.26	74.83	ND	ND	ND	1.75
LOD	0.001	0.001	ND	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3702, 1665, 585, 1440

Weight:
0.1968g

Extraction date:
08/02/24 13:00:18

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA076143POT

Instrument Used : DA-LC-001

Analyzed Date : 08/02/24 13:51:09

Reviewed On : 08/05/24 08:51:12

Batch Date : 08/02/24 10:29:57

Dilution : 400

Reagent : 072224.R15; 060723.24; 072224.R17

Consumables : 947.109; 120423CH01; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/05/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Lmn Ersr (H)
Lemon Eraser
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40801013-016

Harvest/Lot ID: 1101 3428 6431 4056

Batch# : 1101 3428 6431 4056

Sampled : 08/01/24

Ordered : 08/01/24

Sample Size Received : 7 units

Total Amount : 1656 units

Completed : 08/05/24 Expires: 08/05/25

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	62.93	0.899		ALPHA-CEDRENE	0.005	ND	ND	
BETA-CARYOPHYLLENE	0.007	19.60	0.280		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	13.79	0.197		ALPHA-PINENE	0.007	ND	ND	
LIMONENE	0.007	13.72	0.196		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	6.44	0.092		ALPHA-TERPINOLENE	0.007	ND	ND	
LINALOOL	0.007	3.01	0.043		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-BISABOLOL	0.007	2.31	0.033		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-TERPINEOL	0.007	2.03	0.029		TRANS-NEROLIDOL	0.005	ND	ND	
BETA-PINENE	0.007	2.03	0.029						
3-CARENE	0.007	ND	ND		Analysis by:	Weight:	Extraction date:	Extracted by:	
BORNEOL	0.013	ND	ND		4451, 3605, 585, 1440	1.1449g	08/02/24 12:58:39	4451	
CAMPHENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
CAMPHOR	0.007	ND	ND		Analytical Batch : DA076129TER			Reviewed On : 08/05/24 10:16:29	
CARYOPHYLLENE OXIDE	0.007	ND	ND		Instrument Used : DA-GCMS-009			Batch Date : 08/02/24 09:17:41	
CEDROL	0.007	ND	ND		Analyzed Date : 08/02/24 12:58:50				
EUCALYPTOL	0.007	ND	ND		Dilution : 10				
FARNESENE	0.007	ND	ND		Reagent : 022224.07				
FENCHONE	0.007	ND	ND		Consumables : 947.109; 230613-634-D; 280670723; CE0123				
FENCHYL ALCOHOL	0.007	ND	ND		Pipette : DA-065				
GERANIOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
VALENCENE	0.007	ND	ND						
Total (%)			0.899						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/05/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Lmn Ersr (H)
Lemon Eraser
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40801013-016

Harvest/Lot ID: 1101 3428 6431 4056

Batch# : 1101 3428 6431
4056

Sampled : 08/01/24
Ordered : 08/01/24

Sample Size Received : 7 units

Total Amount : 1656 units

Completed : 08/05/24 Expires: 08/05/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	1.0158g	08/02/24 15:03:44	3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA076150PES		Reviewed On : 08/05/24 14:36:04			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)		Batch Date : 08/02/24 10:43:28			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 080224.R02; 073124.R04; 073124.R03; 080224.R03; 072224.R19; 073124.R01; 081023.01					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	1.0158g	08/02/24 15:03:44	3379		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA076152VOL		Reviewed On : 08/05/24 14:34:48			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 08/02/24 10:45:29			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 08/02/24 18:53:06					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 073124.R03; 081023.01; 071024.R46; 071024.R47					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in					
						accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/05/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Lmn Ersr (H)
Lemon Eraser
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40801013-016

Harvest/Lot ID: 1101 3428 6431 4056

Batch# : 1101 3428 6431
4056

Sampled : 08/01/24

Ordered : 08/01/24



Sample Size Received : 7 units

Total Amount : 1656 units

Completed : 08/05/24 Expires: 08/05/25

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED						Mycotoxins					PASSED				
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Action Level								
ASPERGILLUS TERREUS				Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND	PASS	0.02								
ASPERGILLUS NIGER				Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PASS	0.02								
ASPERGILLUS FUMIGATUS				Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PASS	0.02								
ASPERGILLUS FLAVUS				Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PASS	0.02								
SALMONELLA SPECIFIC GENE				Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PASS	0.02								
ECOLI SHIGELLA				Not Present	PASS																
TOTAL YEAST AND MOLD		10	CFU/g	1000	PASS	100000	Analyzed by: 3379, 585, 1440		Weight: 1.0158g	Extraction date: 08/02/24 15:03:44		Extracted by: 3379									
Analyzed by: 4520, 585, 1440		Weight: 1.1811g	Extraction date: 08/02/24 13:31:09		Extracted by: 4520		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)														
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL		Analytical Batch : DA076130MIC		Reviewed On : 08/05/24 08:27:27		Batch Date : 08/02/24 09:32:50		Analytical Batch : DA076151MYC		Instrument Used : N/A		Reviewed On : 08/05/24 10:13:32									
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) 09:32:50		DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367		Analyzed Date : 08/02/24 14:52:14		Dilution : 250		Reagent : 080224.R02; 073124.R04; 073124.R03; 080224.R03; 072224.R19; 073124.R01; 081023.01		Consumables : 326250IW		Pipette : DA-093; DA-094; DA-219									
Dilution : 10		Reagent : 071824.37; 071824.49; 072424.11; 070324.R37		Consumables : 7573003054		Pipette : N/A		Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.													
Analyzed by: 4520, 4531, 585, 1440		Weight: 1.1811g	Extraction date: 08/02/24 13:31:09		Extracted by: 4520																
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL		Analytical Batch : DA076131TYM		Reviewed On : 08/05/24 08:33:28		Batch Date : 08/02/24 09:36:04		Analyzed Date : 08/02/24 14:51:38		Dilution : 10		Reagent : 071824.37; 071824.49; 070324.R35									
Instrument Used : Incubator (25°C) DA- 328		Analyzed Date : 08/02/24 14:51:38		Dilution : 10		Reagent : 071824.37; 071824.49; 070324.R35		Consumables : N/A		Pipette : N/A		Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.									
Metal		LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS		0.080	ppm	ND	PASS	1.1								
ARSENIC		0.020	ppm	ND	PASS	0.2	CADMIUM		0.020	ppm	ND	PASS	0.2								
MERCURY		0.020	ppm	ND	PASS	0.2	LEAD		0.020	ppm	ND	PASS	0.5								
Analyzed by: 1022, 585, 1440		Weight: 0.2245g	Extraction date: 08/02/24 12:04:51		Extracted by: 1022,4056		Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL														



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2245g	Extraction date: 08/02/24 12:04:51	Extracted by: 1022,4056		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA076137HEA			Reviewed On : 08/05/24 08:35:19		
Instrument Used : DA-ICPMS-004			Batch Date : 08/02/24 10:09:02		
Analyzed Date : 08/02/24 17:37:55					
Dilution : 50					
Reagent : 071924.R14; 072924.R21; 072524.R19; 072924.R19; 072924.R20; 061724.01; 071724.R10					
Consumables : 179436; 120423CH01; 210508058					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/05/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Lmn Ersr (H)
Lemon Eraser
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40801013-016

Harvest/Lot ID: 1101 3428 6431 4056

Batch# : 1101 3428 6431
4056

Sampled : 08/01/24
Ordered : 08/01/24

Sample Size Received : 7 units

Total Amount : 1656 units

Completed : 08/05/24 Expires: 08/05/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	12.60	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 08/05/24 11:40:23		Extracted by: N/A		Analyzed by: 4512, 585, 1440	Weight: 0.5g	Extraction date: 08/02/24 15:49:23		Extracted by: 4512	
Analysis Method : SOP.T.40.090 Analytical Batch : DA076245FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 08/05/24 11:00:43						Analysis Method : SOP.T.40.021 Analytical Batch : DA076156MOI Reviewed On : 08/05/24 11:32:59 Batch Date : 08/03/24 16:54:21					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.						Reviewed On : 08/05/24 08:31:45 Batch Date : 08/02/24 10:52:02					
						Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser Analyzed Date : 08/02/24 15:58:36					
						Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066					



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.493	PASS	0.65
Analyzed by: 4512, 585, 1440	Weight: 0.7195g	Extraction date: 08/02/24 16:35:33	Extracted by: 4512		
Analysis Method : SOP.T.40.019 Analytical Batch : DA076153WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 08/02/24 16:36:25					
Dilution : N/A Reagent : 051624.01 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/05/24