



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40801013-023
 Harvest/Lot ID: 1001 3428 6430 3044
 Batch#: 1001 3428 6430 3044
 Cultivation Facility: FL - Indiantown (3734)
 Processing Facility: FL - Indiantown (3734)
 Source Facility: FL - Indiantown (3734)
 Seed to Sale#: 1101 3428 6431 4041
 Batch Date: 07/25/24
 Sample Size Received: 21 units
 Total Amount: 5659 units
 Retail Product Size: 3.5 gram
 Retail Serving Size: 3.5 gram
 Servings: 1
 Ordered: 07/25/24
 Sampled: 08/01/24
 Completed: 08/05/24
 Revision Date: 08/06/24
 Sampling Method: SOP.T.20.010

Aug 06, 2024 | Sunnyside
 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS


 Pesticides
PASSED


 Heavy Metals
PASSED


 Microbials
PASSED


 Mycotoxins
PASSED


 Residuals
 Solvents
 NOT TESTED


 Filtration
PASSED


 Water Activity
PASSED


 Moisture
PASSED

MISC.


 Terpenes
TESTED

Cannabinoid PASSED


Total THC
28.821%
 Total THC/Container : 1008.735 mg


Total CBD
0.063%
 Total CBD/Container : 2.205 mg


Total Cannabinoids
33.790%
 Total Cannabinoids/Container : 1182.650 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.971	31.756	ND	0.072	0.026	0.080	0.815	ND	ND	ND	0.070
mg/unit	33.99	1111.46	ND	2.52	0.91	2.80	28.53	ND	ND	ND	2.45
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by: 3702, 1665, 585, 1440 Weight: 0.1949g Extraction date: 08/02/24 13:00:18 Extracted by: 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 08/05/24 08:53:09
 Analytical Batch : DA076143POT Batch Date : 08/02/24 10:29:57
 Instrument Used : DA-LC-001
 Analyzed Date : 08/02/24 13:51:09

Dilution : 400
 Reagent : 072224.R15; 060723.24; 072224.R17
 Consumables : 947.109; 120423CH01; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164


 Signature
 08/05/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40801013-023

Harvest/Lot ID: 1001 3428 6430 3044

Batch# : 1001 3428 6430 3044

Sampled : 08/01/24

Ordered : 08/01/24

Sample Size Received : 21 units

Total Amount : 5659 units

Completed : 08/05/24 Expires: 08/06/25

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	111.02	3.172	ALPHA-CEDRENE	0.005	ND	ND
BETA-CARYOPHYLLENE	0.007	42.14	1.204	ALPHA-HUMULENE	0.007	ND	ND
LIMONENE	0.007	25.97	0.742	ALPHA-PHELLANDRENE	0.007	ND	ND
BETA-MYRCENE	0.007	25.55	0.730	ALPHA-TERPINENE	0.007	ND	ND
LINALOOL	0.007	3.92	0.112	ALPHA-TERPINOLENE	0.007	ND	ND
ALPHA-BISABOLOL	0.007	3.82	0.109	CIS-NEROLIDOL	0.003	ND	ND
BETA-PINENE	0.007	3.36	0.096	GAMMA-TERPINENE	0.007	ND	ND
ALPHA-TERPINEOL	0.007	2.28	0.065	TRANS-NEROLIDOL	0.005	ND	ND
FENCHYL ALCOHOL	0.007	2.03	0.058				
ALPHA-PINENE	0.007	1.96	0.056	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight: 1.0714g	Extraction date: 08/02/24 13:05:05	Extracted by: 4451
3-CARENE	0.007	ND	ND	Analysis Batch : DA076160TER		Reviewed On : 08/05/24 08:54:31	Batch Date : 08/02/24 10:55:08
BORNEOL	0.013	ND	ND	Instrument Used : DA-GCMS-008			
CAMPHENE	0.007	ND	ND	Analyzed Date : 08/02/24 13:05:16			
CAMPHOR	0.007	ND	ND	Dilution : 10			
CARYOPHYLLENE OXIDE	0.007	ND	ND	Reagent : 022224.07			
CEDROL	0.007	ND	ND	Consumables : 947.109; 230613-634-D; 280670723; CE0123			
EUCALYPTOL	0.007	ND	ND	Pipette : DA-065			
FARNESENE	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
VALENCENE	0.007	ND	ND				
Total (%)			3.172				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/05/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40801013-023

Harvest/Lot ID: 1001 3428 6430 3044

Batch#: 1001 3428 6430

Sampled : 08/01/24

Ordered : 08/01/24

Sample Size Received : 21 units

Total Amount : 5659 units

Completed : 08/05/24 Expires: 08/06/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOXYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 1.1903g	Extraction date: 08/02/24 15:01:51	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA076154PES		Reviewed On : 08/05/24 14:44:22			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)		Batch Date : 08/02/24 10:46:40			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 080224.R02; 073124.R04; 073124.R03; 080224.R03; 072224.R19; 073124.R01; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 1.1903g	Extraction date: 08/02/24 15:01:51	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA076158VOL		Reviewed On : 08/05/24 14:43:18			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 08/02/24 10:53:05			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 08/02/24 19:14:22					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 073124.R03; 081023.01; 071024.R46; 071024.R47					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIACARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
08/05/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40801013-023

Harvest/Lot ID: 1001 3428 6430 3044

Batch#: 1001 3428 6430 3044

Sampled : 08/01/24

Ordered : 08/01/24

Sample Size Received : 21 units

Total Amount : 5659 units

Completed : 08/05/24 Expires: 08/06/25

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	1000	PASS	100000

Analyzed by: 4520, 585, 1440 **Weight:** 0.8655g **Extraction date:** 08/02/24 13:35:21 **Extracted by:** 4520
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA076132MIC **Reviewed On :** 08/05/24 08:51:49
Batch Date : 08/02/24
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) 09:38:00 DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021, Fisher Scientific Isotemp Heat Block (55°C) DA-366, Fisher Scientific Isotemp Heat Block (95°C) DA-367
Analyzed Date : 08/02/24 14:52:14
Dilution : 10
Reagent : 071824.37; 071824.49; 072424.11; 070324.R37
Consumables : 7573003054
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440 **Weight:** 1.1903g **Extraction date:** 08/02/24 15:01:51 **Extracted by:** 3379
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA076157MYC **Reviewed On :** 08/05/24 11:05:12
Instrument Used : N/A **Batch Date :** 08/02/24 10:53:03
Analyzed Date : N/A
Dilution : 250
Reagent : 080224.R02; 073124.R04; 073124.R03; 080224.R03; 072224.R19; 073124.R01; 081023.01
Consumables : 326250IW
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 **Weight:** 0.2179g **Extraction date:** 08/02/24 12:13:47 **Extracted by:** 1022,4056
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA076138HEA **Reviewed On :** 08/05/24 10:15:22
Instrument Used : DA-ICPMS-004 **Batch Date :** 08/02/24 10:12:40
Analyzed Date : 08/02/24 17:45:56
Dilution : 50
Reagent : 071924.R14; 072924.R21; 072524.R19; 072924.R19; 072924.R20; 061724.01; 071724.R10
Consumables : 179436; 120423CH01; 210508058
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
08/05/24



Certificate of Analysis

PASSED
Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

Sample : DA40801013-023

 Harvest/Lot ID: 1001 3428 6430 3044
 Batch#: 1001 3428 6430 3044
 Sample Size Received : 21 units
 Total Amount : 5659 units
 Sampled : 08/01/24
 Completed : 08/05/24 Expires: 08/06/25
 Ordered : 08/01/24
 Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	14.91	PASS	15
Analyzed by: 1879, 585, 1440 Weight: 1g Extraction date: 08/05/24 11:40:24 Extraction by: 1879 Analysis Method : SOP.T.40.090 Analytical Batch : DA076245FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 08/05/24 11:00:43 Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A			Reviewed On : 08/05/24 11:30:46 Batch Date : 08/03/24 16:54:21			Analyzed by: 4512, 585, 1440 Weight: 0.5g Extraction date: 08/02/24 15:58:21 Extraction by: 4512 Analysis Method : SOP.T.40.021 Analytical Batch : DA076156MOI Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser Analyzed Date : 08/02/24 15:58:36 Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066			Reviewed On : 08/05/24 08:31:50 Batch Date : 08/02/24 10:52:02		

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.461	PASS	0.65
Analyzed by: 4512, 585, 1440 Weight: 0.7141g Extraction date: 08/02/24 16:35:33 Extraction by: 4512 Analysis Method : SOP.T.40.019 Analytical Batch : DA076153WAT Instrument Used : DA-028 Rotronic Hygropalm Analyzed Date : 08/02/24 16:36:25 Dilution : N/A Reagent : 051624.01 Consumables : PS-14 Pipette : N/A			Reviewed On : 08/05/24 08:36:53 Batch Date : 08/02/24 10:45:55		

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 08/05/24