



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



**Sample:** DA40801013-028  
**Harvest/Lot ID:** 1101 3428 6431 0312  
**Batch#:** 1101 3428 6431 0312  
**Cultivation Facility:** FL - Indiantown (3734)  
**Processing Facility:** FL - Indiantown (3734)  
**Source Facility:** FL - Indiantown (3734)  
**Seed to Sale#** 1101 3428 6431 0312  
**Batch Date:** 07/16/24  
**Sample Size Received:** 16 units  
**Total Amount:** 662 units  
**Retail Product Size:** 1 gram  
**Retail Serving Size:** 1 gram  
**Servings:** 1  
**Ordered:** 07/17/24  
**Sampled:** 08/01/24  
**Completed:** 08/05/24  
**Sampling Method:** SOP.T.20.010

Aug 05, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

# Sunnyside\*

**PASSED**

Pages 1 of 6

### SAFETY RESULTS


Pesticides  
**PASSED**

Heavy Metals  
**PASSED**

Microbials  
**PASSED**

Mycotoxins  
**PASSED**

Residuals  
Solvents  
**PASSED**

Filtration  
**PASSED**

Water Activity  
**PASSED**

Moisture  
**NOT TESTED**

Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**

**Total THC**
**84.190%**

Total THC/Container : 841.900 mg


**Total CBD**
**0.193%**

Total CBD/Container : 1.930 mg


**Total Cannabinoids**
**87.221%**

Total Cannabinoids/Container : 872.210 mg

|         | D9-THC | THCA  | CBD   | CBDA  | D8-THC | CBG   | CBGA  | CBN   | THCV  | CBDV  | CBC   |
|---------|--------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| %       | 83.984 | 0.236 | 0.193 | ND    | ND     | 1.982 | ND    | 0.132 | 0.144 | ND    | 0.550 |
| mg/unit | 839.84 | 2.36  | 1.93  | ND    | ND     | 19.82 | ND    | 1.32  | 1.44  | ND    | 5.50  |
| LOD     | 0.001  | 0.001 | 0.001 | 0.001 | 0.001  | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| %       |        | %     | %     | %     | %      | %     | %     | %     | %     | %     | %     |

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
0.1083g

Extraction date:  
08/02/24 13:04:32

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA076139POT

Instrument Used : DA-LC-003

Analyzed Date : 08/02/24 13:04:47

Reviewed On : 08/05/24 08:53:25

Batch Date : 08/02/24 10:17:46

Dilution : 400

Reagent : 072224.R14; 060723.R14; 072224.R18

Consumables : 947.109; 120423CH01; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

Signature  
08/05/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Mt. Ripsmore (H)  
Mtt. Ripsmore  
Matrix : Derivative  
Type: Live Resin



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA40801013-028

Harvest/Lot ID: 1101 3428 6431 0312

Batch# : 1101 3428 6431 0312

Sampled : 08/01/24

Ordered : 08/01/24

Sample Size Received : 16 units

Total Amount : 662 units

Completed : 08/05/24 Expires: 08/05/25

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

| Terpenes            | LOD (%) | mg/unit | %     | Result (%) | Terpenes   | LOD (%) | mg/unit                         | %             | Result (%) |
|---------------------|---------|---------|-------|------------|--|---------|---------------------------------|---------------|------------|
| TOTAL TERPENES      | 0.007   | 54.40   | 5.440 |            | SABINENE   | 0.007   | ND                              | ND            |            |
| BETA-MYRCENE        | 0.007   | 11.02   | 1.102 |            | SABINENE HYDRATE   | 0.007   | ND                              | ND            |            |
| BETA-CARYOPHYLLENE  | 0.007   | 9.97    | 0.997 |            | VALENCENE  | 0.007   | ND                              | ND            |            |
| LINALOOL            | 0.007   | 9.25    | 0.925 |            | ALPHA-CEDRENE  | 0.005   | ND                              | ND            |            |
| LIMONENE            | 0.007   | 6.38    | 0.638 |            | ALPHA-PHELLANDRENE   | 0.007   | ND                              | ND            |            |
| ALPHA-HUMULENE      | 0.007   | 3.80    | 0.380 |            | ALPHA-TERPINENE  | 0.007   | ND                              | ND            |            |
| FARNESENE           | 0.001   | 3.70    | 0.370 |            | CIS-NEROLIDOL  | 0.003   | ND                              | ND            |            |
| ALPHA-BISABOLOL     | 0.007   | 2.30    | 0.230 |            | GAMMA-TERPINENE  | 0.007   | ND                              | ND            |            |
| ALPHA-TERPINEOL     | 0.007   | 2.08    | 0.208 |            | Analysis by:   | Weight: | Extraction date:                | Extracted by: |            |
| FENCHYL ALCOHOL     | 0.007   | 1.58    | 0.158 |            | 4451, 3605, 585, 1440  | 0.2151g | 08/02/24 13:02:39               | 4451          |            |
| TRANS-NEROLIDOL     | 0.005   | 1.11    | 0.111 |            | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL   |         |                                 |               |            |
| BORNEOL             | 0.013   | 0.85    | 0.085 |            | Analytical Batch : DA076145TER   |         | Reviewed On : 08/05/24 10:15:42 |               |            |
| BETA-PINENE         | 0.007   | 0.64    | 0.064 |            | Instrument Used : DA-GCMS-004  |         | Batch Date : 08/02/24 10:32:36  |               |            |
| FENCHONE            | 0.007   | 0.37    | 0.037 |            | Analyzed Date : 08/02/24 13:02:53  |         |                                 |               |            |
| CARYOPHYLLENE OXIDE | 0.007   | 0.36    | 0.036 |            | Dilution : 10  |         |                                 |               |            |
| GERANYL ACETATE     | 0.007   | 0.34    | 0.034 |            | Reagent : 022224.07  |         |                                 |               |            |
| ALPHA-TERPINOLENE   | 0.007   | 0.33    | 0.033 |            | Consumables : 947.109; 230613-634-D; 280670723; CE0123   |         |                                 |               |            |
| ALPHA-PINENE        | 0.007   | 0.32    | 0.032 |            | Pipette : DA-065   |         |                                 |               |            |
| 3-CARENE            | 0.007   | ND      | ND    |            | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. |         |                                 |               |            |
| CAMPHENE            | 0.007   | ND      | ND    |            |  |         |                                 |               |            |
| CAMPHOR             | 0.007   | ND      | ND    |            |  |         |                                 |               |            |
| CEDROL              | 0.007   | ND      | ND    |            |  |         |                                 |               |            |
| EUCALYPTOL          | 0.007   | ND      | ND    |            |  |         |                                 |               |            |
| GERANIOL            | 0.007   | ND      | ND    |            |  |         |                                 |               |            |
| GUAIOL              | 0.007   | ND      | ND    |            |  |         |                                 |               |            |
| HEXAHYDROTHYMOL     | 0.007   | ND      | ND    |            |  |         |                                 |               |            |
| ISOBORNEOL          | 0.007   | ND      | ND    |            |  |         |                                 |               |            |
| ISOPULEGOL          | 0.007   | ND      | ND    |            |  |         |                                 |               |            |
| NEROL               | 0.007   | ND      | ND    |            |  |         |                                 |               |            |
| OCIMENE             | 0.007   | ND      | ND    |            |  |         |                                 |               |            |
| PULEGONE            | 0.007   | ND      | ND    |            |  |         |                                 |               |            |
| Total (%)           |         |         | 5.440 |            |  |         |                                 |               |            |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/05/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Mt. Ripsmore (H)

Mtt. Ripsmore

Matrix : Derivative

Type: Live Resin



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.chavez@crescolabs.com

Sample : DA40801013-028

Harvest/Lot ID: 1101 3428 6431 0312

Batch# : 1101 3428 6431 0312

Sampled : 08/01/24

Ordered : 08/01/24

Sample Size Received : 16 units

Total Amount : 662 units

Completed : 08/05/24 Expires: 08/05/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

| Pesticide                           | LOD   | Units | Action Level | Pass/Fail | Result | Pesticide  | LOD            | Units                              | Action Level       | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|----------------|------------------------------------|--------------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm   | 5            | PASS      | ND     | OXAMYL   | 0.010          | ppm                                | 0.5                | PASS      | ND     |
| TOTAL DIMETHOMORPH                  | 0.010 | ppm   | 0.2          | PASS      | ND     | PACLOBUTRAZOL  | 0.010          | ppm                                | 0.1                | PASS      | ND     |
| TOTAL PERMETHRIN                    | 0.010 | ppm   | 0.1          | PASS      | ND     | PHOSMET  | 0.010          | ppm                                | 0.1                | PASS      | ND     |
| TOTAL PYRETHRINS                    | 0.010 | ppm   | 0.5          | PASS      | ND     | PIPERONYL BUTOXIDE   | 0.010          | ppm                                | 3                  | PASS      | ND     |
| TOTAL SPINETORAM                    | 0.010 | ppm   | 0.2          | PASS      | ND     | PRALLETHRIN  | 0.010          | ppm                                | 0.1                | PASS      | ND     |
| TOTAL SPINOSAD                      | 0.010 | ppm   | 0.1          | PASS      | ND     | PROPICONAZOLE  | 0.010          | ppm                                | 0.1                | PASS      | ND     |
| ABAMECTIN B1A                       | 0.010 | ppm   | 0.1          | PASS      | ND     | PROPOXUR   | 0.010          | ppm                                | 0.1                | PASS      | ND     |
| ACEPHATE                            | 0.010 | ppm   | 0.1          | PASS      | ND     | PYRIDABEN  | 0.010          | ppm                                | 0.2                | PASS      | ND     |
| ACEQUINOCYL                         | 0.010 | ppm   | 0.1          | PASS      | ND     | SPIROMESIFEN   | 0.010          | ppm                                | 0.1                | PASS      | ND     |
| ACETAMIPRID                         | 0.010 | ppm   | 0.1          | PASS      | ND     | SPIROTETRAMAT  | 0.010          | ppm                                | 0.1                | PASS      | ND     |
| ALDICARB                            | 0.010 | ppm   | 0.1          | PASS      | ND     | SPIROXAMINE  | 0.010          | ppm                                | 0.1                | PASS      | ND     |
| AZOXYSTROBIN                        | 0.010 | ppm   | 0.1          | PASS      | ND     | TEBUCONAZOLE   | 0.010          | ppm                                | 0.1                | PASS      | ND     |
| BIFENAZATE                          | 0.010 | ppm   | 0.1          | PASS      | ND     | THIACLOPRID  | 0.010          | ppm                                | 0.1                | PASS      | ND     |
| BIFENTHRIN                          | 0.010 | ppm   | 0.1          | PASS      | ND     | THIAMETHOXAM   | 0.010          | ppm                                | 0.5                | PASS      | ND     |
| BOSCALID                            | 0.010 | ppm   | 0.1          | PASS      | ND     | TRIFLOXYSTROBIN  | 0.010          | ppm                                | 0.1                | PASS      | ND     |
| CARBARYL                            | 0.010 | ppm   | 0.5          | PASS      | ND     | PENTACHLORONITROBENZENE (PCNB) *   | 0.010          | PPM                                | 0.15               | PASS      | ND     |
| CARBOFURAN                          | 0.010 | ppm   | 0.1          | PASS      | ND     | PARATHION-METHYL *   | 0.010          | PPM                                | 0.1                | PASS      | ND     |
| CHLORANTRANILIPROLE                 | 0.010 | ppm   | 1            | PASS      | ND     | CAPTAN *   | 0.070          | PPM                                | 0.7                | PASS      | ND     |
| CHLORMEQUAT CHLORIDE                | 0.010 | ppm   | 1            | PASS      | ND     | CHLORDANE *  | 0.010          | PPM                                | 0.1                | PASS      | ND     |
| CHLORPYRIFOS                        | 0.010 | ppm   | 0.1          | PASS      | ND     | CHLORFENAPYR *   | 0.010          | PPM                                | 0.1                | PASS      | ND     |
| CLOFENTEZINE                        | 0.010 | ppm   | 0.2          | PASS      | ND     | CYFLUTHRIN *   | 0.050          | PPM                                | 0.5                | PASS      | ND     |
| COUMAPHOS                           | 0.010 | ppm   | 0.1          | PASS      | ND     | CYPERMETHRIN *   | 0.050          | PPM                                | 0.5                | PASS      | ND     |
| DAMINOZIDE                          | 0.010 | ppm   | 0.1          | PASS      | ND     |  |                |                                    |                    |           |        |
| DIAZINON                            | 0.010 | ppm   | 0.1          | PASS      | ND     | Analyzed by: 3379, 585, 1440   | Weight: 0.283g | Extraction date: 08/02/24 15:05:11 | Extracted by: 3379 |           |        |
| DICHLORVOS                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)                         |                |                                    |                    |           |        |
| DIMETHOATE                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Analytical Batch : DA076147PES   |                | Reviewed On : 08/05/24 11:10:55    |                    |           |        |
| ETHOPROPHOS                         | 0.010 | ppm   | 0.1          | PASS      | ND     | Instrument Used : DA-LCMS-003 (PES)  |                | Batch Date : 08/02/24 10:40:08     |                    |           |        |
| ETOFENPROX                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Analyzed Date : N/A  |                |                                    |                    |           |        |
| ETOXAZOLE                           | 0.010 | ppm   | 0.1          | PASS      | ND     | Dilution : 250   |                |                                    |                    |           |        |
| FENHEXAMID                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Reagent : 072924.R15; 073124.R04; 073124.R03; 073124.R30; 072224.R19; 073124.R01; 081023.01  |                |                                    |                    |           |        |
| FENOXYCARB                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Consumables : 326250IW   |                |                                    |                    |           |        |
| FENPYROXIMATE                       | 0.010 | ppm   | 0.1          | PASS      | ND     | Pipette : DA-093; DA-094; DA-219   |                |                                    |                    |           |        |
| FIPRONIL                            | 0.010 | ppm   | 0.1          | PASS      | ND     | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |                |                                    |                    |           |        |
| FLONICAMID                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Analyzed by: 450, 585, 1440  | Weight: 0.283g | Extraction date: 08/02/24 15:05:11 | Extracted by: 3379 |           |        |
| FLUDIOXONIL                         | 0.010 | ppm   | 0.1          | PASS      | ND     | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL   |                |                                    |                    |           |        |
| HEXYTHIAZOX                         | 0.010 | ppm   | 0.1          | PASS      | ND     | Analytical Batch : DA076149VOL   |                | Reviewed On : 08/05/24 11:09:46    |                    |           |        |
| IMAZALIL                            | 0.010 | ppm   | 0.1          | PASS      | ND     | Instrument Used : DA-GCMS-010  |                | Batch Date : 08/02/24 10:42:29     |                    |           |        |
| IMIDACLOPRID                        | 0.010 | ppm   | 0.4          | PASS      | ND     | Analyzed Date : 08/02/24 18:50:22  |                |                                    |                    |           |        |
| KRESOXIM-METHYL                     | 0.010 | ppm   | 0.1          | PASS      | ND     | Dilution : 250   |                |                                    |                    |           |        |
| MALATHION                           | 0.010 | ppm   | 0.2          | PASS      | ND     | Reagent : 073124.R03; 081023.01; 071024.R46; 071024.R47  |                |                                    |                    |           |        |
| METALAXYL                           | 0.010 | ppm   | 0.1          | PASS      | ND     | Consumables : 326250IW; 14725401   |                |                                    |                    |           |        |
| METHIOCARB                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Pipette : DA-080; DA-146; DA-218   |                |                                    |                    |           |        |
| METHOMYL                            | 0.010 | ppm   | 0.1          | PASS      | ND     | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.    |                |                                    |                    |           |        |
| MEVINPHOS                           | 0.010 | ppm   | 0.1          | PASS      | ND     |  |                |                                    |                    |           |        |
| MYCLOBUTANIL                        | 0.010 | ppm   | 0.1          | PASS      | ND     |  |                |                                    |                    |           |        |
| NALED                               | 0.010 | ppm   | 0.25         | PASS      | ND     |  |                |                                    |                    |           |        |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/05/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Mt. Ripsmore (H)  
Mtt. Ripsmore  
Matrix : Derivative  
Type: Live Resin



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA40801013-028

Harvest/Lot ID: 1101 3428 6431 0312

Batch# : 1101 3428 6431  
0312

Sampled : 08/01/24

Ordered : 08/01/24

Sample Size Received : 16 units

Total Amount : 662 units

Completed : 08/05/24 Expires: 08/05/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

| Solvents             | LOD     | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE   | 0.800   | ppm   | 8            | PASS      | ND     |
| 1,2-DICHLOROETHANE   | 0.200   | ppm   | 2            | PASS      | ND     |
| 2-PROPANOL           | 50.000  | ppm   | 500          | PASS      | ND     |
| ACETONE              | 75.000  | ppm   | 750          | PASS      | ND     |
| ACETONITRILE         | 6.000   | ppm   | 60           | PASS      | ND     |
| BENZENE              | 0.100   | ppm   | 1            | PASS      | <0.500 |
| BUTANES (N-BUTANE)   | 500.000 | ppm   | 5000         | PASS      | ND     |
| CHLOROFORM           | 0.200   | ppm   | 2            | PASS      | ND     |
| DICHLOROMETHANE      | 12.500  | ppm   | 125          | PASS      | ND     |
| ETHANOL              | 500.000 | ppm   | 5000         | PASS      | ND     |
| ETHYL ACETATE        | 40.000  | ppm   | 400          | PASS      | ND     |
| ETHYL ETHER          | 50.000  | ppm   | 500          | PASS      | ND     |
| ETHYLENE OXIDE       | 0.500   | ppm   | 5            | PASS      | ND     |
| HEPTANE              | 500.000 | ppm   | 5000         | PASS      | ND     |
| METHANOL             | 25.000  | ppm   | 250          | PASS      | ND     |
| N-HEXANE             | 25.000  | ppm   | 250          | PASS      | ND     |
| PENTANES (N-PENTANE) | 75.000  | ppm   | 750          | PASS      | ND     |
| PROPANE              | 500.000 | ppm   | 5000         | PASS      | ND     |
| TOLUENE              | 15.000  | ppm   | 150          | PASS      | ND     |
| TOTAL XYLENES        | 15.000  | ppm   | 150          | PASS      | ND     |
| TRICHLOROETHYLENE    | 2.500   | ppm   | 25           | PASS      | ND     |

Analyzed by:  
850, 585, 1440

Weight:  
0.0276g

Extraction date:  
08/05/24 14:56:13

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA076177SOL  
Instrument Used : DA-GCMS-002  
Analyzed Date : 08/05/24 15:49:40

Reviewed On : 08/05/24 17:07:17  
Batch Date : 08/02/24 16:43:50

Dilution : 1  
Reagent : 030420.09  
Consumables : 429651; 306143  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/05/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Mt. Ripsmore (H)  
Mtt. Ripsmore  
Matrix : Derivative  
Type: Live Resin



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40801013-028

Harvest/Lot ID: 1101 3428 6431 0312

Batch# : 1101 3428 6431  
0312

Sampled : 08/01/24  
Ordered : 08/01/24


Sample Size Received : 16 units


Total Amount : 662 units


Completed : 08/05/24 Expires: 08/05/25

Sample Method : SOP.T.20.010

Page 5 of 6

|   |                  |               |               |                                 |                                |
|---|------------------|---------------|---------------|---------------------------------|--------------------------------|
|    | <b>Microbial</b> | <b>PASSED</b> |               |                                 |                                |
| <b>Analyte</b>  | <b>LOD</b>       | <b>Units</b>  | <b>Result</b> | <b>Pass / Fail</b>              | <b>Action Level</b>            |
| ASPERGILLUS TERREUS   |                  |               | Not Present   | PASS                            |                                |
| ASPERGILLUS NIGER   |                  |               | Not Present   | PASS                            |                                |
| ASPERGILLUS FUMIGATUS   |                  |               | Not Present   | PASS                            |                                |
| ASPERGILLUS FLAVUS  |                  |               | Not Present   | PASS                            |                                |
| SALMONELLA SPECIFIC GENE  |                  |               | Not Present   | PASS                            |                                |
| ECOLI SHIGELLA  |                  |               | Not Present   | PASS                            |                                |
| TOTAL YEAST AND MOLD  | 10               | CFU/g         | <10           | PASS                            | 100000                         |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL   |                  |               |               |                                 |                                |
| Analytical Batch : DA076132MIC  |                  |               |               | Reviewed On : 08/05/24 08:51:52 | Batch Date : 08/02/24          |
| Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) 09:38:00 DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367 |                  |               |               |                                 |                                |
| Analysis Date : 08/02/24 14:52:14   |                  |               |               |                                 |                                |
| Dilution : 10   |                  |               |               |                                 |                                |
| Reagent : 071824.37; 071824.49; 072424.11; 070324.R37   |                  |               |               |                                 |                                |
| Consumables : 7573003054  |                  |               |               |                                 |                                |
| Pipette : N/A   |                  |               |               |                                 |                                |
| Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL   |                  |               |               |                                 |                                |
| Analytical Batch : DA076133TYM  |                  |               |               | Reviewed On : 08/05/24 08:52:40 | Batch Date : 08/02/24 09:39:51 |
| Instrument Used : Incubator (25°C) DA- 328  |                  |               |               |                                 |                                |
| Analysis Date : 08/02/24 14:51:37   |                  |               |               |                                 |                                |
| Dilution : 10   |                  |               |               |                                 |                                |
| Reagent : 071824.37; 071824.49; 070324.R35  |                  |               |               |                                 |                                |
| Consumables : N/A   |                  |               |               |                                 |                                |
| Pipette : N/A   |                  |               |               |                                 |                                |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.  |                  |               |               |                                 |                                |

|   |                   |               |               |                                 |                                |
|---|-------------------|---------------|---------------|---------------------------------|--------------------------------|
|    | <b>Mycotoxins</b> | <b>PASSED</b> |               |                                 |                                |
| <b>Analyte</b>  | <b>LOD</b>        | <b>Units</b>  | <b>Result</b> | <b>Pass / Fail</b>              | <b>Action Level</b>            |
| AFLATOXIN B2  | 0.002             | ppm           | ND            | PASS                            | 0.02                           |
| AFLATOXIN B1  | 0.002             | ppm           | ND            | PASS                            | 0.02                           |
| OCHRATOXIN A  | 0.002             | ppm           | ND            | PASS                            | 0.02                           |
| AFLATOXIN G1  | 0.002             | ppm           | ND            | PASS                            | 0.02                           |
| AFLATOXIN G2  | 0.002             | ppm           | ND            | PASS                            | 0.02                           |
| Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)    |                   |               |               |                                 |                                |
| Analytical Batch : DA076148MYC  |                   |               |               | Reviewed On : 08/05/24 09:20:25 | Batch Date : 08/02/24 10:42:27 |
| Instrument Used : N/A   |                   |               |               |                                 |                                |
| Analysis Date : N/A   |                   |               |               |                                 |                                |
| Dilution : 250  |                   |               |               |                                 |                                |
| Reagent : 072924.R15; 073124.R04; 073124.R03; 073124.R30; 072224.R19; 073124.R01; 081023.01   |                   |               |               |                                 |                                |
| Consumables : 326250IW  |                   |               |               |                                 |                                |
| Pipette : DA-093; DA-094; DA-219  |                   |               |               |                                 |                                |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |                   |               |               |                                 |                                |

|   |                     |               |               |                                 |                                |
|---|---------------------|---------------|---------------|---------------------------------|--------------------------------|
|    | <b>Heavy Metals</b> | <b>PASSED</b> |               |                                 |                                |
| <b>Metal</b>  | <b>LOD</b>          | <b>Units</b>  | <b>Result</b> | <b>Pass / Fail</b>              | <b>Action Level</b>            |
| TOTAL CONTAMINANT LOAD METALS   | 0.080               | ppm           | ND            | PASS                            | 1.1                            |
| ARSENIC   | 0.020               | ppm           | ND            | PASS                            | 0.2                            |
| CADMIUM   | 0.020               | ppm           | ND            | PASS                            | 0.2                            |
| MERCURY   | 0.020               | ppm           | ND            | PASS                            | 0.2                            |
| LEAD  | 0.020               | ppm           | ND            | PASS                            | 0.5                            |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  |                     |               |               |                                 |                                |
| Analytical Batch : DA076146HEA  |                     |               |               | Reviewed On : 08/05/24 10:43:59 | Batch Date : 08/02/24 10:39:45 |
| Instrument Used : DA-ICPMS-004  |                     |               |               |                                 |                                |
| Analysis Date : 08/02/24 17:49:05   |                     |               |               |                                 |                                |
| Dilution : 50   |                     |               |               |                                 |                                |
| Reagent : 071924.R14; 072924.R21; 072524.R19; 072924.R19; 072924.R20; 061724.01; 071724.R10                                   |                     |               |               |                                 |                                |
| Consumables : 179436; 120423CH01; 210508058   |                     |               |               |                                 |                                |
| Pipette : DA-061; DA-191; DA-216  |                     |               |               |                                 |                                |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |                     |               |               |                                 |                                |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/05/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Mt. Ripsmore (H)  
Mtt. Ripsmore  
Matrix : Derivative  
Type: Live Resin



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.chavez@crescolabs.com

Sample : DA40801013-028

Harvest/Lot ID: 1101 3428 6431 0312

Batch# : 1101 3428 6431  
0312

Sampled : 08/01/24

Ordered : 08/01/24

Sample Size Received : 16 units

Total Amount : 662 units

Completed : 08/05/24 Expires: 08/05/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

| Analyte                    | LOD   | Units | Result | P/F  | Action Level |
|----------------------------|-------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | %     | ND     | PASS | 1            |

|                                 |               |                                       |                       |
|---------------------------------|---------------|---------------------------------------|-----------------------|
| Analyzed by:<br>1879, 585, 1440 | Weight:<br>1g | Extraction date:<br>08/05/24 11:40:24 | Extracted by:<br>1879 |
|---------------------------------|---------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.090

Analytical Batch : DA076245FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 08/05/24 11:00:43

Reviewed On : 08/05/24 11:30:38

Batch Date : 08/03/24 16:54:21

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte        | LOD   | Units | Result | P/F  | Action Level |
|----------------|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw    | 0.654  | PASS | 0.85         |

|                                 |                    |                                       |                       |
|---------------------------------|--------------------|---------------------------------------|-----------------------|
| Analyzed by:<br>4512, 585, 1440 | Weight:<br>0.2453g | Extraction date:<br>08/02/24 16:18:53 | Extracted by:<br>4512 |
|---------------------------------|--------------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.019

Analytical Batch : DA076155WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 08/02/24 16:19:09

Reviewed On : 08/05/24 08:50:28

Batch Date : 08/02/24 10:49:09

Dilution : N/A

Reagent : 051624.01

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/05/24