




Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40805003-004
Harvest/Lot ID: 1101 3428 6431 6303
Batch#: 1101 3428 6431 6303
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale#: 1101 3428 6431 6346
Batch Date: 07/31/24
Sample Size Received: 35 gram
Total Amount: 1080 units
Retail Product Size: 7 gram
Retail Serving Size: 7 gram
Servings: 1
Ordered: 07/31/24
Sampled: 08/05/24
Completed: 08/08/24
Sampling Method: SOP.T.20.010

Aug 08, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS


Pesticides
PASSED


Heavy Metals
PASSED


Microbials
PASSED


Mycotoxins
PASSED


Residuals
Solvents
NOT TESTED


Filtration
PASSED


Water Activity
PASSED


Moisture
PASSED

MISC.


Terpenes
TESTED



Cannabinoid

PASSED



Total THC
21.779%
Total THC/Container : 1524.530 mg



Total CBD
0.051%
Total CBD/Container : 3.570 mg



Total Cannabinoids
25.919%
Total Cannabinoids/Container : 1814.330 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGa	CBN	THCV	CBDV	CBC
%	0.377	24.404	ND	0.059	0.055	0.099	0.886	ND	ND	ND	0.039
mg/unit	26.39	1708.28	ND	4.13	3.85	6.93	62.02	ND	ND	ND	2.73
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analized by:
3335, 1665, 585, 1440

Weight:
0.2057g

Extraction date:
08/06/24 13:28:10

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA076325POT
Instrument Used : DA-LC-002
Analized Date : 08/06/24 13:51:22

Reviewed On : 08/07/24 22:05:34
Batch Date : 08/06/24 10:09:13

Dilution : 400
Reagent : 080624.R05; 062624.15; 080624.R01
Consumables : 947.109; 04311046; 280670723; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
08/08/24



4131 SW 47th AVENUE SUITE 1408
 DAVIE, FL, 33314, US
 (954) 368-7664

Kaycha Labs

Supply Shake 7g - Metaverse (S)
 Metaverse
 Matrix : Flower
 Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

Sample : DA40805003-004

Harvest/Lot ID: 1101 3428 6431 6303

Batch# : 1101 3428 6431 6303

Sampled : 08/05/24

Ordered : 08/05/24

Sample Size Received : 35 gram

Total Amount : 1080 units

Completed : 08/08/24 Expires: 08/08/25

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	72.73	1.039	ALPHA-CEDRENE	0.005	ND	ND
BETA-CARYOPHYLLENE	0.007	24.01	0.343	ALPHA-PHELLANDRENE	0.007	ND	ND
LINALOOL	0.007	14.42	0.206	ALPHA-PINENE	0.007	ND	ND
LIMONENE	0.007	14.00	0.200	ALPHA-TERPINENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	7.42	0.106	ALPHA-TERPINOLENE	0.007	ND	ND
BETA-MYRCENE	0.007	6.72	0.096	CIS-NEROLIDOL	0.003	ND	ND
BETA-PINENE	0.007	2.45	0.035	GAMMA-TERPINENE	0.007	ND	ND
ALPHA-TERPINEOL	0.007	1.96	0.028	TRANS-NEROLIDOL	0.005	ND	ND
FENCHYL ALCOHOL	0.007	1.75	0.025				
3-CARENE	0.007	ND	ND	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight: 1.1154g	Extraction date: 08/06/24 13:01:52	Extracted by: 4451
BORNEOL	0.013	ND	ND	Analytical Batch : DA076316TER		Released On : 08/07/24 12:06:29	
CAMPHENE	0.007	ND	ND	Instrument Used : DA-GCMS-008		Batch Date : 08/06/24 09:10:50	
CAMPHOR	0.007	ND	ND	Analyzed Date : 08/06/24 13:02:05			
CARYOPHYLLENE OXIDE	0.007	ND	ND	Dilution : 10			
CEDROL	0.007	ND	ND	Reagent : 022224.07			
EUCALYPTOL	0.007	ND	ND	Consumables : 947.109; 230613-634-D; 280670723; CE123			
FARNESENE	0.007	ND	ND	Pipette : DA-065			
FENCHONE	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
VALENCENE	0.007	ND	ND				
ALPHA-BISABOLOL	0.007	ND	ND				
Total (%)			1.039				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

Signature
 08/08/24



Certificate of Analysis

PASSED


Sunnyside

Sample : DA40805003-004
Harvest/Lot ID: 1101 3428 6431 6303

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Batch# : 1101 3428 6431 Sample Size Received : 35 gram
6303 Total Amount : 1080 units
Sampled : 08/05/24 Completed : 08/08/24 Expires: 08/08/25
Ordered : 08/05/24 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 795, 585, 1440 Weight: 0.9329g Extraction date: 08/06/24 15:15:06 Extracted by: 3621 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA076328PES Reviewed On : 08/08/24 12:25:16 Instrument Used : DA-LCMS-004 (PES) Batch Date : 08/06/24 10:11:20 Analyzed Date : N/A Dilution : 250 Reagent : 080224.R02; 073124.R04; 073124.R03; 080224.R03; 072224.R19; 073124.R01; 081023.01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/08/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40805003-004
Harvest/Lot ID: 1101 3428 6431 6303
Batch# : 1101 3428 6431
Sample Size Received : 35 gram
Total Amount : 1080 units
Sampled : 08/05/24
Completed : 08/08/24 Expires: 08/08/25
Ordered : 08/05/24
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	33000	PASS	100000

Analyzed by: 4520, 585, 1440 **Weight:** 1.1437g **Extraction date:** 08/06/24 10:40:53 **Extracted by:** 4520
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA076301MIC **Reviewed On :** 08/07/24 10:27:23 **Batch Date :** 08/06/24
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) 08:18:54 DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021, Fisher Scientific Isotemp Heat Block (55°C) DA-366, Fisher Scientific Isotemp Heat Block (95°C) DA-367
Analyzed Date : 08/06/24 12:55:25
Dilution : 10
Reagent : 071824.12; 071824.26; 070324.R37; 072424.11
Consumables : 7573003071
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 795, 585, 1440 **Weight:** 0.9329g **Extraction date:** 08/06/24 15:15:06 **Extracted by:** 3621
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA076330MYC **Reviewed On :** 08/08/24 07:51:30
Instrument Used : N/A **Batch Date :** 08/06/24 10:13:10
Analyzed Date : N/A
Dilution : 250
Reagent : 080224.R02; 073124.R04; 073124.R03; 080224.R03; 072224.R19; 073124.R01; 081023.01
Consumables : 326250IW
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 4520, 3390, 585, 1440 **Weight:** 1.1437g **Extraction date:** 08/06/24 10:40:53 **Extracted by:** 4520
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA076302TYM **Reviewed On :** 08/08/24 17:32:43
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] **Batch Date :** 08/06/24 08:19:54
Analyzed Date : 08/06/24 12:42:18
Dilution : 10
Reagent : 071824.12; 071824.26; 080524.R13
Consumables : N/A
Pipette : N/A

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 4056, 1022, 585, 1440 **Weight:** 0.2377g **Extraction date:** 08/06/24 10:15:47 **Extracted by:** 1022,4056
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA076314HEA **Reviewed On :** 08/07/24 10:26:45
Instrument Used : DA-ICPMS-004 **Batch Date :** 08/06/24 09:04:02
Analyzed Date : 08/07/24 07:18:29
Dilution : 50
Reagent : 080224.R15; 080524.R22; 080224.R06; 080524.R20; 080524.R21; 061724.01; 080524.R24
Consumables : 179436; 021824CH01; 210508058
Pipette : DA-061; DA-191; DA-216

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
08/08/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40805003-004

Harvest/Lot ID: 1101 3428 6431 6303

Batch# : 1101 3428 6431
6303

Sampled : 08/05/24
Ordered : 08/05/24

Sample Size Received : 35 gram

Total Amount : 1080 units


Completed : 08/08/24 Expires: 08/08/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material PASSED



Moisture PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440 Weight: 1g Extraction date: 08/07/24 10:36:54 Extracted by: 1879

Analysis Method : SOP.T.40.090
Analytical Batch : DA076417FIL Reviewed On : 08/07/24 10:56:11
Instrument Used : Filth/Foreign Material Microscope Batch Date : 08/07/24 10:33:24
Analyzed Date : 08/07/24 10:40:31

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.509	PASS	0.65

Analyzed by: 4571, 585, 1440 Weight: 0.836g Extraction date: 08/06/24 16:48:26 Extracted by: 4571

Analysis Method : SOP.T.40.019
Analytical Batch : DA076363WAT Reviewed On : 08/07/24 08:22:19
Instrument Used : DA-324 Rotronic Hygropalm HC2-AW (Probe), DA-325 Rotronic Hygropalm HC2-AW (Probe), DA-326 Rotronic Hygropalm HC2-AW (Probe), DA-327 Rotronic Hygropalm HC2-AW (Probe) Batch Date : 08/06/24 12:42:11
Analyzed Date : 08/06/24 16:47:23

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.00	%	14.65	PASS	15

Analyzed by: 4571, 585, 1440 Weight: 0.504g Extraction date: 08/06/24 16:16:31 Extracted by: 4571

Analysis Method : SOP.T.40.021
Analytical Batch : DA076364MOI Reviewed On : 08/07/24 08:25:23
Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser Batch Date : 08/06/24 12:43:02
Analyzed Date : 08/06/24 16:08:56

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.