

Certificate of Analysis

COMPLIANCE FOR RETAIL



Kaycha Labs

Supply Shake 7g - Rntz x Jlsy (I) Runtz x Jealousy

Matrix: Flower Type: Flower-Cured

Sample:DA40807011-007

Harvest/Lot ID: 0001 3428 6432 5195

Batch#: 0001 3428 6432 5195

Cultivation Facility: FL - Indiantown (3734) Processing Facility: FL - Indiantown (3734)

Source Facility: FL - Indiantown (3734) Seed to Sale# 1101 3428 6431 7132

Batch Date: 07/29/24

Sample Size Received: 35 gram Total Amount: 204 units

> Retail Product Size: 7 gram Retail Serving Size: 7 gram

> > Servings: 1

Ordered: 08/02/24 Sampled: 08/07/24

PASSED

Sampling Method: SOP.T.20.010

Completed: 08/11/24

Aug 11, 2024 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pages 1 of 5

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals PASSED



Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents **NOT TESTED**



Filth **PASSED**



Water Activity **PASSED**



Moisture **PASSED**





Terpenes TESTED

PASSED



Cannabinoid

Total THC

Total THC/Container: 1868.020 mg



Total CBD 0.056%

Total CBD/Container: 3.920 mg

Reviewed On: 08/09/24 09:28:00

Batch Date: 08/08/24 08:56:21



Total Cannabinoids

Total Cannabinoids/Container: 2198.490 mg

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA076437POT Instrument Used: DA-LC-002 Analyzed Date: 08/08/24 14:33:01

Dilution: 400

Reagent: 080624.R05; 062624.15; 080624.R01

Consumables: 947.109; 04311046; 280670723; R1KB14270

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

Supply Shake 7g - Rntz x Jlsy (I)

Runtz x Jealousy Matrix: Flower



Type: Flower-Cured

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA40807011-007 Harvest/Lot ID: 0001 3428 6432 5195

Batch#:0001 3428 6432

Sampled: 08/07/24 Ordered: 08/07/24

Sample Size Received: 35 gram Total Amount : 204 units

Completed: 08/11/24 Expires: 08/11/25 Sample Method: SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	* %	Result (%)		Terpenes	LOD (%)	mg/unit	t %	Result (%)
TOTAL TERPENES	0.007	91.21	1.303			SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	24.50	0.350			VALENCENE	0.007	ND	ND	
LINALOOL	0.007	12.53	0.179			ALPHA-CEDRENE	0.005	ND	ND	
BETA-MYRCENE	0.007	12.53	0.179			ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	10.92	0.156			ALPHA-TERPINENE	0.007	ND	ND	
LIMONENE	0.007	10.50	0.150			ALPHA-TERPINOLENE	0.007	ND	ND	
FARNESENE	0.007	3.50	0.050			CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-TERPINEOL	0.007	3.36	0.048			GAMMA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	3.22	0.046			Analyzed by:	Weight:	Extrac	tion date:	Extracted by:
FENCHYL ALCOHOL	0.007	3.15	0.045			4451, 3605, 585, 1440	1.042g		/24 14:00:07	
ALPHA-BISABOLOL	0.007	3.15	0.045			Analysis Method : SOP.T.30.061A.FL, SOP	P.T.40.061A.FL			
TRANS-NEROLIDOL	0.005	2.10	0.030		ï	Analytical Batch : DA076444TER				/09/24 09:28:02
ALPHA-PINENE	0.007	1.75	0.025			Instrument Used: DA-GCMS-009 Analyzed Date: 08/08/24 14:00:16		Batc	h Date : 08/0	8/24 09:51:11
3-CARENE	0.007	ND	ND			Dilution: 10				
BORNEOL	0.013	ND	ND			Reagent : 022224.07				
CAMPHENE	0.007	ND	ND			Consumables: 947.109; 230613-634-D; 2	280670723; CE123			
CAMPHOR	0.007	ND	ND			Pipette : DA-065				
CARYOPHYLLENE OXIDE	0.007	ND	ND			Terpenoid testing is performed utilizing Gas Ch	hromatography Mass Spectro	metry. For all	Flower sampl	es, the Total Terpenes % is dry-weight corrected.
CEDROL	0.007	ND	ND							
EUCALYPTOL	0.007	ND	ND							
FENCHONE	0.007	ND	ND							
GERANIOL	0.007	ND	ND							
GERANYL ACETATE	0.007	ND	ND							
GUAIOL	0.007	ND	ND							
HEXAHYDROTHYMOL	0.007	ND	ND							
ISOBORNEOL	0.007	ND	ND							
ISOPULEGOL	0.007	ND	ND							
NEROL	0.007	ND	ND							
OCIMENE	0.007	ND	ND							
PULEGONE	0.007	ND	ND							
SABINENE	0.007	ND	ND							
Total (%)			1.303							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Supply Shake 7g - Rntz x Jlsy (I)

Runtz x Jealousy Matrix : Flower Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Iulio.Chavez@crescolabs.com Sample : DA40807011-007 Harvest/Lot ID: 0001 3428 6432 5195

Batch#:0001 3428 6432

5195 Sampled: 08/07/24 Ordered: 08/07/24 Sample Size Received: 35 gram
Total Amount: 204 units

Completed: 08/11/24 Expires: 08/11/25 Sample Method: SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

esticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	11.11	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010		0.1	PASS	ND
TAL PYRETHRINS	0.010	1.1	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
TAL SPINOSAD	0.010	ppm	0.1	PASS	ND					0.1	PASS	ND
AMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010				
EPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
EQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ETAMIPRID	0.010	1.1	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
DXYSTROBIN	0.010	1.1.	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
ENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
ENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	mag	0.1	PASS	ND
SCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND		ND) *	0.010		0.15	PASS	ND
LORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PC	NB) *					
ORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
LORPYRIFOS	0.010	1.1.	0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
FENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
JMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
ZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
HLORVOS	0.010	11.11	0.1	PASS	ND	Analyzed by: V	Veight:	Evtract	ion date:		Extracted	l hv:
ETHOATE	0.010		0.1	PASS	ND				4 17:17:08		3621	, .
IOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (), SOP.T.40.101	L.FL (Gainesville),
FENPROX	0.010	1.1	0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
XAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA076470PES				On:08/11/24		
IHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PE	5)		Batch Date	e:08/08/24 11	:13:26	
IOXYCARB	0.010		0.1	PASS	ND	Analyzed Date : N/A Dilution : 250						
IPYROXIMATE	0.010		0.1	PASS	ND	Reagent: 080724.R06; 080724.R02;	080724 R01- 080	224 RN	3· 072224 F	819: 073124 RI	01: 081023 01	
RONIL	0.010		0.1	PASS	ND	Consumables : 326250IW			-, -,	, 0,512-110	, 301015.01	
DNICAMID	0.010	1.1	0.1	PASS	ND	Pipette: DA-093; DA-094; DA-219						
JDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is perfor	rmed utilizing Liqui	d Chrom	natography T	Triple-Quadrupo	le Mass Spectror	netry in
KYTHIAZOX	0.010	1.1.	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.						
AZALIL	0.010		0.1	PASS	ND				on date:		Extracted	by:
DACLOPRID	0.010		0.4	PASS	ND	,			17:17:08	.) COD T 40 5	3621	
SOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Analytical Batch : DA076473VOL	Gainesville), SOP.			e), SOP.T.40.15 :08/11/24 10:		
LATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-001				08/08/24 11:15		
TALAXYL	0.010		0.1	PASS	ND	Analyzed Date : 08/08/24 20:30:12		20		, -0,2 : 11:10		
THIOCARB	0.010	1.1.	0.1	PASS	ND	Dilution: 250						
THOMYL	0.010		0.1	PASS	ND	Reagent: 080724.R01; 081023.01; (071024.R46; 0710	24.R47				
VINPHOS	0.010	11.11	0.1	PASS	ND	Consumables: 326250IW; 1472540	1					
CLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-218						
LED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is perfor	rmed utilizing Gas (Chromat	ography Trig	ole-Ouadrupole	Mass Spectrome	trv in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Supply Shake 7g - Rntz x Jlsy (I)

Runtz x Jealousy Matrix: Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA40807011-007 Harvest/Lot ID: 0001 3428 6432 5195

Batch#:0001 3428 6432

Sampled: 08/07/24 **Ordered**: 08/07/24

Sample Size Received: 35 gram Total Amount: 204 units

Completed: 08/11/24 Expires: 08/11/25 Sample Method: SOP.T.20.010

Page 4 of 5



Microbial



otoxins

PASSED

Analyzed by:	Weight:	Extraction	date:	Extracte	d by:	1
TOTAL YEAST AND MOLD	10	CFU/g	49000	PASS	100000	3
ECOLI SHIGELLA			Not Present	PASS		I
SALMONELLA SPECIFIC GENI	E		Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		
ASPERGILLUS TERREUS			Not Present	PASS		
Analyte	LOD	Units	Result	Pass / Fail	Action Level	

3390, 4520, 585, 1440 08/08/24 11:03:51 1.08g Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA076432MIC

Reviewed On: 08/09/24

Batch Date: 08/08/24 Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55*C) 08:40:56

DA-020,Fisher Scientific Isotemp Heat Block (95*C) DA-049,Fisher Scientific Isotemp Heat Block (55*C) DA-021,Fisher Scientific Isotemp Heat Block (55*C) DA-366, Fisher Scientific Isotemp Heat Block (95*C)

Analyzed Date: 08/08/24 15:15:08

Dilution: 10

Reagent: 071824.03; 071824.08; 070324.R37; 072424.09

Consumables: 7573003079
Pipette: N/A

Pipette: N/A			
Analyzed by: 3390, 3621, 585, 1440	Weight: 1.08g	Extraction date: 08/08/24 11:03:51	Extracted by: 3390
Analysis Method: SOP.T.40 Analytical Batch: DA07643 Instrument Used: Incubato DA-382] Analyzed Date: 08/08/24	3TYM r (25*C) DA- 328	Reviewe	ed On: 08/10/24 18:30:48 Pate: 08/08/24 08:41:51
Dilution: 10 Reagent: 071824.03; 0718 Consumables: N/A Pipette: N/A	24.08; 080524.R	113	
Total yeast and mold testing is		g MPN and traditional culture l	based techniques in

accordance with F.S. Rule 64ER20-39.

Ž.	Мус
aluto	

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440	Weight: 0.8685g		Extraction date: 08/08/24 17:17:08			by:

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA076472MYC Reviewed On: 08/09/24 11:08:58 **Batch Date :** 08/08/24 11:15:19 Instrument Used : N/A

Analyzed Date : N/A

Dilution: 250
Reagent: 080724.R06; 080724.R02; 080724.R01; 080224.R03; 072224.R19; 073124.R01;

081023.01 Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

Metal		LOD	Units	Result	Pass / Fail	Action Level		
TOTAL CONTAMINANT	LOAD METAL	S 0.080	ppm	ND	PASS	1.1		
ARSENIC		0.020	ppm	ND	PASS	0.2		
CADMIUM	0.020	ppm	ND	PASS	0.2			
MERCURY		0.020	ppm	ND	PASS	0.2		
LEAD		0.020	ppm	ND	PASS	0.5		
Analyzed by: 1022, 585, 1440	Weight: 0.2738g	Extraction dat 08/08/24 11:3			Extracted by: 4056,1022			

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA076454HEA Instrument Used : DA-ICPMS-004 Analyzed Date: 08/08/24 15:27:51 Reviewed On: 08/09/24 11:10:25 Batch Date: 08/08/24 10:34:14

Dilution: 50

Reagent: 080224.R15; 080524.R22; 080224.R06; 080524.R20; 080524.R21; 061724.01;

080524.R24

Consumables: 179436; 021824CH01; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Supply Shake 7g - Rntz x Jlsy (I)

Runtz x Jealousy Matrix: Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA40807011-007 Harvest/Lot ID: 0001 3428 6432 5195

Batch#:0001 3428 6432

Sampled: 08/07/24 **Ordered**: 08/07/24 Sample Size Received: 35 gram Total Amount: 204 units

Completed: 08/11/24 Expires: 08/11/25 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

PASSED



Moisture

Instrument Used: DA-003 Moisture Analyzer, DA-046 Moisture

Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 Moisture Analyzer

PASSED

Reviewed On: 08/09/24

Batch Date: 08/08/24

Analyte Filth and Foreign Material	LOD 0.100		sult ND	P/F PASS	Action Level	Analyte Moisture Content		LOD 1.00	Units %	Result 14.20	P/F PASS	Action Level
Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date	e:			Analyzed by: 4512, 585, 1440	Weight: 0.507a	Extraction date: 08/08/24 18:17:13		Extracted by: 4512		

Analysis Method: SOP.T.40.090

Analytical Batch : DA076507FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 08/09/24 13:16:31

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Reviewed On: 08/09/24 16:44:26

Batch Date: 08/08/24 22:52:41

Reviewed On: 08/09/24 09:10:42

Batch Date: 08/08/24 11:24:21

Reagent: 092520.50; 020124.02 Consumables : N/A

Pipette: DA-066

Dilution: N/A

Analysis Method: SOP.T.40.021

Analytical Batch: DA076485MOI

Analyzed Date: 08/08/24 18:30:16

isture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

Analyte LOD Units Result P/F **Action Level** PASS Water Activity 0.010 aw 0.556 0.65 Extracted by: 4512 Extraction date: 08/08/24 19:03:33 Analyzed by: 4512, 585, 1440 Weight: 0.621g

Analysis Method: SOP.T.40.019 Analytical Batch: DA076481WAT

Instrument Used : DA257 Rotronic HygroPalm Analyzed Date: 08/09/24 07:59:08

Dilution: N/A

Reagent: 051624.01 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164