



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40807011-022
Harvest/Lot ID: 0001 3428 6438 5391
Batch#: 0001 3428 6438 5391
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale# 1101 3428 6431 6420
Batch Date: 07/31/24
Sample Size Received: 120 ml
Total Amount: 687 units
Retail Product Size: 30 ml
Retail Serving Size: 30 ml
Servings: 1
Sample Density: 1.0 g/mL
Ordered: 07/31/24
Sampled: 08/07/24
Completed: 08/11/24
Sampling Method: SOP.T.20.010

Aug 11, 2024 | Sunnyside
 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS


Pesticides
PASSED


Heavy Metals
PASSED


Microbials
PASSED


Mycotoxins
PASSED


Residuals Solvents
PASSED


Filtration
PASSED


Water Activity
PASSED


Moisture
NOT TESTED

MISC.


Terpenes
TESTED



Cannabinoid

PASSED



Total THC
1.498%
 Total THC/Container : 449.400 mg



Total CBD
0.269%
 Total CBD/Container : 80.700 mg



Total Cannabinoids
1.878%
 Total Cannabinoids/Container : 563.400 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.493	0.006	0.269	ND	<0.010	0.064	ND	0.012	0.010	ND	0.024
mg/unit	447.90	1.80	80.70	ND	<3.00	19.20	ND	3.60	3.00	ND	7.20
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
 1665, 585, 1440

Weight:
 3.175g

Extraction date:
 08/08/24 13:51:32

Extracted by:
 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA076439POT
 Instrument Used : DA-LC-003
 Analyzed Date : 08/08/24 14:00:52

Reviewed On : 08/09/24 09:28:54
 Batch Date : 08/08/24 09:17:15

Dilution : 400
 Reagent : 080624.R05; 060723.24; 080624.R01
 Consumables : 947.109; 04311046; 280670723; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 08/11/24



4131 SW 47th AVENUE SUITE 1408
 DAVIE, FL, 33314, US
 (954) 368-7664

Kaycha Labs

Remedi 1:5 CBD:THC 500mg Tincture- Green Apple
 Green Apple
 Matrix : Derivative
 Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

Sample : DA40807011-022
 Harvest/Lot ID: 0001 3428 6438 5391
 Batch# : 0001 3428 6438 Sample Size Received : 120 ml
 5391 Total Amount : 687 units
 Sampled : 08/07/24 Completed : 08/11/24 Expires: 08/11/25
 Ordered : 08/07/24 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	1116.00	3.720
LIMONENE	0.007	1107.90	3.693
BETA-MYRCENE	0.007	8.10	0.027
3-CARENE	0.007	ND	ND
BORNEOL	0.013	ND	ND
CAMPHENE	0.007	ND	ND
CAMPHOR	0.007	ND	ND
CARYOPHYLLENE OXIDE	0.007	ND	ND
CEDROL	0.007	ND	ND
EUCALYPTOL	0.007	ND	ND
FARNESENE	0.001	ND	ND
FENCHONE	0.007	ND	ND
FENCHYL ALCOHOL	0.007	ND	ND
GERANIOL	0.007	ND	ND
GERANYL ACETATE	0.007	ND	ND
GUAJOL	0.007	ND	ND
HEXAHYDROTHYMOL	0.007	ND	ND
ISOBORNEOL	0.007	ND	ND
ISOPULEGOL	0.007	ND	ND
LINALOOL	0.007	ND	ND
NEROL	0.007	ND	ND
OCIMENE	0.007	ND	ND
PULEGONE	0.007	ND	ND
SABINENE	0.007	ND	ND
SABINENE HYDRATE	0.007	ND	ND
VALENCENE	0.007	ND	ND
ALPHA-BISABOLOL	0.007	ND	ND
ALPHA-CEDRENE	0.005	ND	ND
ALPHA-HUMULENE	0.007	ND	ND
ALPHA-PHELLANDRENE	0.007	ND	ND
ALPHA-PINENE	0.007	ND	ND
Total (%)			3.720

Terpenes	LOD (%)	mg/unit %	Result (%)
ALPHA-TERPINENE	0.007	ND	ND
ALPHA-TERPINEOL	0.007	ND	ND
ALPHA-TERPINOLENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	ND	ND
BETA-PINENE	0.007	ND	ND
CIS-NEROLIDOL	0.003	ND	ND
GAMMA-TERPINENE	0.007	ND	ND
TRANS-NEROLIDOL	0.005	ND	ND

Analyzed by: 4451, 3605, 585, 1440 Weight: 0.2376g Extraction date: 08/08/24 14:02:54 Extracted by: 4451
 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
 Analytical Batch : DA076446TER Released On : 08/09/24 11:10:36
 Instrument Used : DA-GCMS-004 Batch Date : 08/08/24 09:53:15
 Analyzed Date : 08/08/24 14:03:01
 Dilution : 10
 Reagent : 022224.07
 Consumables : 947.109; 230613-634-D; 280670723; CE123
 Pipette : DA-065

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

Signature
 08/11/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40807011-022

Harvest/Lot ID: 0001 3428 6438 5391

Batch# : 0001 3428 6438
5391

Sampled : 08/07/24

Ordered : 08/07/24

Sample Size Received : 120 ml

Total Amount : 687 units

Completed : 08/11/24 Expires: 08/11/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.206g	Extraction date: 08/08/24 17:05:03	Extracted by: 3621		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : DA076463PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	3	PASS	ND	Reagent : 080524.R18; 080724.R02; 080724.R01; 073124.R30; 072224.R19; 073124.R01; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	2	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.206g	Extraction date: 08/08/24 17:05:03	Extracted by: 3621		
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	Analysis Method : DA076466VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010					
IMIDACLOPRID	0.010	ppm	1	PASS	ND	Analyzed Date : 08/08/24 19:58:24					
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	2	PASS	ND	Reagent : 080724.R01; 081023.01; 071024.R46; 071024.R47					
METALAXYL	0.010	ppm	3	PASS	ND	Consumables : 326250IW; 14725401					
METHIACARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/11/24



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

Sample : DA40807011-022

Harvest/Lot ID: 0001 3428 6438 5391

 Batch# : 0001 3428 6438
 5391

Sampled : 08/07/24

Ordered : 08/07/24

Sample Size Received : 120 ml

Total Amount : 687 units

Completed : 08/11/24 Expires: 08/11/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0266g	Extraction date: 08/10/24 17:41:20	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA076551SOL Instrument Used : DA-GCMS-003 Analyzed Date : 08/10/24 17:41:24	Reviewed On : 08/10/24 18:46:25 Batch Date : 08/09/24 12:28:11
-------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------

 Dilution : 1
 Reagent : 030420.09
 Consumables : 429651; 306143
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40807011-022
Harvest/Lot ID: 0001 3428 6438 5391
Batch# : 0001 3428 6438 Sample Size Received : 120 ml
5391 Total Amount : 687 units
Sampled : 08/07/24 Completed : 08/11/24 Expires: 08/11/25
Ordered : 08/07/24 Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
-----------------------------------------------------------------------------------	------------------	---------------	-----------------------------------------------------------------------------------	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3390, 4520, 585, 1440 Weight: 1.062g Extraction date: 08/08/24 10:58:45 Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Reviewed On : 08/09/24 11:12:44 Analytical Batch : DA076440MIC Batch Date : 08/08/24 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-013, Fisher Scientific Isotemp Heat Block (55°C) 09:21:48 DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021, Fisher Scientific Isotemp Heat Block (55°C) DA-366, Fisher Scientific Isotemp Heat Block (95°C) DA-367 Analyzed Date : 08/08/24 15:15:09 Dilution : 10 Reagent : 071824.03; 071824.05; 071824.08; 070324.R37; 072424.09 Consumables : 7573003079 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440 Weight: 0.206g Extraction date: 08/08/24 17:05:03 Extracted by: 3621 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA076465MYC Reviewed On : 08/09/24 11:28:11 Instrument Used : N/A Batch Date : 08/08/24 11:08:35 Analyzed Date : N/A Dilution : 250 Reagent : 080524.R18; 080724.R02; 080724.R01; 073124.R30; 072224.R19; 073124.R01; 081023.01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.203g Extraction date: 08/08/24 12:34:10 Extracted by: 4056 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Reviewed On : 08/09/24 10:51:02 Analytical Batch : DA076456HEA Batch Date : 08/08/24 10:35:47 Instrument Used : DA-ICPMS-004 Analyzed Date : 08/08/24 16:19:46 Dilution : 50 Reagent : 080224.R15; 080524.R22; 080224.R06; 080524.R20; 080524.R21; 061724.01; 080524.R24 Consumables : 179436; 021824CH01; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.203g Extraction date: 08/08/24 12:34:10 Extracted by: 4056 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Reviewed On : 08/09/24 10:51:02 Analytical Batch : DA076456HEA Batch Date : 08/08/24 10:35:47 Instrument Used : DA-ICPMS-004 Analyzed Date : 08/08/24 16:19:46 Dilution : 50 Reagent : 080224.R15; 080524.R22; 080224.R06; 080524.R20; 080524.R21; 061724.01; 080524.R24 Consumables : 179436; 021824CH01; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40807011-022
Harvest/Lot ID: 0001 3428 6438 5391
Batch# : 0001 3428 6438 Sample Size Received : 120 ml
5391 Total Amount : 687 units
Sampled : 08/07/24 Completed : 08/11/24 Expires: 08/11/25
Ordered : 08/07/24 Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign Material **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA076507FIL
Instrument Used : Filth/Foreign Material Microscope
Analyzed Date : 08/09/24 13:16:31
Reviewed On : 08/09/24 16:44:18
Batch Date : 08/08/24 22:52:41

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.593	TESTED	

Analyzed by: 4571, 585, 1440	Weight: 0.5682g	Extraction date: 08/08/24 17:57:52	Extracted by: 4571
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA076484WAT
Instrument Used : DA257 Rotronic HygroPalm
Analyzed Date : 08/08/24 16:38:48
Reviewed On : 08/09/24 08:55:18
Batch Date : 08/08/24 11:30:26

Dilution : N/A
Reagent : 051624.01
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/11/24