



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40807011-023  
Harvest/Lot ID: 1101 3428 6431 6349  
Batch#: 1101 3428 6431 6349  
Cultivation Facility: FL - Indiantown (3734)  
Processing Facility: FL - Indiantown (3734)  
Source Facility: FL - Indiantown (3734)  
Seed to Sale#: 1101 3428 6431 6349  
Batch Date: 07/31/24  
Sample Size Received: 16 gram  
Total Amount: 367 units  
Retail Product Size: 1 gram  
Retail Serving Size: 1 gram  
Servings: 1  
Ordered: 07/31/24  
Sampled: 08/07/24  
Completed: 08/11/24  
Sampling Method: SOP.T.20.010

Aug 11, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**



Total THC

**58.973%**

Total THC/Container : 589.730 mg



Total CBD

**29.497%**

Total CBD/Container : 294.970 mg



Total Cannabinoids

**93.281%**

Total Cannabinoids/Container : 932.810 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	58.789	0.210	29.497	ND	ND	2.829	ND	0.595	0.482	0.100	0.779
mg/unit	587.89	2.10	294.97	ND	ND	28.29	ND	5.95	4.82	1.00	7.79
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:  
1665, 585, 1440

Weight:  
0.1024g

Extraction date:  
08/08/24 13:51:32

Extracted by:  
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA076439POT

Instrument Used : DA-LC-003

Analyzed Date : 08/08/24 14:00:52

Reviewed On : 08/09/24 09:28:57

Batch Date : 08/08/24 09:17:15

Dilution : 400

Reagent : 080624.R05; 060723.24; 080624.R01

Consumables : 947.109; 04311046; 280670723; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/11/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Day Off 1:2 Cartridge 1g

Day Off

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA40807011-023

Harvest/Lot ID: 1101 3428 6431 6349

Batch# : 1101 3428 6431 6349

Sampled : 08/07/24

Ordered : 08/07/24

Sample Size Received : 16 gram

Total Amount : 367 units

Completed : 08/11/24 Expires: 08/11/25

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	54.29	5.429		PULEGONE	0.007	ND	ND	
LIMONENE	0.007	13.55	1.355		SABINENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	9.92	0.992		SABINENE HYDRATE	0.007	ND	ND	
BETA-MYRCENE	0.007	9.15	0.915		VALENCENE	0.007	ND	ND	
LINALOOL	0.007	4.27	0.427		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	2.98	0.298		ALPHA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	2.96	0.296		CIS-NEROLIDOL	0.003	ND	ND	
FENCHYL ALCOHOL	0.007	2.05	0.205		TRANS-NEROLIDOL	0.005	ND	ND	
ALPHA-TERPINEOL	0.007	1.91	0.191		Analysis by:	Weight:	Extraction date:	Extracted by:	
ALPHA-PINENE	0.007	1.78	0.178		4451, 3605, 585, 1440	0.2421g	08/08/24 14:02:54	4451	
ALPHA-HUMULENE	0.007	1.04	0.104		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
GERANIOL	0.007	0.63	0.063		Analytical Batch : DA076446TER			Reviewed On : 08/09/24 11:10:39	
CARYOPHYLLENE OXIDE	0.007	0.61	0.061		Instrument Used : DA-GCMS-004			Batch Date : 08/08/24 09:53:15	
NEROL	0.007	0.53	0.053		Analyzed Date : 08/08/24 14:03:01				
ALPHA-TERPINOLENE	0.007	0.49	0.049		Dilution : 10				
CAMPHENE	0.007	0.47	0.047		Reagent : 022224.07				
GUAIOL	0.007	0.47	0.047		Consumables : 947.109; 230613-634-D; 280670723; CE123				
OCIMENE	0.007	0.30	0.030		Pipette : DA-065				
HEXAHYDROTHYMOL	0.007	0.28	0.028		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
ISOBORNEOL	0.007	0.25	0.025						
ALPHA-CEDRENE	0.005	0.24	0.024						
GAMMA-TERPINENE	0.007	0.21	0.021						
FENCHONE	0.007	0.20	0.020						
3-CARENE	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.001	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
Total (%)			5.429						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/11/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Day Off 1:2 Cartridge 1g

Day Off

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA40807011-023

Harvest/Lot ID: 1101 3428 6431 6349

Batch# : 1101 3428 6431  
6349

Sampled : 08/07/24

Ordered : 08/07/24

Sample Size Received : 16 gram

Total Amount : 367 units

Completed : 08/11/24 Expires: 08/11/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.2368g	Extraction date: 08/08/24 17:05:04	Extracted by: 3621		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA076463PES		Reviewed On : 08/11/24 14:03:11			
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 08/08/24 11:06:41			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : N/A					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 080524.R18; 080724.R02; 080724.R01; 073124.R30; 072224.R19; 073124.R01; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie)	Weight: 0.2368g	Extraction date: 08/08/24 17:05:04	Extracted by: 3621		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA076466VOL		Reviewed On : 08/11/24 14:00:52			
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 08/08/24 11:08:37			
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 08/08/24 19:58:24					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 080724.R01; 081023.01; 071024.R46; 071024.R47					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/11/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Day Off 1:2 Cartridge 1g

Day Off

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA40807011-023

Harvest/Lot ID: 1101 3428 6431 6349

Batch# : 1101 3428 6431  
6349

Sampled : 08/07/24

Ordered : 08/07/24

Sample Size Received : 16 gram

Total Amount : 367 units

Completed : 08/11/24 Expires: 08/11/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.025g

Extraction date:  
08/10/24 17:41:20

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA076551SOL  
Instrument Used : DA-GCMS-003  
Analyzed Date : 08/10/24 17:41:24

Reviewed On : 08/10/24 18:46:26  
Batch Date : 08/09/24 12:28:11

Dilution : 1  
Reagent : 030420.09  
Consumables : 429651; 306143  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/11/24



# Certificate of Analysis

**PASSED**

Sunnyside

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: Julio.Chavez@crescolabs.com

 Sample : DA40807011-023  
 Harvest/Lot ID: 1101 3428 6431 6349  
 Batch# : 1101 3428 6431      Sample Size Received : 16 gram  
 6349      Total Amount : 367 units  
 Sampled : 08/07/24      Completed : 08/11/24 Expires: 08/11/25  
 Ordered : 08/07/24      Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
<b>Analyte</b>			<b>Analyte</b>		
<b>LOD</b>			<b>LOD</b>		
<b>Units</b>			<b>Units</b>		
<b>Result</b>			<b>Result</b>		
<b>Pass / Fail</b>			<b>Pass / Fail</b>		
<b>Action Level</b>			<b>Action Level</b>		
ASPERGILLUS TERREUS			AFLATOXIN B2		
ASPERGILLUS NIGER			AFLATOXIN B1		
ASPERGILLUS FUMIGATUS			OCHRATOXIN A		
ASPERGILLUS FLAVUS			AFLATOXIN G1		
SALMONELLA SPECIFIC GENE			AFLATOXIN G2		
ECOLI SHIGELLA					
TOTAL YEAST AND MOLD					
10			0.002		
CFU/g			ppm		
<10			ND		
PASS			PASS		
100000			0.02		
Analyzed by: 3390, 4520, 585, 1440			Analyzed by: 3379, 585, 1440		
Weight: 1.047g			Weight: 0.2368g		
Extraction date: 08/08/24 10:58:45			Extraction date: 08/08/24 17:05:04		
Extracted by: 3390			Extracted by: 3621		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)		
Analytical Batch : DA076440MIC			Analytical Batch : DA076465MYC		
Reviewed On : 08/09/24 11:12:44			Reviewed On : 08/09/24 11:28:12		
Batch Date : 08/08/24			Batch Date : 08/08/24 11:08:35		
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-013,Fisher Scientific Isotemp Heat Block (55°C) 09:21:48 DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367			Dilution : 250		
Analyzed Date : 08/08/24 15:15:09			Reagent : 080524.R18; 080724.R02; 080724.R01; 073124.R30; 072224.R19; 073124.R01; 081023.01		
Dilution : 10			Consumables : 326250IW		
Reagent : 071824.03; 071824.05; 071824.08; 070324.R37; 072424.09			Pipette : DA-093; DA-094; DA-219		
Consumables : 7573003079			Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.		
Pipette : N/A					
Analyzed by: 3390, 3621, 585, 1440					
Weight: 1.047g					
Extraction date: 08/08/24 10:58:45					
Extracted by: 3390					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL					
Analytical Batch : DA076441TYM					
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]					
Analyzed Date : 08/08/24 12:00:02					
Dilution : 10					
Reagent : 071824.03; 071824.05; 071824.08; 080524.R13					
Consumables : N/A					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	<b>Heavy Metals</b>	<b>PASSED</b>				
<b>Metal</b>		<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>
TOTAL CONTAMINANT LOAD METALS		0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440		Weight: 0.2473g	Extraction date: 08/08/24 12:36:05		Extracted by: 4056	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL		Analytical Batch : DA076456HEA		Reviewed On : 08/09/24 10:51:02		
Instrument Used : DA-ICPMS-004		Analyzed Date : 08/08/24 16:19:46		Batch Date : 08/08/24 10:35:47		
Dilution : 50						
Reagent : 080224.R15; 080524.R22; 080224.R06; 080524.R20; 080524.R21; 061724.01; 080524.R24						
Consumables : 179436; 021824CH01; 210508058						
Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Day Off 1:2 Cartridge 1g  
Day Off  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA40807011-023

Harvest/Lot ID: 1101 3428 6431 6349

Batch# : 1101 3428 6431  
6349

Sampled : 08/07/24

Ordered : 08/07/24

Sample Size Received : 16 gram

Total Amount : 367 units

Completed : 08/11/24 Expires: 08/11/25

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign  
Material**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA076507FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 08/09/24 13:16:31

Reviewed On : 08/09/24 16:44:18

Batch Date : 08/08/24 22:52:41

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.536	PASS	0.85

Analyzed by: 4571, 585, 1440	Weight: 0.2875g	Extraction date: 08/08/24 17:28:04	Extracted by: 4571
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA076484WAT

Instrument Used : DA257 Rotronic HygroPalm

Analyzed Date : 08/08/24 16:38:48

Reviewed On : 08/09/24 08:55:18

Batch Date : 08/08/24 11:30:26

Dilution : N/A

Reagent : 051624.01

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/11/24