

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

SUPPLY

355

Kaycha Labs

Supply Shake 7g - Blue Pave (I) Blue Pave Matrix: Flower Type: Flower-Cured



PASSED

Certificate of Analysis COMPLIANCE FOR RETAIL


Sample:DA40809012-006 Harvest/Lot ID: 0001 3428 6433 0184 Batch#: 0001 3428 6433 0184 Cultivation Facility: FL - Indiantown (3734) Processing Facility : FL - Indiantown (3734) Source Facility : FL - Indiantown (3734) Seed to Sale# 1101 3428 6431 8644 Batch Date: 08/05/24 Sample Size Received: 35 gram Total Amount: 597 units Retail Product Size: 7 gram Retail Serving Size: 7 gram Servings: 1 Ordered: 08/06/24 Sampled: 08/09/24 Completed: 08/13/24 Sampling Method: SOP.T.20.010

Pages 1 of 5

Aug 13, 2024 | Sunnyside 22205 Sw Martin Hwy

indiantown, FL, 34956, US

SAFETY RESULTS



Sunnyside

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 08/13/24



..... Supply Shake 7g - Blue Pave (I) Blue Pave Matrix : Flower Type: Flower-Cured



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA40809012-006 Harvest/Lot ID: 0001 3428 6433 0184 Batch#:0001 3428 6433 0184

Sampled : 08/09/24 Ordered : 08/09/24 Sample Size Received : 35 gram Total Amount : 597 units Completed : 08/13/24 Expires: 08/13/25 Sample Method : SOP.T.20.010

Page 2 of 5

Te	rn	en	es
	• •		

	LOD (%)	mg/unit	t %	Result (%)		Terpenes	LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	52.50	0.750			VALENCENE	0.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	13.23	0.189			ALPHA-CEDRENE	0.005	ND	ND	
IMONENE	0.007	8.89	0.127			ALPHA-PHELLANDRENE	0.007	ND	ND	
INALOOL	0.007	6.79	0.097			ALPHA-PINENE	0.007	ND	ND	
ETA-MYRCENE	0.007	4.97	0.071			ALPHA-TERPINENE	0.007	ND	ND	
LPHA-HUMULENE	0.007	4.34	0.062			ALPHA-TERPINOLENE	0.007	ND	ND	
LPHA-BISABOLOL	0.007	4.13	0.059			CIS-NEROLIDOL	0.003	ND	ND	
LPHA-TERPINEOL	0.007	3.08	0.044			GAMMA-TERPINENE	0.007	ND	ND	
ENCHYL ALCOHOL	0.007	2.80	0.040			Analyzed by:	Weight:	Extrac	tion date:	Extracted by:
RANS-NEROLIDOL	0.005	2.38	0.034			4451, 3605, 585, 4044	1.0466g		24 13:26:05	
ETA-PINENE	0.007	1.89	0.027			Analysis Method : SOP.T.30.061A.FL, SOP.T.4	40.061A.FL			
-CARENE	0.007	ND	ND			Analytical Batch : DA076576TER				/13/24 11:41:12
ORNEOL	0.013	ND	ND			Instrument Used : DA-GCMS-008 Analyzed Date : 08/10/24 15:44:31		Batch	Date : 08/10	0/24 11:54:49
AMPHENE	0.007	ND	ND		i i	Dilution : 10				
AMPHOR	0.007	ND	ND			Reagent : 022224.07				
ARYOPHYLLENE OXIDE	0.007	ND	ND			Consumables : 947.109; 230613-634-D; 280	670723; CE0123			
EDROL	0.007	ND	ND			Pipette : DA-065				
UCALYPTOL	0.007	ND	ND			Terpenoid testing is performed utilizing Gas Chron	natography Mass Spectro	metry. For all F	lower sample	es, the Total Terpenes % is dry-weight corrected.
ARNESENE	0.007	ND	ND							
	0.007	ND	ND							
	0.007									
ENCHONE	0.007	ND	ND							
ENCHONE										
ENCHONE GERANIOL GERANYL ACETATE	0.007	ND	ND							
ENCHONE ERANIOL ERANYL ACETATE JUAIOL	0.007	ND ND	ND ND							
ENCHONE ERANIOL ERANYL ACETATE UAIOL EXAHYDROTHYMOL	0.007 0.007 0.007	ND ND ND	ND ND ND							
ENCHONE ERANIOL ERANYL ACETATE UAIOL EXAHYDROTHYMOL 50BORNEOL	0.007 0.007 0.007 0.007	ND ND ND ND	ND ND ND ND							
ENCHONE ERANIOL ERANYL ACETATE UAIOL EXAHYDROTHYMOL SOBORNEOL SOPULEGOL	0.007 0.007 0.007 0.007 0.007	ND ND ND ND	ND ND ND ND							
ENCHONE ERANIOL ERANYLACETATE UJAOL EXAHYDROTHYMOL EXAHYDROTHYMOL OGUOREOL EROL	0.007 0.007 0.007 0.007 0.007 0.007	ND ND ND ND ND	ND ND ND ND ND							
ENCHONE BERANYL ACETATE BURANYL ACETATE BURANYDROTHYMOL SOBORIEGOL BEROL BEROL CIMEME	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007	ND ND ND ND ND ND	ND ND ND ND ND ND ND							
ENCHONE SERANIL SERANYL ACEATE SUAIOL HEXAHYDROTHYMOL SOBULEGOL SOPULEGOL ULEGONE	0.007 0.007 0.007 0.007 0.007 0.007 0.007	ND ND ND ND ND ND ND	ND ND ND ND ND ND							
FENCHONE SERANYL ACETATE SUAIOL HEXAHYDROTHYMOL SOBORNEOL SOPULEGOL VEROL CUMENE PULEGONE SABINENE HYDRATE	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007	ND ND ND ND ND ND ND ND	ND ND ND ND ND ND ND ND							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/13/24



..... Supply Shake 7g - Blue Pave (I) Blue Pave Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA40809012-006 Harvest/Lot ID: 0001 3428 6433 0184 Batch#:0001 3428 6433

0184 Sampled : 08/09/24 Ordered : 08/09/24 Sample Size Received : 35 gram Total Amount : 597 units Completed : 08/13/24 Expires: 08/13/25 Sample Method : SOP.T.20.010

Page 3 of 5

	ह
l	0

Pesticides

Pesticide		Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	maa	0.1	PASS	ND
TOTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		ppm	3	PASS	ND
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN	0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND				0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE	0.010				
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR	0.010		0.1	PASS	ND
ACEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN	0.010		0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM	0.010		0.5	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN	0.010		0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND				0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB	,			PASS	ND
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *	0.010		0.1		
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *	0.070		0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weid	ht: Extract	ion date:		Extracted	bv:
DIMETHOATE	0.010		0.1	PASS	ND	3379, 585, 4044 1.02		4 20:12:34		450,585	
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Ga	inesville), SOP.T.30.10	2.FL (Davie),	SOP.T.40.101	.FL (Gainesville),
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA076590PES			On:08/13/24		
FENHEXAMID	0.010		0.1	PASS	ND	Instrument Used :DA-LCMS-004 (PES) Analyzed Date :N/A		Batch Date	:08/10/24 12	:51:13	
FENOXYCARB	0.010		0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010		0.1	PASS	ND	Reagent : 080724.R06; 080724.R02; 08	30724.R01: 080924.R0	5: 072224.R	19: 073124.RC	01:081023.01	
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW				,	
FLONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performe	d utilizing Liquid Chron	natography Ti	riple-Quadrupo	le Mass Spectror	netry in
HEXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by: Weigh 450, 585, 4044 1.022		on date: 20:12:34		Extracted 450,585	oy:
IMIDACLOPRID	0.010		0.4	PASS	ND	450, 585, 4044 1.0220 Analysis Method : SOP.T.30.151.FL (Ga) COD T 40.15		
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method : SOP.1.30.131.FL (Ga Analytical Batch : DA076593VOL			:08/13/24 17:		
MALATHION	0.010		0.2	PASS	ND	Instrument Used :DA-GCMS-001			8/10/24 12:56		
METALAXYL	0.010		0.1	PASS	ND	Analyzed Date :08/12/24 20:34:13					
METHIOCARB	0.010		0.1	PASS	ND	Dilution : 250					
METHOMYL	0.010		0.1	PASS	ND	Reagent: 080724.R01; 081023.01; 071	.024.R46; 071024.R47				
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performe accordance with F.S. Rule 64ER20-39.	a utilizing Gas Chroma	tography Trip	ie-Quadrupole	Mass Spectrome	ery in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/13/24

PASSED

PASSED



Supply Shake 7g - Blue Pave (I) Blue Pave Matrix : Flower Type: Flower-Cured



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA40809012-006 Harvest/Lot ID: 0001 3428 6433 0184 Batch# : 0001 3428 6433 Sample

0184 Sampled : 08/09/24 Ordered : 08/09/24 Sample Size Received : 35 gram Total Amount : 597 units Completed : 08/13/24 Expires: 08/13/25 Sample Method : SOP.T.20.010

Page 4 of 5

(J.	Micro	bial			PAS	SED	သို့	Му	cotox	ins			PAS	SED
Analyte		LC	DD Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS	Lever	AFLATOXIN	32		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER			Not Present	PASS		AFLATOXIN	31		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXII	A		0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
	A SPECIFIC GE	NE		Not Present	PASS		AFLATOXIN	52		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE	T AND MOLD	1	0 CFU/g	Not Present 8000	PASS PASS	100000	Analyzed by: 3379, 585, 404	4	Weight: 1.0228g	Extraction da 08/12/24 20:			xtracted 150,585	by:
Analyzed by: 4520, 3390, 58	35, 4044	Weight: 1.05g	Extraction d 08/10/24 12		Extracte 4520	d by:	Analysis Metho SOP.T.30.102.			nesville), SOP.T. .FL (Davie)	40.101.FL	. (Gainesv	ille),	
	od : SOP.T.40.05 ch : DA076574M).058.FL, SOP.T.	Re	eviewed On	:08/13/24	Analytical Bate Instrument Use Analyzed Date	ed:N/A	2MYC			8/13/24 1 10/24 12:		
2720 Thermoc DA-020,Fisher Scientific Isote Heat Block (55 DA-367	ed : PathogenDx cycler DA-013,Fis Scientific Isoter emp Heat Block (5*C) DA-366,Fish : 08/10/24 12:0	sher Scientifi np Heat Bloc (55*C) DA-02 ier Scientific	c Isotemp Heat k (95*C) DA-049 1,Fisher Scienti	Block (55*C)1(),Fisher fic Isotemp	atch Date : ():22:57		081023.01 Consumables : Pipette : DA-09	326250IW 3; DA-094;	DA-219	0724.R01; 0809				
-	: 00/10/24 12:0	0:20					 accordance with 			graphy with hipit	, quuurupo	ic huss spe	lear onnear y	
Dilution : 10 Reagent : 0718 Consumables : Pipette : N/A	824.03; 071824. 7573003052	13; 071824.	27; 070324.R37	; 072424.09			Hg	Неа	vy Me	etals			PAS	SED
Analyzed by: 3390, 585, 404			Extraction date: 08/10/24 12:08:2	20	Extracted 4520	by:	Metal			LOD	Units	Result		Action
	d: SOP.T.40.20		e), SOP.T.40.209				TOTAL CONT			LS 0.080	ppm	ND	Fail PASS	Level
	<pre>ch : DA076575T\ ed : Incubator (2</pre>		R [calibrated wit		Dn : 08/13/2		ARSENIC	APIINANTI	OAD METAL	0.020	ppm	ND	PASS	0.2
DA-382]	eu . meubator (2	.J C) DA- J2	o [cambrated wit	Daten Date	. 00/10/24	10.25.50	CADMIUM			0.020	ppm	ND	PASS	0.2
Analyzed Date	:08/12/24 13:4	7:10					MERCURY			0.020	ppm	ND	PASS	0.2
Dilution: 10							LEAD			0.020	ppm	ND	PASS	0.5
Reagent : 0718 Consumables : Pipette : N/A	824.03; 071824. N/A	.13; 071824.	27; 080524.R13				Analyzed by: 4056, 1022, 58	5, 4044	Weight 0.2504				Extracted 3807,405	
Total yeast and	mold testing is pe n F.S. Rule 64ER20		ng MPN and traditi	onal culture base	ed techniques	s in	Analysis Metho Analytical Bato Instrument Us Analyzed Date	h:DA07657 ed:DA-ICPM	9HEA S-004	Reviewe		/13/24 11: 0/24 12:3:		
							Dilution : 50 Reagent : 0802 080524.R24 Consumables :			0924.R04; 0805 10508058	524.R20; C)80524.R2	1; 06172	4.01;

Consumables : 179436; 021824CH01; 210508058 Pipette : DA-061; DA-191; DA-216

iperre : DA-001, DA-131, DA-210

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sellion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/13/24



Supply Shake 7g - Blue Pave (I) Blue Pave Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA40809012-006 Harvest/Lot ID: 0001 3428 6433 0184 Batch# : 0001 3428 6433 Sample 0184 Total An

Sampled : 08/09/24 Ordered : 08/09/24 Sample Size Received : 35 gram Total Amount : 597 units Completed : 08/13/24 Expires: 08/13/25 Sample Method : SOP.T.20.010



Filth/Foreign Material





PASSED

Action Level

PASSED

Page 5 of 5

Result

P/F

gn Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level	Analyte Moisture
Analyzed by: Weight: 1879, 585, 4044 lg						Analyzed 4512, 585
DA076578FIL Filth/Foreign Ma		oscope				Analysis M Analytical Instrumen
Δ						Analyzer,[Analyser,[Analyzed I
			spection utilizi	ng naked ey	ve and microscope	Dilution : Reagent : Consumab Pipette :
Water	Activ	ity		ΡΑ	SSED	Moisture Co
	LOD	Units	Result	P/F	Action Level	
	lg : SOP.T.40.090 DA076578FIL : Filth/Foreign M 8/11/24 11:51:0 A aterial inspection is ordance with F.S. f	gn Material 0.100 Weight: Ext 1g 08/ SOP.T.40.090 DA076578FIL : Filth/Foreign Material Micro 8/11/24 11:51:05 A A A A A A A A A A A A A	gn Material 0.100 % Weight: Extraction da 1g 08/12/24 01: SOP.T.40.090 DA076578FIL : Filth/Foreign Material Microscope 8/11/24 11:51:05 A A aterial inspection is performed by visual in ordance with F.S. Rule 64ER20-39.	gn Material 0.100 % ND Weight: Extraction date: 08/12/24 01:34:51 1g 08/12/24 01:34:51 SOP.T.40.090 Reviewed DA076578FIL Reviewed Batch Dat Batch Dat 8/11/24 11:51:05 A A aterial inspection is performed by visual inspection utilizion ordance with F.S. Rule 64ER20-39. Water Activity	gn Material 0.100 ND PASS Weight: Extraction date: Extraction date: 1g 08/12/24 01:34:51 N/ : SOP.T.40.090 DA076578FIL Reviewed On: 08/12 : Filth/Foreign Material Microscope Batch Date: 08/10/2 8/11/24 11:51:05 A	gn Material 0.100 % ND PASS 1 Weight: Extraction date: Extracted by: N/A :: SOP.T.40.090 DA076578FIL N/A N/A :: Filth/Foreign Material Microscope Reviewed On : 08/11/24 12:01:35 Batch Date : 08/10/24 12:30:20 : A A A A Water Activity PASS ED PASSEED

Moisture Content		1.00	%	13.80) PASS	15
Analyzed by: 4512, 585, 4044	Weight: 0.501g					tracted by:
Analytical Batch : DA0765 Instrument Used : DA-003 Analyzer,DA-263 Moisture Analyser,DA-385 Moisture	87MOI Moisture A Analyser,E Analyzer			1 oisture E	0:35:37 Batch Date :	
Dilution : N/A Reagent : 092520.50; 020 Consumables : N/A Pipette : DA-066	0124.02					
	Analyzed by: 4512, 585, 4044 Analysis Method : SOP.T.4 Analytical Batch : DA0765 Instrument Used : DA-003 Analyzer, DA-263 Moisture Analyzer DA-385 Moisture Analyzed Date : 08/11/24 Dilution : N/A Reagent : 092520.50; 020 Consumables : N/A	Analyzed by: 4512, 585, 4044 4512, 585, 4044 Analysis Method : SOP.T.40.021 Analytical Batch : DA076587MOI Instrument Used : DA-003 Moisture A Analyzer, DA-263 Moisture Analyzer, Analyzer DA-385 Moisture Analyzer Analyzed Date : 08/11/24 14:02:48 Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A	Analyzed by: Weight: Ex 4512, 585, 4044 0.501g 06 Analysis Method : SOP.T.40.021 Analytical Batch : DA076587MOI Instrument Used : DA-003 Moisture Analyzer Analyzer,DA-263 Moisture Analyzer Analyzed Date : 08/11/24 14:02:48 Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A	Analyzed by: Analyzed by: 4512, 585, 4044 Analysis Method : SOP.T.40.021 Analytical Batch : DA076587MOI Instrument Used : DA-003 Moisture Analyzer, DA-046 M Analyzer, DA-263 Moisture Analyzer, DA-264 Moisture Analyzed Date : 08/11/24 14:02:48 Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A	Analyzed by: Analyzed by: Analyzed by: Analysis Method : SOP.T.40.021 Analytical Batch : DA076587MOI Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyzer,DA-264 Moisture Analyzer,DA-385 Moisture Analyzer Analyzed Date : 08/11/24 14:02:48 Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A	Analyzed by: 4512, 585, 4044 Analyzed by: 4512, 585, 4044 Analysis Method : SOP.T.40.021 Analytical Batch : DA076587MOI Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyzer, DA-264 Moisture Analyzer DA-385 Moisture Analyzer Analyzed Date : 08/11/24 14:02:48 Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A

LOD Units

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

Analyte Water Activity		LOD 0.010	Units aw	R	lesult 0.506	P/F PASS	Action Level 0.65
Analyzed by: 4512, 585, 4044	Weight: 1.059g		traction c /11/24 14				tracted by:
Analysis Method : SOP Analytical Batch : DA0 Instrument Used : DA- (Probe) Analyzed Date : 08/11	76591WAT 324 Rotronic Hy	gropal	m HC2-A\	V			08/13/24 09:42:34 3/10/24 12:55:00
Dilution : N/A Reagent : 051624.01 Consumables : PS-14 Pipette : N/A							

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/13/24