




# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40812005-002  
Harvest/Lot ID: 1101 3428 6431 9250  
Batch#: 1101 3428 6431 9250  
Cultivation Facility: FL - Indiantown (3734)  
Processing Facility: FL - Indiantown (3734)  
Source Facility: FL - Indiantown (3734)  
Seed to Sale#: 1101 3428 6431 9727  
Batch Date: 08/07/24  
Sample Size Received: 70 gram  
Total Amount: 1002 units  
Retail Product Size: 14 gram  
Retail Serving Size: 14 gram  
Servings: 1  
Ordered: 08/08/24  
Sampled: 08/12/24  
Completed: 08/15/24  
Sampling Method: SOP.T.20.010

Aug 15, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**NOT TESTED**



Filth  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**



Total THC

**23.397%**

Total THC/Container : 3275.580 mg



Total CBD

**0.075%**

Total CBD/Container : 10.500 mg



Total Cannabinoids

**27.613%**

Total Cannabinoids/Container : 3865.820 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.328	26.305	ND	0.086	0.062	0.089	0.669	ND	ND	ND	0.074
mg/unit	45.92	3682.70	ND	12.04	8.68	12.46	93.66	ND	ND	ND	10.36
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analized by:  
3335, 1665, 585, 1440

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA076669POT  
Instrument Used : DA-LC-002  
Analized Date : 08/13/24 13:43:50

Dilution : 400  
Reagent : 080624.R05; 060723.24; 080624.R01  
Consumables : 947.109; 021824CH01; CE0123; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Weight:  
0.212g

Extraction date:  
08/13/24 13:15:11

Extracted by:  
3335

Reviewed On : 08/14/24 09:54:22  
Batch Date : 08/13/24 10:07:51

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/15/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Sr Apls Bnanas (S)  
Sour Apples and Bananas  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA40812005-002

Harvest/Lot ID: 1101 3428 6431 9250

Batch# : 1101 3428 6431 9250

Sampled : 08/12/24

Ordered : 08/12/24

Sample Size Received : 70 gram

Total Amount : 1002 units

Completed : 08/15/24 Expires: 08/15/25

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	212.94	1.521		SABINENE HYDRATE	0.007	ND	ND	
LIMONENE	0.007	53.20	0.380		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	53.20	0.380		ALPHA-CEDRENE	0.005	ND	ND	
BETA-MYRCENE	0.007	30.38	0.217		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	18.62	0.133		ALPHA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	18.06	0.129		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	9.52	0.068		CIS-NEROLIDOL	0.003	ND	ND	
BETA-PINENE	0.007	9.38	0.067		GAMMA-TERPINENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	5.88	0.042		Analysis by:	Weight:	Extraction date:	Extracted by:	
ALPHA-PINENE	0.007	5.88	0.042		3605, 585, 1440	1.0097g	08/13/24 12:52:42	3605	
ALPHA-TERPINEOL	0.007	5.88	0.042		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
TRANS-NEROLIDOL	0.005	2.94	0.021		Analytical Batch : DA076663TER			Reviewed On : 08/14/24 10:10:23	
3-CARENE	0.007	ND	ND		Instrument Used : DA-GCMS-004			Batch Date : 08/13/24 09:23:25	
BORNEOL	0.013	ND	ND		Analyzed Date : 08/13/24 12:53:01				
CAMPHENE	0.007	ND	ND		Dilution : 10				
CAMPHOR	0.007	ND	ND		Reagent : 022224.07				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Consumables : 947.109; 230613-634-D; 280670723; CE123				
CEDROL	0.007	ND	ND		Pipette : DA-065				
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FARNESENE	0.001	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAJOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			1.521						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/15/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Sr Apls Bnanas (S)  
Sour Apples and Bananas  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40812005-002

Harvest/Lot ID: 1101 3428 6431 9250

Batch# : 1101 3428 6431  
9250

Sampled : 08/12/24  
Ordered : 08/12/24

Sample Size Received : 70 gram

Total Amount : 1002 units

Completed : 08/15/24 Expires: 08/15/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	1.1947g	08/13/24 14:42:26	3621		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA076680PES		Reviewed On : 08/15/24 14:27:59			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 08/13/24 10:28:21			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 081224.R05; 080724.R02; 080724.R01; 080924.R06; 072224.R19; 073124.R01; 081023.01					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	1.1947g	08/13/24 14:42:26	3621		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA076685VOL		Reviewed On : 08/14/24 17:02:45			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 08/13/24 10:31:27			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 08/13/24 16:34:48					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 080724.R01; 081023.01; 071024.R46; 071024.R47					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/15/24



# Certificate of Analysis

**PASSED**

Sunnyside

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: julio.Chavez@crescolabs.com

Sample : DA40812005-002

Harvest/Lot ID: 1101 3428 6431 9250

 Batch# : 1101 3428 6431  
 9250

 Sampled : 08/12/24  
 Ordered : 08/12/24



Sample Size Received : 70 gram

Total Amount : 1002 units

Completed : 08/15/24 Expires: 08/15/25

Sample Method : SOP.T.20.010

Page 4 of 5

 <b>Microbial</b> <b>PASSED</b>						 <b>Mycotoxins</b> <b>PASSED</b>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	7000	PASS	100000						
Analyzed by: 3390, 4612, 585, 1440 Weight: 1.176g Extraction date: 08/13/24 18:33:57 Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA076661MIC Instrument Used : PathogenDx Scanner DA-111, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021, Fisher Scientific Isotemp Heat Block (55°C) DA-366, Fisher Scientific Isotemp Heat Block (95°C) DA-367 Analyzed Date : 08/13/24 17:16:39 Dilution : 10 Reagent : 071824.14; 071824.41; 070324.R37; 072424.09 Consumables : 7573003055 Pipette : N/A						Analyzed by: 3379, 585, 1440 Weight: 1.1947g Extraction date: 08/13/24 14:42:26 Extracted by: 3621 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA076684MYC Instrument Used : N/A Analyzed Date : N/A Dilution : 250 Reagent : 081224.R05; 080724.R02; 080724.R01; 080924.R06; 072224.R19; 073124.R01; 081023.01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Reviewed On : 08/14/24 11:54:38 Batch Date : 08/13/24 09:20:51						Reviewed On : 08/15/24 14:24:50 Batch Date : 08/13/24 10:31:26					
<b>Heavy Metals</b> <b>PASSED</b>											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1						
ARSENIC	0.020	ppm	ND	PASS	0.2						
CADMIUM	0.020	ppm	ND	PASS	0.2						
MERCURY	0.020	ppm	ND	PASS	0.2						
LEAD	0.020	ppm	ND	PASS	0.5						
Analyzed by: 4056, 1022, 585, 1440 Weight: 0.2909g Extraction date: 08/13/24 11:25:04 Extracted by: 4056 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA076679HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 08/13/24 21:22:14 Dilution : 50 Reagent : 080224.R15; 081224.R03; 080924.R04; 081224.R01; 081224.R02; 061724.01; 080524.R24 Consumables : 179436; 021824CH01; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Sr Apls Bnanas (S)  
Sour Apples and Bananas  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40812005-002

Harvest/Lot ID: 1101 3428 6431 9250

Batch# : 1101 3428 6431  
9250

Sampled : 08/12/24

Ordered : 08/12/24

Sample Size Received : 70 gram

Total Amount : 1002 units

Completed : 08/15/24 Expires: 08/15/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	12.12	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 08/14/24 19:00:22		Extracted by: 1879		Analyzed by: 4512, 585, 1440	Weight: 0.501g	Extraction date: 08/13/24 13:34:58		Extracted by: 4512	
Analysis Method : SOP.T.40.090 Analytical Batch : DA076748FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 08/14/24 20:04:51						Analysis Method : SOP.T.40.021 Analytical Batch : DA076683MOI Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 Moisture Analyzer Analyzed Date : 08/13/24 14:17:38					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.											



Water Activity

PASSED

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.503	PASS	0.65
Analyzed by: 4512, 585, 1440	Weight: 0.762g	Extraction date: 08/13/24 12:47:30	Extracted by: 4512		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA076694WAT			Reviewed On : 08/14/24 08:19:28		
Instrument Used : DA257 Rotronic HygroPalm			Batch Date : 08/13/24 11:36:09		
Analyzed Date : 08/13/24 13:07:07					
Dilution : N/A					
Reagent : 051624.01					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/15/24