



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40814010-004
 Harvest/Lot ID: 1101 3428 6431 9398
 Batch#: 1101 3428 6431 9398
 Cultivation Facility: FL - Indiantown (3734)
 Processing Facility: FL - Indiantown (3734)
 Source Facility: FL - Indiantown (3734)
 Seed to Sale#: 1101 3428 6432 0956
 Batch Date: 08/08/24
 Sample Size Received: 410 gram
 Total Amount: 3003 units
 Retail Product Size: 44.0580 gram
 Retail Serving Size: 41 gram
 Servings: 1
 Ordered: 08/12/24
 Sampled: 08/14/24
 Completed: 08/18/24
 Sampling Method: SOP.T.20.010

Aug 18, 2024 | Sunnyside
 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS

| | | | | | | | | |
|---|---|---|---|---|--|---|---|---|
|  Pesticides PASSED |  Heavy Metals PASSED |  Microbials PASSED |  Mycotoxins PASSED |  Residuals Solvents PASSED |  Filtration PASSED |  Water Activity PASSED |  Moisture NOT TESTED |  Terpenes NOT TESTED |
|---|---|---|---|---|--|---|---|---|

Cannabinoid PASSED



| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 0.236 | ND | ND | ND | ND | 0.004 | ND | ND | 0.002 | ND | ND |
| mg/unit | 103.98 | ND | ND | ND | ND | 1.76 | ND | ND | 0.88 | ND | ND |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| | % | % | % | % | % | % | % | % | % | % | % |

| | | | |
|---------------------------------------|--------------------|---------------------------------------|-----------------------|
| Analized by: 3335, 1665, 585, 1440 | Weight: 2.9044g | Extraction date: 08/15/24 14:11:11 | Extracted by: 3335 |
|---------------------------------------|--------------------|---------------------------------------|-----------------------|

| | |
|--|---------------------------------|
| Analysis Method : SOP.T.40.031, SOP.T.30.031 | Reviewed On : 08/18/24 15:12:37 |
| Analytical Batch : DA076790POT | Batch Date : 08/15/24 11:27:36 |
| Instrument Used : DA-LC-007 | |
| Analyzed Date : 08/15/24 14:27:16 | |

Dilution : 40
 Reagent : 061724.01; 081524.R01; 070122.11; 060723.24; 081524.R03
 Consumables : 947.109; 021824CH01; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 08/18/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40814010-004

Harvest/Lot ID: 1101 3428 6431 9398

Batch# : 1101 3428 6431
9398

Sampled : 08/14/24
Ordered : 08/14/24

Sample Size Received : 410 gram

Total Amount : 3003 units

Completed : 08/18/24 Expires: 08/18/25
Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|---------------------------|--|------------------------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 30 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 3 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.2 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 1 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 3 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.4 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 3 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.3 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 3 | PASS | ND | PYRIDABEN | 0.010 | ppm | 3 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 2 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 3 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 3 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 3 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 3 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 3 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.5 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 1 | PASS | ND |
| BOSCALID | 0.010 | ppm | 3 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 3 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.050 | PPM | 0.2 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.050 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 3 | PASS | ND | CAPTAN * | 0.350 | PPM | 3 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 3 | PASS | ND | CHLORDANE * | 0.050 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.050 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.5 | PASS | ND | CYFLUTHRIN * | 0.250 | PPM | 1 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.250 | PPM | 1 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 3 | PASS | ND | Analyzed by: 3379, 585, 1440 | Weight: 1.1031g | Extraction date: 08/15/24 16:11:01 | Extracted by: 3379 | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) | | | | | |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA076797PES | | Reviewed On : 08/18/24 14:46:18 | | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-004 (PES) | | Batch Date : 08/15/24 11:44:02 | | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : N/A | | | | | |
| ETOXAZOLE | 0.010 | ppm | 1.5 | PASS | ND | Dilution : 250 | | | | | |
| FENHEXAMID | 0.010 | ppm | 3 | PASS | ND | Reagent : 081224.R06; 081424.R02; 081424.R01; 080924.R05; 072224.R19; 081424.R03; 081023.01 | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 326250IW | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 2 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| FLONICAMID | 0.010 | ppm | 2 | PASS | ND | Analyzed by: 450, 585, 1440 | Weight: 1.1031g | Extraction date: 08/15/24 16:11:01 | Extracted by: 3379 | | |
| FLUDIOXONIL | 0.010 | ppm | 3 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 2 | PASS | ND | Analytical Batch : DA076799VOL | | Reviewed On : 08/18/24 14:44:42 | | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-GCMS-001 | | Batch Date : 08/15/24 11:46:14 | | | |
| IMIDACLOPRID | 0.010 | ppm | 1 | PASS | ND | Analyzed Date : 08/15/24 20:33:33 | | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 1 | PASS | ND | Dilution : 250 | | | | | |
| MALATHION | 0.010 | ppm | 2 | PASS | ND | Reagent : 081424.R01; 081023.01; 081524.R31; 081524.R32 | | | | | |
| METALAXYL | 0.010 | ppm | 3 | PASS | ND | Consumables : 326250IW; 14725401 | | | | | |
| METHIACARB | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 3 | PASS | ND | | | | | | |
| NALED | 0.010 | ppm | 0.5 | PASS | ND | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/18/24



Certificate of Analysis

PASSED
Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

Sample : DA40814010-004

 Harvest/Lot ID: 1101 3428 6431 9398
 Batch#: 1101 3428 6431 9398
 Sample Size Received : 410 gram
 Total Amount : 3003 units
 Completed : 08/18/24 Expires: 08/18/25
 Ordered : 08/14/24
 Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| ETHANOL | 500.000 | ppm | | TESTED | ND |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |

| | | | |
|---------------------------------------|---------------------------|--|-----------------------------|
| Analyzed by: 850, 585, 1440 | Weight: 0.0292g | Extraction date: 08/15/24 16:38:52 | Extracted by: 850 |
|---------------------------------------|---------------------------|--|-----------------------------|

| | |
|---|---|
| Analysis Method : SOP.T.40.041.FL Analytical Batch : DA076821SOL Instrument Used : DA-GCMS-003 Analyzed Date : 08/16/24 10:23:43 | Reviewed On : 08/16/24 10:54:02 Batch Date : 08/15/24 13:32:27 |
|---|---|

Dilution : 1
Reagent : 030420.09
Consumables : 429659; 315545
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40814010-004
Harvest/Lot ID: 1101 3428 6431 9398
Batch#: 1101 3428 6431 9398
Sample Size Received : 410 gram
Total Amount : 3003 units
Sampled : 08/14/24
Completed : 08/18/24 Expires: 08/18/25
Ordered : 08/14/24
Sample Method : SOP.T.20.010

Page 4 of 5

| | | | | | |
|---|------------------|---------------|---|-------------------|---------------|
|  | Microbial | PASSED |  | Mycotoxins | PASSED |
|---|------------------|---------------|---|-------------------|---------------|

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|--------------------------|-------|-------|-------------|-------------|--------------|
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | |
| ECOLI SHIGELLA | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10.00 | CFU/g | <10 | PASS | 100000 |

Analyzed by: 3390, 4520, 585, 1440
Weight: 1.05g
Extraction date: 08/15/24 11:22:30
Extracted by: 4520
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA076771MIC
Reviewed On : 08/16/24 12:41:41
Batch Date : 08/15/24
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) 09:28:39 DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021, Fisher Scientific Isotemp Heat Block (55°C) DA-366, Fisher Scientific Isotemp Heat Block (95°C) DA-367
Analyzed Date : 08/15/24 19:19:35
Dilution : 10
Reagent : 071824.16; 071824.32; 070324.R37; 081324.R26; 072424.12
Consumables : 7573004030
Pipette : N/A

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|--------------|------|-------|--------|-------------|--------------|
| AFLATOXIN B2 | 0.00 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | 0.00 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | 0.00 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | 0.00 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G2 | 0.00 | ppm | ND | PASS | 0.02 |

Analyzed by: 3379, 585, 1440
Weight: 1.1031g
Extraction date: 08/15/24 16:11:01
Extracted by: 3379
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA076798MYC
Reviewed On : 08/16/24 12:35:07
Instrument Used : N/A
Batch Date : 08/15/24 11:46:12
Analyzed Date : N/A
Dilution : 250
Reagent : 081224.R06; 081424.R02; 081424.R01; 080924.R05; 072224.R19; 081424.R03; 081023.01
Consumables : 326250IW
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|-------------------------------|------|-------|--------|-------------|--------------|
| TOTAL CONTAMINANT LOAD METALS | 0.08 | ppm | ND | PASS | 5 |
| ARSENIC | 0.02 | ppm | ND | PASS | 1.5 |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.5 |
| MERCURY | 0.02 | ppm | ND | PASS | 3 |
| LEAD | 0.02 | ppm | ND | PASS | 0.5 |

Analyzed by: 4520, 3621, 585, 1440
Weight: 1.05g
Extraction date: 08/15/24 11:22:30
Extracted by: 4520
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA076772TYM
Reviewed On : 08/18/24 15:05:23
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]
Batch Date : 08/15/24 09:31:09
Analyzed Date : 08/15/24 12:57:01
Dilution : 10
Reagent : 071824.16; 071824.32; 080524.R13
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

| Metal | LOD | Units | Result | Pass / Fail | Action Level |
|-------------------------------|------|-------|--------|-------------|--------------|
| TOTAL CONTAMINANT LOAD METALS | 0.08 | ppm | ND | PASS | 5 |
| ARSENIC | 0.02 | ppm | ND | PASS | 1.5 |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.5 |
| MERCURY | 0.02 | ppm | ND | PASS | 3 |
| LEAD | 0.02 | ppm | ND | PASS | 0.5 |

Analyzed by: 4056, 585, 1022, 1440
Weight: 0.2001g
Extraction date: 08/15/24 14:54:01
Extracted by: 4056
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA076782HEA
Reviewed On : 08/16/24 16:10:59
Instrument Used : DA-ICPMS-004
Batch Date : 08/15/24 10:54:57
Analyzed Date : 08/15/24 17:52:21
Dilution : 50
Reagent : 080224.R15; 081224.R03; 080924.R04; 081224.R01; 081224.R02; 061724.01; 081424.R39
Consumables : 179436; 021824CH01; 210508058
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
08/18/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40814010-004

Harvest/Lot ID: 1101 3428 6431 9398

Batch#: 1101 3428 6431 9398

Sampled : 08/14/24
Ordered : 08/14/24

Sample Size Received : 410 gram

Total Amount : 3003 units

Completed : 08/18/24 Expires: 08/18/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material PASSED

Homogeneity PASSED

Amount of tests conducted : 26

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 |

Analyzed by: 1879, 585, 1440 Weight: 1g Extraction date: 08/15/24 14:12:18 Extracted by: N/A

Analysis Method : SOP.T.40.090
Analytical Batch : DA076823FIL Reviewed On : 08/15/24 14:09:08
Instrument Used : Filth/Foreign Material Microscope Batch Date : 08/15/24 13:45:54
Analyzed Date : 08/15/24 14:02:40

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw | 0.684 | PASS | 0.85 |

Analyzed by: 4512, 585, 1440 Weight: 4.0673g Extraction date: 08/15/24 16:10:05 Extracted by: 4512

Analysis Method : SOP.T.40.019
Analytical Batch : DA076792WAT Reviewed On : 08/16/24 08:07:29
Instrument Used : DA257 Rotronic HygroPalm Batch Date : 08/15/24 11:28:37
Analyzed Date : 08/15/24 16:12:37

Dilution : N/A
Reagent : 051624.01
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

| Analyte | LOD | Units | Pass/Fail | Result | Action Level |
|-------------------------------|-------|-------|-----------|--------|--------------|
| TOTAL THC - HOMOGENEITY (RSD) | 0.001 | % | PASS | 9.261 | 25 |

Analyzed by: 4351, 3702, 585, 1440 Average Weight: 4.32g Extraction date : 08/15/24 15:12:11 Extracted By : 4351

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL
Analytical Batch : DA076766HOM Reviewed On : 08/18/24 15:11:25
Instrument Used : DA-LC-004 Batch Date : 08/15/24 08:36:38
Analyzed Date : 08/15/24 15:30:34

Dilution : 40
Reagent : 080924.R22; 030322.03; 020124.02; 080924.R18
Consumables : 947.109; 04311046; LCJ0311R; 021824CH01; 250346; 1009056395; R1KB14270
Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

