

**COMPLIANCE FOR RETAIL** 

# **Kaycha Labs**

Sunnyside Chews 100mg 10pk Blue Raspberry

Blue Raspberry Matrix: Edible



Type: Soft Chew

Harvest/Lot ID: 1101 3428 6432 0695

Batch#: 1101 3428 6432 0695

Sample:DA40817002-003

Cultivation Facility: FL - Indiantown (3734) Processing Facility: FL - Indiantown (3734)

Source Facility: FL - Indiantown (3734) Seed to Sale# 1101 3428 6432 2344

Batch Date: 08/12/24

Sample Size Received: 574 gram

Total Amount: 3636 units

Retail Product Size: 42.1916 gram Retail Serving Size: 41 gram

Servings: 1

**PASSED** 

Sampled: 08/17/24

Ordered: 08/14/24

**Completed:** 08/21/24 Sampling Method: SOP.T.20.010

Aug 21, 2024 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US

Sunnyside<sup>3</sup>

10 Chews (10mg THC ea.)

Chews



Pages 1 of 5

### SAFETY RESULTS



Pesticides **PASSED** 



**Heavy Metals PASSED** 



**Certificate of Analysis** 

Microbials **PASSED** 



**Mycotoxins PASSED** 



Residuals Solvents **PASSED** 



**PASSED** 



Water Activity **PASSED** 



**NOT TESTED** 



MISC.

**Terpenes** NOT **TESTED** 

**PASSED** 



## Cannabinoid

**Total THC** 

0.241% Total THC/Container: 101.682 mg



**Total CBD** 

Total CBD/Container: 0.000 mg

Reviewed On: 08/20/24 15:23:10

Batch Date: 08/19/24 07:20:38



**Total Cannabinoids** 

Total Cannabinoids/Container: 105.479

	nalyzed by: 335, 1665, 585	, 1440			Weight: 3.144g		Extraction date: 08/19/24 11:31:2	1			Extracted by: 3335	
0.241 ND ND ND ND 0.004 ND 0.003 ND ND 0.002  g/unit 101.68 ND ND ND ND 1.69 ND 1.27 ND ND 0.84		%	%	%	%	%	%	%	%	%	%	%
0.241 ND ND ND ND 0.004 ND 0.003 ND ND 0.002	DD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	ıg/unit	101.68	ND	ND	ND	ND	1.69	ND	1.27	ND	ND	0.84
D9-THC THCA CBD CBDA D8-THC CBG CBGA CBN THCV CBDV CBC	/6	0.241	ND	ND	ND	ND	0.004	ND	0.003	ND	ND	0.002
		D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	СВИ	тнсу	CBDV	СВС
										ilig		

Analysis Method: SOP.T.40.031. SOP.T.30.031 Analytical Batch : DA076943POT

Instrument Used: DA-LC-007 Analyzed Date: 08/19/24 11:40:57

Dilution: 400

Reagent: 061724.01; 081524.R01; 060723.50; 060723.24; 081524.R03 Consumables: 947.109; 021824CH01; CE0123; R1KB14270

Pipette: DA-079; DA-108; DA-078

m cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 08/21/24



### **Kaycha Labs**

Sunnyside Chews 100mg 10pk Blue Raspberry

Blue Raspberry Matrix : Edible

Type: Soft Chew



**Certificate of Analysis** 

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Julio.Chavez@crescolabs.com Sample : DA40817002-003 Harvest/Lot ID: 1101 3428 6432 0695

Batch#: 1101 3428 6432

0695 Sampled: 08/17/24 Ordered: 08/17/24 **Sample Size Received :** 574 gram **Total Amount :** 3636 units

Completed: 08/21/24 Expires: 08/21/25 Sample Method: SOP.T.20.010

Page 2 of 5



## **Pesticides**

# **PASSED**

esticide	LOD		Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resul
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		30	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		3	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		1	PASS	ND	PHOSMET		0.010	ppm	0.2	PASS	ND
OTAL PYRETHRINS	0.010		1	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TAL SPINETORAM	0.010		3	PASS	ND	PRALLETHRIN		0.010		0.4	PASS	ND
TAL SPINOSAD	0.010	11.11	3	PASS	ND	PROPICONAZOLE		0.010		1	PASS	ND
BAMECTIN B1A	0.010		0.3	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
EPHATE	0.010		3	PASS	ND					3	PASS	ND
EQUINOCYL	0.010		2	PASS	ND	PYRIDABEN		0.010			PASS	
ETAMIPRID	0.010		3		ND	SPIROMESIFEN		0.010		3		ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010		3	PASS	ND
OXYSTROBIN	0.010		3	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
FENAZATE	0.010		3	PASS	ND	TEBUCONAZOLE		0.010	ppm	1	PASS	ND
FENTHRIN	0.010		0.5	PASS PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
SCALID	0.010		3		ND	THIAMETHOXAM		0.010	ppm	1	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	3	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZE	NF (PCNR) *	0.050		0.2	PASS	ND
ILORANTRANILIPROLE	0.010		3	PASS PASS	ND	PARATHION-METHYL *	(. 6145)	0.050		0.1	PASS	ND
LORMEQUAT CHLORIDE	0.010	P. P.	3 0.1	PASS	ND ND	CAPTAN *		0.350		3	PASS	ND
LORPYRIFOS			0.1	PASS	ND			0.050		0.1	PASS	ND
OFENTEZINE	0.010		0.5	PASS	ND	CHLORDANE *						
UMAPHOS	0.010	1.1.	0.1	PASS	ND ND	CHLORFENAPYR *		0.050		0.1	PASS	ND
MINOZIDE	0.010		3	PASS	ND	CYFLUTHRIN *		0.250		1	PASS	ND
AZINON			-	PASS	ND	CYPERMETHRIN *		0.250	PPM	1	PASS	ND
CHLORVOS	0.010	1.1.	0.1	PASS	ND ND	Analyzed by:	Weight:	Extract	ion date:		Extracted	d by:
METHOATE	0.010		0.1	PASS	ND	3621, 585, 1440	0.8919g	08/19/2	4 15:56:13		3379	
HOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.1	01.FL (Gainesville),	SOP.T.30.102	2.FL (Davie),	SOP.T.40.101	FL (Gainesville	),
OFENPROX	0.010		1.5	PASS	ND ND	SOP.T.40.102.FL (Davie)	NEC .			00/21/24	11 22 40	
OXAZOLE	0.010		3	PASS	ND	Analytical Batch : DA076931P Instrument Used : DA-LCMS-0				n:08/21/24 :08/17/24 17		
NHEXAMID			0.1	PASS	ND	Analyzed Date : N/A	104 (I LS)		Duten Dute	100/11/24 11	.50.40	
NOXYCARB	0.010		2	PASS	ND ND	Dilution: 250						
NPYROXIMATE PRONIL	0.010		0.1	PASS	ND	Reagent: 081624.R01; 08142	4.R02; 081424.R01	; 080924.R0	5; 072224.R1	.9; 081424.R0	3; 081023.01	
ONICAMID	0.010		2	PASS	ND	Consumables: 326250IW						
UDIOXONIL	0.010		3	PASS	ND	Pipette : DA-093; DA-094; DA-						
XYTHIAZOX	0.010		2	PASS	ND	Testing for agricultural agents is accordance with F.S. Rule 64ER		Liquid Chrom	atography Tr	ple-Quadrupo	le Mass Spectror	metry in
AZALIL	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Evtracti	on date:		Extracted	l by:
IDACLOPRID	0.010		1	PASS	ND	450, 585, 1440	0.8919q		15:56:13		3379	a by:
ESOXIM-METHYL	0.010		1	PASS	ND	Analysis Method : SOP.T.30.1				. SOP.T.40.15		
LATHION	0.010		2	PASS	ND	Analytical Batch : DA076933V	/OL	Re	viewed On :	08/21/24 11:	22:33	
TALAXYL	0.010		3	PASS	ND	Instrument Used : DA-GCMS-0		Ba	tch Date : 0	3/17/24 18:34	:05	
THIOCARB	0.010		0.1	PASS	ND	Analyzed Date : 08/19/24 18:1	12:52					
THOMYL	0.010		0.1	PASS	ND	Dilution: 250	2 01 001524521	001504 000				
VINPHOS	0.010		0.1	PASS	ND	Reagent: 081424.R01; 08102 Consumables: 326250IW: 14		U81524.K32				
CLOBUTANIL	0.010	P. P.	3	PASS	ND	Pipette: DA-080: DA-146: DA-						
ALED		ppm	0.5	PASS	ND	Testing for agricultural agents is		Gas Chromat	ngranhy Trin	e-Ouadrunole	Mass Sportrome	atry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2

Signature 08/21/24



### **Kaycha Labs**

Sunnyside Chews 100mg 10pk Blue Raspberry

Blue Raspberry Matrix: Edible Type: Soft Chew



# **Certificate of Analysis**

**PASSED** 

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA40817002-003 Harvest/Lot ID: 1101 3428 6432 0695

Batch#: 1101 3428 6432

Sampled: 08/17/24 Ordered: 08/17/24 Sample Size Received: 574 gram Total Amount: 3636 units

Completed: 08/21/24 Expires: 08/21/25 Sample Method: SOP.T.20.010

Page 3 of 5



# **Residual Solvents**

л		_	п
н	Э	Е.	ш
-	_	_	_

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 1879, 850, 585, 1440	<b>Weight:</b> 0.02219g	<b>Extraction da</b> 08/17/24 17:			racted by: 1,850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA076893SOL Instrument Used: DA-GCMS-003

**Analyzed Date:**  $08/17/24\ 12:08:11$ Dilution: 1

Reagent: 030420.09 Consumables: 429659; 315545 **Pipette :** DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Reviewed On: 08/20/24 09:28:37

Batch Date: 08/17/24 12:05:09

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/21/24



### **Kaycha Labs**

Sunnyside Chews 100mg 10pk Blue Raspberry

Blue Raspberry Matrix: Edible Type: Soft Chew



# **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA40817002-003 Harvest/Lot ID: 1101 3428 6432 0695

Batch#: 1101 3428 6432

Sampled: 08/17/24 Ordered: 08/17/24 Sample Size Received: 574 gram Total Amount : 3636 units Completed: 08/21/24 Expires: 08/21/25 Sample Method: SOP.T.20.010





## **Microbial**

Reviewed On: 08/20/24

Batch Date: 08/17/24

10:51:31



# **Mycotoxins**

Action

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000

Analyzed by: Weight: **Extraction date:** Extracted by: 3390, 4520, 585, 1440 08/17/24 11:45:57 0.992g

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch: DA076885MIC

Instrument Used: PathogenDx Scanner DA-111. Fisher Scientific Isotemp Heat Block (55\*C) DA-020,Fisher Scientific Isotemp Heat Block (95\*C) DA-049, Fisher Scientific Isotemp Heat Block (55\*C) DA-021, Fisher Scientific Isotemp Heat Block (55\*C) DA-366, Fisher

Scientific Isotemp Heat Block (95\*C) DA-367 Analyzed Date: 08/19/24 14:25:25

Dilution: 10

Reagent: 071824.17; 071824.38; 081324.R26; 072424.12

Con

Pipe

Ana

nsumables: 757300 pette: N/A		724.1120, 072424.12		Hg	Hea
alyzed by: 90, 585, 1440	Weight: 0.992g	<b>Extraction date:</b> 08/17/24 11:45:57	Extracted by: 4531	<u> </u>	1100

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA076886TYM Reviewed On: 08/20/24 12:05:46

Instrument Used: Incubator (25\*C) DA- 328 [calibrated with Batch Date: 08/17/24 10:52:50 DA-3821

**Analyzed Date:** 08/19/24 14:29:17

Dilution: 10 Reagent: 071824.17; 071824.38; 080524.R13

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

246	Hycocoxiiis			
nalyte		LOD	Units	Result
FLATOXIN B	2	0.00	ppm	ND
FLATOXIN B	1	0.00	ppm	ND

Analyzed by: 3621, 585, 1440	<b>Weight:</b> 0.8919a	Extraction date: 08/19/24 15:56:13			Extracted by: 3379		
AFLATOXIN G2		0.00	ppm	ND	PASS	0.02	
AFLATOXIN G1		0.00	ppm	ND	PASS	0.02	
OCHRATOXIN A		0.00	ppm	ND	PASS	0.02	
AFLATOXIN B1		0.00	ppm	ND	PASS	0.02	
AFLATOXIN B2		0.00	ppm	ND	PASS	0.02	
					rdII	Leve	

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA076932MYC Reviewed On: 08/21/24 09:39:21 Instrument Used : N/A Batch Date: 08/17/24 18:34:03

Analyzed Date : N/A

Dilution: 250

Reagent: 081624.R01; 081424.R02; 081424.R01; 080924.R05; 072224.R19; 081424.R03;

081023.01 Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

 $My cotoxins\ testing\ utilizing\ Liquid\ Chromatography\ with\ Triple-Quadrupole\ Mass\ Spectrometry\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$ 

# avy Metals

# **PASSED**

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS		0.08	ppm	ND	PASS	5
ARSENIC		0.02	ppm	ND	PASS	1.5
CADMIUM		0.02	ppm	ND	PASS PASS	0.5 3
MERCURY		0.02	ppm NE			
LEAD		0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 4056, 585, 1440	Weight: 0.2099g	Extraction 08/19/24		Extracted by: 1022,4056		

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA076903HEA Instrument Used : DA-ICPMS-004 Analyzed Date: 08/19/24 21:12:47

Reviewed On: 08/20/24 15:09:48 Batch Date: 08/17/24 15:09:17

Dilution: 50

Reagent: 080224.R15; 081224.R03; 080924.R04; 081224.R01; 081224.R02; 061724.01;

081424.R39

Consumables: 179436; 021824CH01; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/21/24



### **Kaycha Labs**

Sunnyside Chews 100mg 10pk Blue Raspberry

Blue Raspberry Matrix: Edible Type: Soft Chew



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA40817002-003 Harvest/Lot ID: 1101 3428 6432 0695

Batch#: 1101 3428 6432

Sampled: 08/17/24 Ordered: 08/17/24 Sample Size Received: 574 gram Total Amount : 3636 units Completed: 08/21/24 Expires: 08/21/25 Sample Method: SOP.T.20.010

Δ

Page 5 of 5



## Filth/Foreign **Material**

# **PASSED**

# Homogeneity

**PASSED** 

Amount of tests conducted: 26

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440 Extraction date 1g 08/18/24 15:33:41 N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA076937FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 08/18/24 15:27:43 Batch Date: 08/18/24 15:08:18 Analyzed Date: 08/18/24 15:11:22

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



# **Water Activity**

Batch Date: 08/17/24 15:47:09

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY	0.001	%	PASS	4.998	25

(RSD)

Average **Extracted By** Analyzed by Extraction date : Weight 4444, 3702, 585, 1440 08/19/24 14:04:41 4.147g

Analysis Method: SOP.T.30.111.FL, SOP.T.40.111.FL Reviewed On: 08/20/24 15:21:06

Analytical Batch : DA076884HOM Instrument Used : DA-LC-005

Batch Date: 08/17/24 10:27:41 Analyzed Date: 08/19/24 14:55:06

Reagent: 081624.R12; 030624.05; 081624.R08

Consumables: 947.109; 021824CH01; 1009034917; 1009056395; CE123; R1KB14270

Pipette: DA-065; DA-052

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Analyte LOD Units Result P/F **Action Level** PASS Water Activity 0.010 aw 0.625 0.85

Extracted by: 4571 Extraction date: 08/19/24 11:13:06 Analyzed by: 4571, 585, 1440 Weight: 7.366g Analysis Method: SOP.T.40.019 Reviewed On: 08/20/24 09:05:48 Analytical Batch: DA076909WAT

Instrument Used : DA-028 Rotronic Hygropalm Analyzed Date: 08/19/24 10:51:21 Dilution: N/A

Reagent: 051624.01 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/21/24

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors