

DAVIE, FL, 33314, US

Kaycha Labs

Supply Vape Cartridge 500mg - Spr Lmn Haze (S) Super Lemon Haze Matrix: Derivative Type: Distillate



PASSED

MISC.

(954) 368-7664 Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample:DA40820005-007 Harvest/Lot ID: 1101 3428 6431 9783 Batch#: 1101 3428 6431 9783 Cultivation Facility: FL - Indiantown (3734) Processing Facility : FL - Indiantown (3734) Source Facility : FL - Indiantown (3734) Seed to Sale# 1101 3428 6431 9783 Batch Date: 08/08/24 Sample Size Received: 15.5 gram Total Amount: 1250 units Retail Product Size: 0.5 gram Retail Serving Size: 0.5 gram Servings: 1 Ordered: 08/08/24 Sampled: 08/20/24 Completed: 08/22/24 Sampling Method: SOP.T.20.010

Pages 1 of 6

Aug 22, 2024 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US

Inuiantown, FL, 54956, U



SAFETY RESULTS

	LJULIJ										i initia i
R 0	[Hg	Ċ	ç	Ŷ	Ä		(\bigcirc		Ô
Pesticio PASSI		vy Metals ASSED	Microbials PASSED	Mycoto PASS		Residuals Solvents PASSED	Filth PASSED		r Activity SSED	Moisture NOT TESTED	Terpenes TESTED
Ä	Cannab	oinoid								I	PASSE
	1	THC 489			31	tal CBD .514% al CBD/Container	-		389	ll Cannabinoids)
%	^{D9-THC} 83.405	THCA 0.096	свр 1.514	CBDA	D8-ТНС ND	св д 2.729	CBGA	сви 0.620	тнсv 0.413	CBDV	свс 0.278
^{/0} ng/unit	417.03	0.48	7.57	ND	ND	13.65	ND	3.10	2.07	ND	1.39
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
alyzed by: 35, 1665, 585,	, 1440			Weight: 0.1048g		Extraction date: 08/20/24 13:45:5	50			Extracted by: 3335	
alytical Batch strument Used	: SOP.T.40.031, SC : DA076983POT : DA-LC-003 08/20/24 13:55:31	DP.T.30.031				Reviewed On : 08 Batch Date : 08/2	3/21/24 11:48:15 20/24 11:30:53				
	4.R01; 073024.49;	081524.R03 01; CE0123; R1KB1									

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/22/24



Supply Vape Cartridge 500mg - Spr Lmn Haze (S) Super Lemon Haze Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com
 Sample : DA40820005-007

 Harvest/Lot ID: 1101 3428 6431
 Sample

 Batch#: 1101 3428 6431
 Sample

 9783
 Total And

Sampled : 08/20/24 Ordered : 08/20/24 Sample Size Received : 15.5 gram Total Amount : 1250 units Completed : 08/22/24 Expires: 08/22/25 Sample Method : SOP.T.20.010

Page 2 of 6

Ô

Terpenes

erpenes	LOD (%)	mg/uni	t %	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)	
OTAL TERPENES	0.007	13.68	2.735		SABINENE	0.007	ND	ND		
TA-CARYOPHYLLENE	0.007	5.26	1.051		SABINENE HYDRATE	0.007	ND	ND		
PHA-TERPINOLENE	0.007	2.72	0.543		VALENCENE	0.007	ND	ND		
ETA-MYRCENE	0.007	1.27	0.254		ALPHA-CEDRENE	0.005	ND	ND		
PHA-HUMULENE	0.007	1.06	0.211		ALPHA-PHELLANDRENE	0.007	ND	ND		
PHA-PINENE	0.007	0.92	0.183		CIS-NEROLIDOL	0.003	ND	ND		
ETA-PINENE	0.007	0.88	0.175		GAMMA-TERPINENE	0.007	ND	ND		
CARENE	0.007	0.36	0.071		TRANS-NEROLIDOL	0.005	ND	ND		
LPHA-BISABOLOL	0.007	0.24	0.048		Analyzed by:	Weight:	Extra	tion date:	Ext	tracted by:
MONENE	0.007	0.21	0.042		4451, 3605, 585, 1440	0.2405g		/24 14:07:16		
NALOOL	0.007	0.21	0.041		Analysis Method : SOP.T.30.061A.FL, SOP.T.40	.061A.FL				
ENCHYL ALCOHOL	0.007	0.20	0.039		Analytical Batch : DA076973TER Instrument Used : DA-GCMS-008				/21/24 11:48:16 0/24 10:58:55	
PHA-TERPINEOL	0.007	0.15	0.030		Analyzed Date : 08/20/24 14:07:57		Batci	1 Date : 08/2	0/24 10:58:55	
MPHENE	0.007	0.14	0.027		Dilution : 10					
PHA-TERPINENE	0.007	0.10	0.020		Reagent : 032524.19					
RNEOL	0.013	ND	ND		Consumables : 947.109; 230613-634-D; 2806	70723; CE0123				
MPHOR	0.007	ND	ND		Pipette : DA-065					
RYOPHYLLENE OXIDE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chroma	tography Mass Spectro	metry. For all	Flower sample	es, the Total Terpenes % is dry-weig	ht corrected.
DROL	0.007	ND	ND							
ICALYPTOL	0.007	ND	ND							
RNESENE	0.007	ND	ND							
INCHONE	0.007	ND	ND							
ERANIOL	0.007	ND	ND							
RANYL ACETATE	0.007	ND	ND							
JAIOL	0.007	ND	ND							
EXAHYDROTHYMOL	0.007	ND	ND							
OBORNEOL	0.007	ND	ND							
OPULEGOL	0.007	ND	ND							
ROL	0.007	ND	ND							
CIMENE	0.007	ND	ND							
	0.007	ND	ND							

Total (%)

2.735

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/22/24



Supply Vape Cartridge 500mg - Spr Lmn Haze (S) Super Lemon Haze Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio Chavez@crescolabs.com Sample : DA40820005-007 Harvest/Lot ID: 1101 3428 6431 9783 Batch#:1101 3428 6431

9783 Sampled : 08/20/24 Ordered : 08/20/24 Sample Size Received : 15.5 gram Total Amount : 1250 units Completed : 08/22/24 Expires: 08/22/25 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010		0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010		0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND			0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN						
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	maa	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND			0.010		0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *				PASS	
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010		0.1		ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extract	tion date:		Extracted	d by:
DIMETHOATE	0.010		0.1	PASS	ND	3379, 585, 1440	0.2178g		4 15:37:16		3621	,.
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.F	L (Gainesville), S	OP.T.30.10	2.FL (Davie),	SOP.T.40.101	L.FL (Gainesville	2),
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA076977PES	DEC)			On:08/22/24		
FENHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 (Analyzed Date : N/A	PES)		Batch Date	:08/20/24 11	.:07:21	
FENOXYCARB	0.010		0.1	PASS	ND	Dilution : 250						
FENPYROXIMATE	0.010		0.1	PASS	ND	Reagent : 081424.R01; 081023.03	L					
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW						
FLONICAMID	0.010		0.1	PASS	ND ND	Pipette : N/A						
FLUDIOXONIL	0.010		÷.=		ND	Testing for agricultural agents is per		iquid Chrom	natography Tr	iple-Quadrupo	le Mass Spectror	metry in
HEXYTHIAZOX	0.010		0.1	PASS		accordance with F.S. Rule 64ER20-3						
	0.010		0.1		ND ND		Weight: 0.2178g		on date: 15:37:16		Extracted 3621	d by:
IMIDACLOPRID	0.010		0.4	PASS		Analysis Method : SOP.T.30.151.F) SOD T 40 15		
KRESOXIM-METHYL	0.010			PASS	ND	Analytical Batch : DA076979VOL	L (Gamesvine), 5			08/22/24 12:		
MALATHION	0.010		0.2		ND	Instrument Used :DA-GCMS-010				8/20/24 11:10		
METALAXYL	0.010		0.1	PASS	ND	Analyzed Date :08/22/24 09:06:2	3					
METHIOCARB	0.010		0.1	PASS PASS	ND	Dilution : 250						
METHOMYL	0.010		÷.=		ND	Reagent: 081424.R01; 081023.01		81524.R32				
MEVINPHOS	0.010		0.1	PASS	ND ND	Consumables : 326250IW; 147254 Pipette : DA-080; DA-146; DA-218						
MYCLOBUTANIL	0.010		÷.=	PASS		Testing for agricultural agents is per		ac Chrones	tography T-i-l	la Quadrua-l-	Mass Coastran	stavia
NALED	0.010	hhui	0.25	PASS	ND	accordance with F.S. Rule 64ER20-3		ias cirruifidi	lography mp	ie-Quaurupole	mass specirome	suy III

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/22/24

PASSED

PASSED



Supply Vape Cartridge 500mg - Spr Lmn Haze (S) Super Lemon Haze Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com
 Sample : DA40820005-007

 Harvest/Lot ID: 1101 3428 6431 9783

 Batch# : 1101 3428 6431
 Sample 9783

 70tal An
 Total An

 Sampled : 00/201/24
 Committee

Sampled : 08/20/24 Ordered : 08/20/24

31 9783 Sample Size Received : 15.5 gram Total Amount : 1250 units Completed : 08/22/24 Expires: 08/22/25 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result				
L,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND				
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND				
2-PROPANOL	50.000	ppm	500	PASS	ND				
ACETONE	75.000	ppm	750	PASS	ND				
ACETONITRILE	6.000	ppm	60	PASS	ND				
BENZENE	0.100	ppm	1	PASS	ND				
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND				
CHLOROFORM	0.200	ppm	2	PASS	ND				
DICHLOROMETHANE	12.500	ppm	125	PASS	ND				
THANOL	500.000	ppm	5000	PASS	ND				
THYL ACETATE	40.000	ppm	400	PASS	ND				
THYL ETHER	50.000	ppm	500	PASS	ND				
THYLENE OXIDE	0.500	ppm	5	PASS	ND				
IEPTANE	500.000	ppm	5000	PASS	ND				
IETHANOL	25.000	ppm	250	PASS	ND				
I-HEXANE	25.000	ppm	250	PASS	ND				
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND				
PROPANE	500.000	ppm	5000	PASS	ND				
TOLUENE	15.000	ppm	150	PASS	ND				
TOTAL XYLENES	15.000	ppm	150	PASS	ND				
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND				
Analyzed by: 350, 585, 1440	Weight: 0.0231g	Extraction date: 08/22/24 11:06:49)	E x 85	tracted by:				
Analysis Method: SOP.T.40.041.FL Analytical Batch: DA077006SOL Instrument Used: DA-GCMS-002 Analyzed Date: 08/22/24 09:09:27		Reviewed On : 08/22/24 13:52:05 Batch Date : 08/20/24 15:05:47							

Dilution : 1 Reagent : 030420.09 Consumables : 429659; 315545

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/22/24

PASSED



Supply Vape Cartridge 500mg - Spr Lmn Haze (S) Super Lemon Haze Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA40820005-007 Harvest/Lot ID: 1101 3428 6431 9783 Batch# : 1101 3428 6431 Sample

9783 Sampled : 08/20/24 Ordered : 08/20/24 Sample Size Received : 15.5 gram Total Amount : 1250 units Completed : 08/22/24 Expires: 08/22/25 Sample Method : SOP.T.20.010

Page 5 of 6

€ <u></u> M	icrobia	h			PAS	SED	స్తో	Му	cotoxi	ns			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TER	REUS			Not Present	PASS	Level	AFLATOXIN	B2		0.00	ppm	ND	PASS	0.02
ASPERGILLUS NIGI	R			Not Present	PASS		AFLATOXIN	B1		0.00	ppm	ND	PASS	0.02
ASPERGILLUS FUM	IGATUS			Not Present	PASS		OCHRATOXI	A		0.00	ppm	ND	PASS	0.02
ASPERGILLUS FLA	/US			Not Present	PASS		AFLATOXIN	G1		0.00	ppm	ND	PASS	0.02
SALMONELLA SPEC	IFIC GENE			Not Present	PASS		AFLATOXIN	G2		0.00	ppm	ND	PASS	0.02
ECOLI SHIGELLA TOTAL YEAST AND	MOLD	10.00	CFU/g	Not Present <10	PASS PASS	100000	Analyzed by: 3379, 585, 144	0	Weight: 0.2178g	Extraction da 08/20/24 15:			Extracted 3621	by:
Analyzed by: 3390, 4531, 585, 1440 Weight: 0.3g Extraction date: 08/20/24 11:53:31 Extracted by: 4520 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA076971MIC Reviewed On : 08/21/24							FL (Davie), :h : DA0769 ed : N/A	30.101.FL (Gain SOP.T.40.102.F 978MYC	L (Davie) Review	ved On : 0	. (Gainesvi 8/21/24 1 20/24 11:):49:39		
Instrument Used : Pat 2720 Thermocycler D (55*C) DA-020,Fisher DA-049,Fisher Scienti Analyzed Date : 08/20	A-010,Fisher Sci Scientific Isotem fic Isotemp Heat	entific Is np Heat B	otemp Heat B Block (95*C)			:0/24	Dilution : 250 Reagent : 081 Consumables : Pipette : N/A	326250IW		ranhy with Triplo	Quadrupo	la Macc Coo	ctrometry	
Dilution : 10 Reagent : 071824.02; Consumables : 75730 Pipette : N/A		.324.R26	; 072424.12				accordance wit	n F.S. Rule 6			-Quadrapo		PAS	
Analyzed by: 3390, 585, 1440	Weight: 0.93q		action date: 20/24 11:53:3	1	Extracted 4520	by:	ч <u> </u> Р		-					
Analysis Method : SO	P.T.40.208 (Gaine	esville), s	SOP.T.40.209	.FL			Metal			LOD	Units	Result	Pass / Fail	Action Level
Analytical Batch : DAG				Reviewed O					LOAD METALS	5 0.08	ppm	ND	PASS	1.1
Instrument Used : Inc DA-382]	ubator (25*C) DA	4- 328 [C	alibrated with	Batch Date :	08/20/24	10:45:30	ARSENIC	Armanı	LUAD METAL	0.02	ppm	ND	PASS	0.2
Analyzed Date : 08/20	/24 15:04:59						CADMIUM			0.02	ppm	ND	PASS	0.2
Dilution : 10							MERCURY			0.02	ppm	ND	PASS	0.2
Reagent : 071824.02;	071824.18; 080)524.R13	}				LEAD			0.02	ppm	ND	PASS	0.5
Consumables : N/A Pipette : N/A							Analyzed by: 4056, 1022, 58	5, 1440	Weight: 0.223g	Extraction 08/20/24			Extracted 4056.380	
Total yeast and mold te accordance with F.S. Ru		utilizing M	IPN and traditio	onal culture based	l techniques	in	Analysis Meth Analytical Bat Instrument Us Analyzed Date	h:DA0769 ed:DA-ICP	MS-004	Reviewe		/21/24 11: 0/24 11:38		
							Dilution: 50 Reagent: 080	224.R15; 0	81924.R05; 080	924.R04; 0819	24.R03; 0)81924.R0	4; 061724	4.01;

Reagent : 080224.8 081424.R39

Consumables : 179436; 021824CH01; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/22/24



Supply Vape Cartridge 500mg - Spr Lmn Haze (S) Super Lemon Haze Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA40820005-007 Harvest/Lot ID: 1101 3428 6431 9783 Batch# : 1101 3428 6431 9783 Sampled : 08/20/24

Ordered : 08/20/24

Sample Size Received : 15.5 gram Total Amount : 1250 units Completed : 08/22/24 Expires: 08/22/25 Sample Method : SOP.T.20.010

	Filth/For Material			ΡΑ	SSED				
Analyte Filth and Forei Analyzed by:	gn Material Weight:	LOD Units 0.100 %	Result ND	P/F PASS	Action Level				
1879, 585, 1440	lg	08/20/24 21:			79				
Analysis Method : SOP.T.40.090 Analysical Batch : DA077009FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 08/20/24 21:03:42 Dilution : N/A									
	A aterial inspection is per ordance with F.S. Rule		spection utilizi	ng naked ey	e and microscope				
Water Activity PASSED									
Analyte		LOD Units	Result	P/F	Action Level				
Water Activity		0.010 aw	0.508	PASS	0.85				
Analyzed by: 4512, 585, 1440	Weight: 0.171g	Extraction d 08/20/24 15			tracted by: 12				
Analysis Method Analytical Batch : Instrument Used			Reviewed On Batch Date :						

Consumables : PS-14 Pipette : N/A

Analyzed Date : 08/20/24 15:56:48

Dilution : N/A Reagent : 051624.01

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/22/24

Page 6 of 6