



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40821011-001
Harvest/Lot ID: 1101 3428 6432 2482
Batch#: 1101 3428 6432 2482
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale# 1101 3428 6432 2482
Batch Date: 08/13/24
Sample Size Received: 56 gram
Total Amount: 635 units
Retail Product Size: 14 gram
Retail Serving Size: 14 gram
Servings: 1
Ordered: 08/15/24
Sampled: 08/21/24
Completed: 08/24/24
Sampling Method: SOP.T.20.010

Aug 24, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS

 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents NOT TESTED	 Filtration PASSED	 Water Activity PASSED	 Moisture PASSED	 Terpenes TESTED
---	---	---	---	---	--	---	---	---

Cannabinoid **PASSED**

 Total THC 19.057% Total THC/Container : 2667.980 mg	 Total CBD 0.016% Total CBD/Container : 2.240 mg	 Total Cannabinoids 22.286% Total Cannabinoids/Container : 3120.040 mg
---	--	--

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.619	21.025	ND	0.019	0.038	0.067	0.463	ND	ND	ND	0.055
mg/unit	86.66	2943.50	ND	2.66	5.32	9.38	64.82	ND	ND	ND	7.70
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 3335, 1665, 585, 1440 Weight: 0.2063g Extraction date: 08/22/24 15:36:53 Extracted by: 3335
 Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 08/24/24 08:23:28
 Analytical Batch : DA077100POT Batch Date : 08/22/24 11:08:31
 Instrument Used : DA-LC-002
 Analyzed Date : 08/22/24 16:34:45

Dilution : 400
 Reagent : 081524.R02; 073024.49; 081524.R04
 Consumables : 947.109; 021824CH01; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director
 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164
 Signature
 08/24/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40821011-001
Harvest/Lot ID: 1101 3428 6432 2482

Batch# : 1101 3428 6432 Sample Size Received : 56 gram
2482 Total Amount : 635 units
Sampled : 08/21/24 Completed : 08/24/24 Expires: 08/24/25
Ordered : 08/21/24 Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	145.74	1.041	ALPHA-CEDRENE	0.005	ND	ND
BETA-CARYOPHYLLENE	0.007	38.92	0.278	ALPHA-PHELLANDRENE	0.007	ND	ND
LINALOOL	0.007	38.64	0.276	ALPHA-PINENE	0.007	ND	ND
LIMONENE	0.007	18.76	0.134	ALPHA-TERPINENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	13.72	0.098	ALPHA-TERPINOLENE	0.007	ND	ND
TRANS-NEROLIDOL	0.005	11.48	0.082	BETA-MYRCENE	0.007	ND	ND
ALPHA-BISABOLOL	0.007	9.52	0.068	CIS-NEROLIDOL	0.003	ND	ND
ALPHA-TERPINEOL	0.007	5.88	0.042	GAMMA-TERPINENE	0.007	ND	ND
FENCHYL ALCOHOL	0.007	5.60	0.040				
BETA-PINENE	0.007	3.22	0.023	Analysis by:	Weight:	Extraction date:	Extracted by:
3-CARENE	0.007	ND	ND	3605, 585, 1440	1.036g	08/22/24 13:47:47	3605
BORNEOL	0.013	ND	ND	Analysis Method :	SOP.T.30.061A.FL, SOP.T.40.061A.FL		
CAMPHENE	0.007	ND	ND	Analytical Batch :	DA07077TER	Reviewed On :	08/23/24 10:56:24
CAMPHOR	0.007	ND	ND	Instrument Used :	DA-GCMS-009	Batch Date :	08/22/24 09:27:06
CARYOPHYLLENE OXIDE	0.007	ND	ND	Analyzed Date :	08/22/24 13:48:11		
CEDROL	0.007	ND	ND	Dilution :	10		
EUCALYPTOL	0.007	ND	ND	Reagent :	083123.46		
FARNESENE	0.007	ND	ND	Consumables :	947.109; 240321-634-A; 280670723; CE123		
FENCHONE	0.007	ND	ND	Pipette :	DA-065		
GERANIOL	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
VALENCENE	0.007	ND	ND				
Total (%)			1.041				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/24/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40821011-001

Harvest/Lot ID: 1101 3428 6432 2482

Batch# : 1101 3428 6432
2482

Sampled : 08/21/24
Ordered : 08/21/24

Sample Size Received : 56 gram

Total Amount : 635 units

Completed : 08/24/24 Expires: 08/24/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINO CYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 3379, 585, 1440 Weight: 0.8786g Extraction date: 08/22/24 19:51:12 Extracted by: 450 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA077105PES Reviewed On : 08/24/24 17:51:39 Instrument Used : DA-LCMS-003 (PES) Batch Date : 08/22/24 11:25:57 Analyzed Date : 08/23/24 07:33:46 Dilution : 250 Reagent : 082024.R04; 081023.01 Consumables : 326250W Pipette : N/A Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/24/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40821011-001
Harvest/Lot ID: 1101 3428 6432 2482
Batch# : 1101 3428 6432 2482
Sample Size Received : 56 gram
Total Amount : 635 units
Sampled : 08/21/24
Completed : 08/24/24 Expires: 08/24/25
Ordered : 08/21/24
Sample Method : SOP.T.20.010

Page 4 of 5


	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	51000	PASS	100000
Analyzed by: 4520, 4044, 585, 1440 Weight: 1.0661g Extraction date: 08/22/24 11:42:09 Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA077075MIC Reviewed On : 08/23/24 12:38:46 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-013, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (55°C) DA-021, Fisher Scientific Isotemp Heat Block (55°C) DA-366, Fisher Scientific Isotemp Heat Block (95°C) DA-367 Analyzed Date : 08/22/24 16:39:10 Dilution : 10 Reagent : 071824.01; 071824.06; 081324.R26; 082024.R19; 072424.13 Consumables : 7575001021 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
Analyzed by: 585, 3379, 1440 Weight: 0.8786g Extraction date: 08/22/24 19:51:12 Extracted by: 450 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA077106MYC Reviewed On : 08/24/24 17:50:40 Instrument Used : N/A Batch Date : 08/22/24 11:27:26 Analyzed Date : 08/23/24 09:34:32 Dilution : 250 Reagent : 082024.R04; 081023.01 Consumables : 326250IW Pipette : N/A					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.2414g Extraction date: 08/22/24 11:52:39 Extracted by: 1022,4056 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA077083HEA Reviewed On : 08/23/24 12:24:04 Instrument Used : DA-ICPMS-004 Batch Date : 08/22/24 10:12:21 Analyzed Date : 08/22/24 14:18:06 Dilution : 50 Reagent : 080224.R15; 081924.R05; 080924.R04; 081924.R03; 081924.R04; 061724.01; 081424.R39 Consumables : 179436; 021824CH01; 210508058 Pipette : DA-061; DA-191; DA-216					

	Heavy Metals	PASSED
---	---------------------	---------------

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 **Weight:** 0.2414g **Extraction date:** 08/22/24 11:52:39 **Extracted by:** 1022,4056
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA077083HEA **Reviewed On :** 08/23/24 12:24:04
Instrument Used : DA-ICPMS-004 **Batch Date :** 08/22/24 10:12:21
Analyzed Date : 08/22/24 14:18:06
Dilution : 50
Reagent : 080224.R15; 081924.R05; 080924.R04; 081924.R03; 081924.R04; 061724.01; 081424.R39
Consumables : 179436; 021824CH01; 210508058
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40821011-001

Harvest/Lot ID: 1101 3428 6432 2482

Batch# : 1101 3428 6432
2482

Sampled : 08/21/24

Ordered : 08/21/24

Sample Size Received : 56 gram

Total Amount : 635 units


Completed : 08/24/24 Expires: 08/24/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material PASSED



Moisture PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 585, 1440	NA	N/A	N/A

Analysis Method : SOP.T.40.090
 Analytical Batch : DA077134FIL
 Instrument Used : Filth/Foreign Material Microscope
 Analyzed Date : 08/22/24 15:24:26
 Reviewed On : 08/22/24 21:44:51
 Batch Date : 08/22/24 15:20:49

Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.454	PASS	0.65

Analyzed by:	Weight:	Extraction date:	Extracted by:
4512, 585, 1440	0.622g	08/22/24 19:03:08	4512

Analysis Method : SOP.T.40.019
 Analytical Batch : DA077089WAT
 Instrument Used : DA257 Rotronic HygroPalm
 Analyzed Date : 08/22/24 19:07:14
 Reviewed On : 08/23/24 09:48:43
 Batch Date : 08/22/24 10:44:04

Dilution : N/A
 Reagent : 051624.01
 Consumables : PS-14
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.00	%	13.69	PASS	15

Analyzed by:	Weight:	Extraction date:	Extracted by:
4512, 585, 1440	0.504g	08/22/24 18:21:58	4512

Analysis Method : SOP.T.40.021
 Analytical Batch : DA077087MOI
 Reviewed On : 08/23/24 09:45:32
 Batch Date : 08/22/24 10:38:01

Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser, DA-385 Moisture Analyzer
 Analyzed Date : 08/22/24 18:29:21

Dilution : N/A
 Reagent : 092520.50; 020124.02
 Consumables : N/A
 Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

