

Kaycha Labs

Good News Me Time Cartridge 500mg

Me Time

Matrix: Derivative Type: Distillate



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40821011-006

Harvest/Lot ID: 1101 3428 6432 1584

Batch#: 1101 3428 6432 1584

Cultivation Facility: FL - Indiantown (3734) Processing Facility: FL - Indiantown (3734)

Source Facility: FL - Indiantown (3734) Seed to Sale# 1101 3428 6432 1584

Batch Date: 08/13/24

Sample Size Received: 15.5 gram

Total Amount: 760 units

Retail Product Size: 0.5 gram Retail Serving Size: 0.5 gram

Servings: 1

Ordered: 08/14/24

Sampled: 08/21/24 Completed: 08/24/24

Revision Date: 08/27/24

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

indiantown, FL, 34956, US

22205 Sw Martin Hwy



SAFETY RESULTS

Pesticides PASSED



Heavy Metals PASSED



Microbials



Mycotoxins **PASSED**



Sunnyside

Residuals Solvents **PASSED**



Filth **PASSED**



Water Activity **PASSED**



Moisture





Terpenes **TESTED**

PASSED



Cannabinoid

Aug 27, 2024 | Sunnyside

Total THC

92.131% Total THC/Container : 460.655 mg



Total CBD 1.688%

CRG

3.008

15.04

Total CBD/Container: 8.440 mg



Total Cannabinoids 97.053%

CRDV

ND


ND

%

Extracted by:

0.001

Total Cannabinoids/Container: 485.265 ma



%	92.107
mg/unit	460.54
LOD	0.001
	%





















THCA





CRD

1.688



CRDA

ND

ND



D8-THC

ND

ND

Batch Date: 08/22/24 09:47:39



CRGA

ND

ND

0.001

CRN

ND



THCV

ND



CRC

Extraction date: 08/22/24 15:45:37 Reviewed On: 08/27/24 07:59:40

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA077081POT Instrument Used: DA-LC-003 Analyzed Date: 08/22/24 15:51:43

Analyzed by: 3335, 1665, 585, 1440

Reagent: 082024.R16; 073024.49; 081524.R03 Consumables: 947.109; 021824CH01; CE0123; R1KB14270 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 08/24/24



Kaycha Labs

Good News Me Time Cartridge 500mg

Me Time

Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Iulio.Chayez@crescolabs.com Sample : DA40821011-006 Harvest/Lot ID: 1101 3428 6432 1584

Batch#: 1101 3428 6432

Sampled: 08/21/24 Ordered: 08/21/24 Sample Size Received: 15.5 gram
Total Amount: 760 units

Completed: 08/24/24 Expires: 08/27/25 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/uni	t %	Result (%)	Terpenes		LOD (%)	mg/unit	: %	Result (%)
TOTAL TERPENES	0.007	13.99	2.798		SABINENE HYDRATE		0.007	ND	ND	
LIMONENE	0.007	3.75	0.749		VALENCENE		0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	3.04	0.607		ALPHA-CEDRENE		0.005	ND	ND	
BETA-MYRCENE	0.007	2.60	0.519		ALPHA-PHELLANDRENE		0.007	ND	ND	
LINALOOL	0.007	0.99	0.198		ALPHA-TERPINENE		0.007	ND	ND	
BETA-PINENE	0.007	0.80	0.160		CIS-NEROLIDOL		0.003	ND	ND	
ALPHA-PINENE	0.007	0.73	0.146		GAMMA-TERPINENE		0.007	ND	ND	
ALPHA-TERPINEOL	0.007	0.48	0.096		TRANS-NEROLIDOL		0.005	ND	ND	
ALPHA-BISABOLOL	0.007	0.45	0.090		Analyzed by:	Weight:		Extraction d	late:	Extracted by:
FENCHYL ALCOHOL	0.007	0.41	0.082		3605, 585, 1440	0.2102g		08/22/24 13		3605
ALPHA-HUMULENE	0.007	0.25	0.049		Analysis Method : SOP.T.30.061A.FL,	SOP.T.40.061A.FL				
ALPHA-TERPINOLENE	0.007	0.19	0.038		Analytical Batch : DA077078TER					08/24/24 18:14:33
CAMPHENE	0.007	0.19	0.037		Instrument Used: DA-GCMS-008 Analyzed Date: 08/22/24 13:50:07			Batci	h Date : 01	8/22/24 09:28:00
GUAIOL	0.007	0.14	0.027		Dilution: 10					
3-CARENE	0.007	ND	ND		Reagent: 083123.46					
BORNEOL	0.013	ND	ND		Consumables: 947.109; 240321-634	1-A; 280670723; CE	123			
CAMPHOR	0.007	ND	ND		Pipette : DA-065					
CARYOPHYLLENE OXIDE	0.007	ND	ND		Terpenoid testing is performed utilizing G	ias Chromatography I	Mass Specti	rometry. For all	Flower san	nples, the Total Terpenes % is dry-weight corrected.
CEDROL	0.007	ND	ND							
EUCALYPTOL	0.007	ND	ND		ĺ					
FARNESENE	0.007	ND	ND							
FENCHONE	0.007	ND	ND		ĺ					
GERANIOL	0.007	ND	ND		ĺ					
GERANYL ACETATE	0.007	ND	ND		ĺ					
HEXAHYDROTHYMOL	0.007	ND	ND		ĺ					
ISOBORNEOL	0.007	ND	ND		ĺ					
ISOPULEGOL	0.007	ND	ND		ĺ					
NEROL	0.007	ND	ND		ĺ					
OCIMENE	0.007	ND	ND		ĺ					
PULEGONE	0.007	ND	ND		ĺ					
SABINENE	0.007	ND	ND		ĺ					
Total (%)			2.798							

Total (%) 2.79

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 Signature

Signature 08/24/24



Kaycha Labs

Good News Me Time Cartridge 500mg

Me Time

Matrix : Derivative Type: Distillate



Certificate of Analysis

LOD Unite

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Iulio.Chayez@crescolabs.com Sample : DA40821011-006 Harvest/Lot ID: 1101 3428 6432 1584

Pacc/Eail Pacult

Batch#: 1101 3428 6432

1584 Sampled: 08/21/24 Ordered: 08/21/24 Sample Size Received: 15.5 gram
Total Amount: 760 units

Completed: 08/24/24 Expires: 08/27/25 Sample Method: SOP.T.20.010 Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	mag	5	PASS	ND	AVA100		0.010	nnm	Level 0.5	PASS	ND
TOTAL DIMETHOMORPH		ppm	0.2	PASS	ND	OXAMYL						
TOTAL PERMETHRIN		ppm	0.1	PASS	ND	PACLOBUTRAZOL		0.010		0.1	PASS	ND
TOTAL PYRETHRINS		ppm	0.5	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TOTAL SPINETORAM		ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TOTAL SPINOSAD		ppm	0.1	PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A		ppm	0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE		ppm	0.1	PASS	ND	PROPOXUR		0.010	mag	0.1	PASS	ND
ACEQUINOCYL		ppm	0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ACETAMIPRID		ppm	0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
ALDICARB		ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010		0.1	PASS	ND
AZOXYSTROBIN		ppm	0.1	PASS	ND							
BIFENAZATE		ppm	0.1	PASS	ND	SPIROXAMINE		0.010		0.1	PASS	ND
BIFENTHRIN		ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BOSCALID		ppm	0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
CARBARYL		ppm	0.5	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
CARBOFURAN		ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE		ppm	1	PASS	ND	PENTACHLORONITROBENZENE	(PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORANTRANILIPROLE CHLORMEQUAT CHLORIDE		ppm	1	PASS	ND	PARATHION-METHYL *		0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS		ppm	0.1	PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
CLOFENTEZINE		ppm	0.2	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
COUMAPHOS		ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
DAMINOZIDE		ppm	0.1	PASS	ND			0.050		0.5	PASS	ND
DIAZINON		ppm	0.1	PASS	ND	CYFLUTHRIN *				0.5	PASS	
DICHLORVOS		ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050		0.5		ND
DIMETHOATE		mag	0.1	PASS	ND	Analyzed by:	Weight:		tion date:		Extracte	d by:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	3621, 585, 1440	0.2204g		24 19:43:58		450	,
ETOFENPROX		ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.101. SOP.T.40.102.FL (Davie)	FL (Gainesville), SC	JP.1.30.10	Z.FL (Davie), SOP.1.40.101	FL (Gainesville),
ETOXAZOLE		ppm	0.1	PASS	ND	Analytical Batch : DA077090PES			Reviewed	On:08/24/24	17:46:00	
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003				e:08/22/24 10		
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 08/23/24 07:33:	16					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250						
FIPRONIL	0.010	ppm	0.1	PASS	ND	Reagent: 082024.R04; 081023.0	01					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Consumables: 326250IW Pipette: N/A						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is pe	erformed utilizing Lic	nuid Chrom	natography 1	Trinle-Ouadruno	le Mass Spectror	netry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-		quiu ciiioii	iacograpity	mpic quadrapo	ie mass speed of	
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extracti	on date:		Extracte	d by:
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.2204g	08/22/24	4 19:43:58		450	
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.151.						
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA077094VOL				:08/23/24 12:		
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-011 Analyzed Date : 08/22/24 20:03:		ва	itch Date :	08/22/24 11:00	:20	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250	30					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 082024.R04; 081023.0	01: 081524.R31: 08	1524.R32				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-21	8					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is pe		as Chromat	ography Tri	ple-Quadrupole	Mass Spectrome	try in
						accordance with F.S. Rule 64ER20-	39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 Signature

Signature 08/24/24



Kaycha Labs

Good News Me Time Cartridge 500mg

Me Time Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Julio.Chavez@crescolabs.com Sample: DA40821011-006 Harvest/Lot ID: 1101 3428 6432 1584

Batch#: 1101 3428 6432

Sampled: 08/21/24 Ordered: 08/21/24 Sample Size Received: 15.5 gram
Total Amount: 760 units

Completed: 08/24/24 Expires: 08/27/25 Sample Method: SOP.T.20.010 Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.029g	Extraction date: 08/23/24 14:58:51		E x 85	tracted by:

Reviewed On: 08/24/24 17:58:41

Batch Date: 08/22/24 13:23:09

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA077133SOL Instrument Used: DA-GCMS-003

Analyzed Date : 08/23/24 09:50:27
Dilution : 1

Reagent: 061323.01 Consumables: 429659; 315545 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 Signature

Signature 08/24/24



Kaycha Labs

Good News Me Time Cartridge 500mg

Me Time

Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA40821011-006 Harvest/Lot ID: 1101 3428 6432 1584

Batch#: 1101 3428 6432

Sampled: 08/21/24 Ordered: 08/21/24 Sample Size Received: 15.5 gram Total Amount: 760 units

Completed: 08/24/24 Expires: 08/27/25 Sample Method: SOP.T.20.010

Page 5 of 6

LOD



Microbial

PASSED

Reviewed On: 08/23/24

Batch Date: 08/22/24

09:20:58



Instrument Used : N/A

Consumables: 326250IW Pipette: N/A

Mycotoxins

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA077093MYC

Analyzed Date: 08/23/24 09:35:29

Reagent: 082024.R04; 081023.01

PASSED

Action

Level

0.02

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

Extracted by:

Result

Reviewed On: 08/24/24 17:52:21

Batch Date: 08/22/24 11:00:06

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pas Fail
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2		0.00	ppm	ND	PAS
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1		0.00	ppm	ND	PAS
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A		0.00	ppm	ND	PAS
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1		0.00	ppm	ND	PAS
SALMONELLA SPECIFIC GENI	E		Not Present	PASS		AFLATOXIN G2		0.00	ppm	ND	PAS
ECOLI SHIGELLA			Not Present	PASS		Analyzed by:	Weight:	Extraction da	te:		Extra
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000	585, 3621, 1440	0.2204g	08/22/24 19:4	13:58		450
Analyzed by:	Weight:	Extraction of	late:	Extracte	d by:	Analysis Method : SOF	P.T.30.101.FL (Gain	esville). SOP.T.4	0.101.FL	(Gainesv	ille).

Weight: Extraction date: Extracted by: 4520, 4044, 585, 1440 0.903g 08/22/24 11:42:11

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA077075MIC

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems 2720 Thermocycler DA-013,Fisher Scientific Isotemp Heat Block (55*C) DA-020, Fisher Scientific Isotemp Heat Block (55*C) DA-021, Fisher Scientific Isotemp Heat Block (55*C) DA-366, Fisher

Scientific Isotemp Heat Block (95*C) DA-367

Analyzed Date: 08/22/24 16:39:10

Dilution: 10

Reagent: 071824.01; 071824.06; 081324.R26; 082024.R19; 072424.13

Consu

Pipett

vzed by: Weight: Extraction date: Extracted by:	
umables : 7575001021 tte : N/A	[[

4520, 3621, 585, 1440	0.903g	08/22/24 11:42:11	3390
	/a :		

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch: DA077076TYM

Reviewed On: 08/24/24 18:11:21 T Instrument Used: Incubator (25*C) DA- 328 [calibrated with Batch Date: 08/22/24 09:22:07 DA-3821

Analyzed Date: 08/22/24 17:02:31

Dilution: 10

Reagent: 071824.01; 071824.06; 080524.R13

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

		ing utilizing Liquid Chromatography with Triple- n F.S. Rule 64ER20-39.	Quadrupole Mass Spectrometry in
Ţ,	lg	Heavy Metals	PASS

Dilution: 250

Heavy Metals

PASSED

	Metal		LOD	Units	Result	Pass / Fail	Action Level
1	TOTAL CONTAMINANT	LOAD METAL	S 0.08	ppm	ND	PASS	1.1
	ARSENIC		0.02	ppm	ND	PASS	0.2
	CADMIUM		0.02	ppm	ND	PASS	0.2
	MERCURY		0.02	ppm	ND	PASS	0.2
	LEAD		0.02	ppm	ND	PASS	0.5
	Analyzed by: 1022, 585, 1440	Extraction date 08/22/24 12:4		Extracted by: 1022,4056			

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA077088HEA Instrument Used : DA-ICPMS-004 Reviewed On: 08/23/24 12:29:52 Batch Date: 08/22/24 10:40:56 Analyzed Date: 08/22/24 14:34:13

Dilution: 50

Reagent: 080224.R15; 081924.R05; 080924.R04; 081924.R03; 081924.R04; 061724.01;

Consumables: 179436: 021824CH01: 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Good News Me Time Cartridge 500mg

Me Time

Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA40821011-006 Harvest/Lot ID: 1101 3428 6432 1584

Batch#: 1101 3428 6432

Sampled: 08/21/24 Ordered: 08/21/24 Sample Size Received: 15.5 gram Total Amount: 760 units

Completed: 08/24/24 Expires: 08/27/25 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Reviewed On: 08/22/24 21:44:54 Batch Date: 08/22/24 15:20:49

Reviewed On: 08/23/24 09:42:16 Batch Date: 08/22/24 12:12:30

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 1440 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA077134FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 08/22/24 15:24:26

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte		LOD	Units	Result	P/F	Action Level
Water Activity		0.010	aw	0.541	PASS	0.85
Analyzed by: 4512, 585, 1440	Weight: 0.3847g		Extraction date: 08/23/24 07:50:56		Ex t	tracted by:

Analysis Method: SOP.T.40.019

Analytical Batch : DA077117WAT Instrument Used : DA257 Rotronic HygroPalm

Analyzed Date: 08/23/24 07:51:17

Dilution: N/A Reagent: 051624.01 Consumables : PS-14

Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/24/24