



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40821011-008
 Harvest/Lot ID: 1101 3428 6432 2480
 Batch#: 1101 3428 6432 2480
 Cultivation Facility: FL - Indiantown (3734)
 Processing Facility: FL - Indiantown (3734)
 Source Facility: FL - Indiantown (3734)
 Seed to Sale#: 1101 3428 6432 5620
 Batch Date: 08/15/24
 Sample Size Received: 4 units
 Total Amount: 656 units
 Retail Product Size: 41.5797 gram
 Retail Serving Size: 41 gram
 Servings: 1
 Ordered: 08/20/24
 Sampled: 08/21/24
 Completed: 08/26/24
 Sampling Method: SOP.T.20.010

Aug 26, 2024 | Sunnyside
 22205 Sw Martin Hwy
 indiantown, FL, 34956, US



PASSED

Pages 1 of 5

SAFETY RESULTS

								
Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents PASSED	Filtration PASSED	Water Activity PASSED	Moisture NOT TESTED	Terpenes NOT TESTED

Cannabinoid **PASSED**

	Total THC 0.238% Total THC/Container : 98.960 mg		Total CBD ND Total CBD/Container : 0.000 mg		Total Cannabinoids 0.250% Total Cannabinoids/Container : 103.949 mg
--	--	---	---	---	---

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.238	ND	ND	ND	ND	0.007	ND	0.002	ND	ND	0.003
mg/unit	98.96	ND	ND	ND	ND	2.91	ND	0.83	ND	ND	1.25
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 3335, 1665, 585, 1440 Weight: 3.036g Extraction date: 08/22/24 15:35:47 Extracted by: 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 08/24/24 18:09:20
 Analytical Batch : DA077112POT Batch Date : 08/22/24 11:35:31
 Instrument Used : DA-LC-007
 Analyzed Date : 08/22/24 16:21:24

Dilution : 40
 Reagent : 061724.01; 081524.R01; 061124.19; 081524.R03
 Consumables : 947.109; 021824CH01; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 08/26/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40821011-008

Harvest/Lot ID: 1101 3428 6432 2480

Batch#: 1101 3428 6432
2480

Sampled : 08/21/24
Ordered : 08/21/24

Sample Size Received : 4 units

Total Amount : 656 units

Completed : 08/26/24 Expires: 08/26/25

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINO CYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 0.8985g	Extraction date: 08/22/24 19:59:31	Extracted by: 450,3621		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA077125PES				Reviewed On : 08/26/24 12:44:38	
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 08/22/24 12:44:04	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 08/23/24 07:34:01					
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	3	PASS	ND	Reagent : 081924.R01; 082124.R03; 082024.R04; 082024.R03; 072224.R19; 082124.R01; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	2	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.8985g	Extraction date: 08/22/24 19:59:31	Extracted by: 450,3621		
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	Analytical Batch : DA077127VOL				Reviewed On : 08/26/24 12:43:36	
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-011				Batch Date : 08/22/24 12:45:12	
IMIDACLOPRID	0.010	ppm	1	PASS	ND	Analyzed Date : 08/22/24 20:50:19					
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	2	PASS	ND	Reagent : 081924.R01; 082124.R03; 082024.R04; 082024.R03					
METALAXYL	0.010	ppm	3	PASS	ND	Consumables : 326250IW					
METHIACARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/26/24



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

Sample : DA40821011-008

Harvest/Lot ID: 1101 3428 6432 2480

 Batch# : 1101 3428 6432
 2480

 Sampled : 08/21/24
 Ordered : 08/21/24

Sample Size Received : 4 units

Total Amount : 656 units

Completed : 08/26/24 Expires: 08/26/25

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0234g	Extraction date: 08/23/24 14:58:52	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL	Reviewed On : 08/24/24 17:58:42
Analytical Batch : DA07713350L	Batch Date : 08/22/24 13:23:09
Instrument Used : DA-GCMS-003	
Analyzed Date : 08/23/24 09:50:27	

Dilution : 1
 Reagent : 061323.01
 Consumables : 429659; 315545
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40821011-008
Harvest/Lot ID : 1101 3428 6432 2480
Batch# : 1101 3428 6432 2480
Sample Size Received : 4 units
Total Amount : 656 units
Sampled : 08/21/24
Completed : 08/26/24 Expires: 08/26/25
Ordered : 08/21/24
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000
Analyzed by: 4520, 4044, 585, 1440 Weight: 1.0479g Extraction date: 08/22/24 11:42:11 Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA077075MIC Reviewed On : 08/23/24 12:38:50 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-013, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (55°C) DA-021, Fisher Scientific Isotemp Heat Block (55°C) DA-366, Fisher Scientific Isotemp Heat Block (95°C) DA-367 Analyzed Date : 08/22/24 16:39:10 Dilution : 10 Reagent : 071824.01; 071824.06; 081324.R26; 082024.R19; 072424.13 Consumables : 7575001021 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
Analyzed by: 585, 3621, 1440 Weight: 0.8985g Extraction date: 08/22/24 19:59:31 Extracted by: 450,3621 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA077126MYC Reviewed On : 08/24/24 18:12:29 Instrument Used : N/A Batch Date : 08/22/24 12:45:10 Analyzed Date : 08/23/24 09:38:14 Dilution : 250 Reagent : 081924.R01; 082124.R03; 082024.R04; 082024.R03; 072224.R19; 082124.R01; 081023.01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.2258g Extraction date: 08/22/24 15:49:10 Extracted by: 1022,4056 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA077109HEA Reviewed On : 08/23/24 12:40:20 Instrument Used : DA-ICPMS-004 Batch Date : 08/22/24 11:30:43 Analyzed Date : 08/22/24 17:13:25 Dilution : 50 Reagent : 080224.R15; 081924.R05; 080924.R04; 081924.R03; 081924.R04; 061724.01; 081424.R39 Consumables : 179436; 021824CH01; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED
---	---------------------	---------------

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
08/26/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40821011-008

Harvest/Lot ID: 1101 3428 6432 2480

Batch#: 1101 3428 6432
2480

Sampled : 08/21/24
Ordered : 08/21/24

Sample Size Received : 4 units

Total Amount : 656 units

Completed : 08/26/24 Expires: 08/26/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material PASSED

Homogeneity PASSED

Amount of tests conducted : 9

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 585, 1440	NA	N/A	N/A

Analysis Method : SOP.T.40.090
Analytical Batch : DA077134FIL
Instrument Used : Filth/Foreign Material Microscope
Analyzed Date : 08/22/24 15:24:26
Reviewed On : 08/22/24 21:44:56
Batch Date : 08/22/24 15:20:49

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.653	PASS	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
4512, 585, 1440	7.2425g	08/23/24 07:50:56	4512

Analysis Method : SOP.T.40.019
Analytical Batch : DA077117WAT
Instrument Used : DA257 Rotronic HygroPalm
Analyzed Date : 08/23/24 07:51:17
Reviewed On : 08/23/24 09:42:18
Batch Date : 08/22/24 12:12:30

Dilution : N/A
Reagent : 051624.01
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	1.482	25

Analyzed by	Average Weight	Extraction date :	Extracted By :
4351, 3702, 585, 1440	4.137g	08/22/24 16:42:13	4351

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL
Analytical Batch : DA077062HOM
Instrument Used : DA-LC-004
Analyzed Date : 08/22/24 16:48:27
Reviewed On : 08/24/24 17:59:02
Batch Date : 08/22/24 08:54:52

Dilution : 40
Reagent : 080624.01; 081624.R13; 061124.19; 081624.R08
Consumables : 947.109; 021824CH01; 1009034917; 1009056395; CE0123; R1KB14270
Pipette : DA-065; DA-052

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

