



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40823008-001  
 Harvest/Lot ID: 0001 3428 6437 7054  
 Batch#: 0001 3428 6437 7054  
 Cultivation Facility: FL - Indiantown (3734)  
 Processing Facility: FL - Indiantown (3734)  
 Source Facility: FL - Indiantown (3734)  
 Seed to Sale#: 1101 3428 6432 3131  
 Batch Date: 08/15/24  
 Sample Size Received: 26 units  
 Total Amount: 2500 units  
 Retail Product Size: 1 gram  
 Retail Serving Size: 1 gram  
 Servings: 1  
 Ordered: 08/14/24  
 Sampled: 08/23/24  
 Completed: 08/28/24  
 Sampling Method: SOP.T.20.010

Aug 28, 2024 | Sunnyside

22205 Sw Martin Hwy  
 indiantown, FL, 34956, US

Sunnyside\*

PASSED

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
 Solvents  
 NOT TESTED



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
 TESTED

### MISC.



### Cannabinoid

PASSED



Total THC  
**30.173%**

Total THC/Container : 301.730 mg



Total CBD  
**0.029%**

Total CBD/Container : 0.290 mg



Total Cannabinoids  
**35.158%**

Total Cannabinoids/Container : 351.580 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.921	33.355	ND	0.034	ND	0.077	0.657	0.014	ND	ND	0.100
mg/unit	9.21	333.55	ND	0.34	ND	0.77	6.57	0.14	ND	ND	1.00
LOD	0.001	0.001	ND	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analized by:  
 3335, 1665, 585, 1440

Weight:  
 0.2014g

Extraction date:  
 08/26/24 11:51:30

Extracted by:  
 1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA077263POT  
 Instrument Used : DA-LC-001  
 Analyzed Date : 08/26/24 11:53:31

Reviewed On : 08/27/24 09:08:18  
 Batch Date : 08/26/24 08:24:36

Dilution : 400  
 Reagent : 082024.R16; 080624.10; 080624.R01  
 Consumables : 947.109; 04311046; 280670723; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 08/28/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40823008-001

Harvest/Lot ID: 0001 3428 6437 7054

Batch# : 0001 3428 6437  
7054

Sampled : 08/23/24  
Ordered : 08/23/24

Sample Size Received : 26 units

Total Amount : 2500 units

Completed : 08/28/24 Expires: 08/28/25

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED				
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)	
TOTAL TERPENES	0.007	9.48	0.948	VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	2.66	0.266	ALPHA-CEDRENE	0.005	ND	ND	
LIMONENE	0.007	1.46	0.146	ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	1.41	0.141	ALPHA-PINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.83	0.083	ALPHA-TERPINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	0.75	0.075	ALPHA-TERPINOLENE	0.007	ND	ND	
FARNESENE	0.007	0.67	0.067	CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-BISABOLOL	0.007	0.40	0.040	GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-TERPINEOL	0.007	0.39	0.039					
BETA-PINENE	0.007	0.38	0.038	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	Extraction date:	Extracted by:	
FENCHYL ALCOHOL	0.007	0.33	0.033		3605, 585, 1440	1.0647g	08/24/24 15:50:33	1879
TRANS-NEROLIDOL	0.005	0.20	0.020	Analysis Batch : DA077202TER			Reviewed On : 08/27/24 09:08:22	
3-CARENE	0.007	ND	ND	Instrument Used : DA-GCMS-008			Batch Date : 08/24/24 10:52:31	
BORNEOL	0.013	ND	ND	Analyzed Date : N/A				
CAMPHENE	0.007	ND	ND	Dilution : 10				
CAMPHOR	0.007	ND	ND	Reagent : 083123.46				
CARYOPHYLLENE OXIDE	0.007	ND	ND	Consumables : 947.109; 240321-634-A; 280670723; CE123				
CEDROL	0.007	ND	ND	Pipette : DA-065				
EUCALYPTOL	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.007	ND	ND					
GERANIOL	0.007	ND	ND					
GERANYL ACETATE	0.007	ND	ND					
GUAIOL	0.007	ND	ND					
HEXAHYDROTHYMOL	0.007	ND	ND					
ISOBORNEOL	0.007	ND	ND					
ISOPULEGOL	0.007	ND	ND					
NEROL	0.007	ND	ND					
OCIMENE	0.007	ND	ND					
PULEGONE	0.007	ND	ND					
SABINENE	0.007	ND	ND					
SABINENE HYDRATE	0.007	ND	ND					
<b>Total (%)</b>			<b>0.948</b>					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/28/24



# Certificate of Analysis

**PASSED**

Sunnyside

Sample : DA40823008-001  
Harvest/Lot ID: 0001 3428 6437 7054

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Batch#: 0001 3428 6437    Sample Size Received : 26 units  
7054    Total Amount : 2500 units  
Sampled : 08/23/24    Completed : 08/28/24 Expires: 08/28/25  
Ordered : 08/23/24    Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINO CYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3379, 585, 1440	<b>Weight:</b> 0.9216g	<b>Extraction date:</b> 08/26/24 15:19:05	<b>Extracted by:</b> 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville)					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA077239PES					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-LCMS-003 (PES)					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	<b>Analyzed Date :</b> 08/26/24 15:19:20					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	<b>Reagent :</b> 081924.R01; 082124.R03; 082324.R10; 082024.R03; 072224.R19; 082124.R01; 081023.01					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250IW					
FIPRONIL	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-093; DA-094; DA-219					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 1440	<b>Weight:</b> 0.9216g	<b>Extraction date:</b> 08/26/24 15:19:05	<b>Extracted by:</b> 3379		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville)					
IMAZALIL	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA077241VOL					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	<b>Instrument Used :</b> DA-GCMS-001					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	<b>Analyzed Date :</b> 08/26/24 17:10:02					
MALATHION	0.010	ppm	0.2	PASS	ND	<b>Dilution :</b> 250					
METALAXYL	0.010	ppm	0.1	PASS	ND	<b>Reagent :</b> 082324.R10; 081023.01; 081524.R31; 081524.R32					
METHIACARB	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250IW; 14725401					
METHOMYL	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-080; DA-146; DA-218					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/28/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40823008-001  
Harvest/Lot ID: 0001 3428 6437 7054  
Batch# : 0001 3428 6437 7054  
Sample Size Received : 26 units  
Total Amount : 2500 units  
Sampled : 08/23/24  
Completed : 08/28/24 Expires: 08/28/25  
Ordered : 08/23/24  
Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	10000	PASS	100000
<b>Analyzed by:</b> 4531, 4520, 585, 1440 <b>Weight:</b> 0.9545g <b>Extraction date:</b> 08/24/24 12:14:52 <b>Extracted by:</b> 4520 <b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA077205MIC <b>Reviewed On :</b> 08/27/24 10:27:07 <b>Batch Date :</b> 08/24/24 <b>Instrument Used :</b> PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-171, Fisher Scientific Isotemp Heat Block (55°C) 11:21:50 DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021, Fisher Scientific Isotemp Heat Block (55°C) DA-366, Fisher Scientific Isotemp Heat Block (95°C) DA-367 <b>Analyzed Date :</b> 08/26/24 10:45:54 <b>Dilution :</b> 10 <b>Reagent :</b> 071824.34; 081624.08; 082024.R19; 072424.13 <b>Consumables :</b> 7575001032 <b>Pipette :</b> N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
<b>Analyzed by:</b> 3379, 585, 1440 <b>Weight:</b> 0.9216g <b>Extraction date:</b> 08/26/24 15:19:05 <b>Extracted by:</b> 3379 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA077240MYC <b>Reviewed On :</b> 08/28/24 14:34:08 <b>Instrument Used :</b> N/A <b>Batch Date :</b> 08/24/24 16:27:14 <b>Analyzed Date :</b> 08/26/24 15:37:12 <b>Dilution :</b> 250 <b>Reagent :</b> 081924.R01; 082124.R03; 082324.R10; 082024.R03; 072224.R19; 082124.R01; 081023.01 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219					

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 4056, 1022, 585, 1440 <b>Weight:</b> 0.2468g <b>Extraction date:</b> 08/24/24 11:34:20 <b>Extracted by:</b> 1022,3807,4056 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA077185HEA <b>Reviewed On :</b> 08/27/24 08:25:32 <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 08/24/24 09:38:19 <b>Analyzed Date :</b> 08/25/24 17:19:18 <b>Dilution :</b> 50 <b>Reagent :</b> 080224.R15; 081924.R05; 082324.R03; 081924.R03; 081924.R04; 061724.01; 081424.R39 <b>Consumables :</b> 179436; 021824CH01; 210508058 <b>Pipette :</b> DA-061; DA-191; DA-216					

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
08/28/24



# Certificate of Analysis

**PASSED**

**Sunnyside**

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40823008-001

Harvest/Lot ID: 0001 3428 6437 7054

Batch#: 0001 3428 6437  
7054

Sampled : 08/23/24  
Ordered : 08/23/24

Sample Size Received : 26 units

Total Amount : 2500 units

Completed : 08/28/24 Expires: 08/28/25

Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material** PASSED



**Moisture** PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440  
Weight: 1g  
Extraction date: 08/25/24 19:14:40  
Extracted by: 1879

Analysis Method : SOP.T.40.090  
Analytical Batch : DA077258FIL  
Instrument Used : Filth/Foreign Material Microscope  
Analyzed Date : 08/25/24 19:09:35

Reviewed On : 08/25/24 19:25:19  
Batch Date : 08/25/24 19:05:43

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity** PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.457	PASS	0.65

Analyzed by: 4512, 585, 1440  
Weight: 0.837g  
Extraction date: 08/25/24 15:03:35  
Extracted by: 4512

Analysis Method : SOP.T.40.019  
Analytical Batch : DA077208WAT  
Instrument Used : DA257 Rotronic HygroPalm  
Analyzed Date : 08/25/24 15:09:00

Reviewed On : 08/26/24 14:27:35  
Batch Date : 08/24/24 11:55:34

Dilution : N/A  
Reagent : 080624.18  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.00	%	13.56	PASS	15

Analyzed by: 4512, 585, 1440  
Weight: 0.505g  
Extraction date: 08/25/24 14:10:00  
Extracted by: 4512

Analysis Method : SOP.T.40.021  
Analytical Batch : DA077206MOI

Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser, DA-385 Moisture Analyzer  
Analyzed Date : 08/25/24 14:26:29

Reviewed On : 08/26/24 14:17:39  
Batch Date : 08/24/24 11:22:05

Dilution : N/A  
Reagent : 020124.02; 080624.18  
Consumables : N/A  
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

