



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40823008-013
Harvest/Lot ID: 2063 9069 0001 3571
Batch#: 2063 9069 0001 3571
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale# 1101 3428 6432 2581
Batch Date: 08/15/24
Sample Size Received: 27.5 gram
Total Amount: 400 units
Retail Product Size: 2.5 gram
Retail Serving Size: 2.5 gram
Servings: 1
Ordered: 08/14/24
Sampled: 08/23/24
Completed: 08/28/24
Sampling Method: SOP.T.20.010

Aug 28, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
23.456%

Total THC/Container : 586.400 mg



Total CBD
0.014%

Total CBD/Container : 0.350 mg



Total Cannabinoids
27.339%

Total Cannabinoids/Container : 683.475 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	2.047	24.412	ND	0.017	ND	0.103	0.610	0.023	ND	0.036	0.091
mg/unit	51.18	610.30	ND	0.43	ND	2.58	15.25	0.58	ND	0.90	2.28
LOD	0.001	0.001	ND	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.2036g

Extraction date:
08/26/24 11:51:31

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA077263POT
Instrument Used : DA-LC-001
Analyzed Date : 08/26/24 11:53:31

Reviewed On : 08/27/24 09:10:40
Batch Date : 08/26/24 08:24:36

Dilution : 400
Reagent : 082024.R16; 080624.10; 080624.R01
Consumables : 947.109; 04311046; 280670723; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164



Signature
08/28/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40823008-013

Harvest/Lot ID: 2063 9069 0001 3571

Batch# : 2063 9069 0001
3571

Sampled : 08/23/24

Ordered : 08/23/24

Sample Size Received : 27.5 gram

Total Amount : 400 units

Completed : 08/28/24 Expires: 08/28/25

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	15.60	0.624	ALPHA-PHELLANDRENE	0.007	ND	ND
LINALOOL	0.007	4.63	0.185	ALPHA-PINENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	3.18	0.127	ALPHA-TERPINENE	0.007	ND	ND
BETA-MYRCENE	0.007	1.50	0.060	ALPHA-TERPINOLENE	0.007	ND	ND
LIMONENE	0.007	1.38	0.055	BETA-PINENE	0.007	ND	ND
ALPHA-TERPINEOL	0.007	1.15	0.046	CIS-NEROLIDOL	0.003	ND	ND
FARNESENE	0.007	1.10	0.044	GAMMA-TERPINENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	1.10	0.044	TRANS-NEROLIDOL	0.005	ND	ND
FENCHYL ALCOHOL	0.007	0.85	0.034				
ALPHA-BISABOLOL	0.007	0.73	0.029				
3-CARENE	0.007	ND	ND				
BORNEOL	0.013	ND	ND				
CAMPHENE	0.007	ND	ND				
CAMPHOR	0.007	ND	ND				
CARYOPHYLLENE OXIDE	0.007	ND	ND				
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
VALENCENE	0.007	ND	ND				
ALPHA-CEDRENE	0.005	ND	ND				
Total (%)			0.624				

Analyzed by: 3605, 585, 1440 Weight: 1.0237g Extraction date: 08/24/24 11:23:59 Extracted by: 1879.4451
 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
 Analytical Batch : DA077203TER Reviewed On : 08/27/24 09:10:43
 Instrument Used : DA-GCMS-009 Batch Date : 08/24/24 10:54:01
 Analyzed Date : N/A
 Dilution : 10
 Reagent : 083123.46
 Consumables : 947.109; 240321-634-A; 280670723; CE123
 Pipette : DA-065
 Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
08/28/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40823008-013

Harvest/Lot ID: 2063 9069 0001 3571

Batch# : 2063 9069 0001 3571

Sampled : 08/23/24
Ordered : 08/23/24

Sample Size Received : 27.5 gram

Total Amount : 400 units

Completed : 08/28/24 Expires: 08/28/25
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINO CYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 0.8232g Extraction date: 08/26/24 15:19:06 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA077239PES Reviewed On : 08/28/24 14:35:57 Instrument Used : DA-LCMS-003 (PES) Batch Date : 08/24/24 16:22:48 Analyzed Date : 08/26/24 15:19:20 Dilution : 250 Reagent : 081924.R01; 082124.R03; 082324.R10; 082024.R03; 072224.R19; 082124.R01; 081023.01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/28/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40823008-013
Harvest/Lot ID: 2063 9069 0001 3571
Batch# : 2063 9069 0001 3571
Sample Size Received : 27.5 gram
Total Amount : 400 units
Completed : 08/28/24 Expires: 08/28/25
Sample Method : SOP.T.20.010
Sampled : 08/23/24
Ordered : 08/23/24

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	20	PASS	100000
Analyzed by: 4531, 4520, 585, 1440 Weight: 0.9698g Extraction date: 08/24/24 12:14:54 Extracted by: 4520 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA077205MIC Reviewed On : 08/27/24 10:27:15 Batch Date : 08/24/24 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-171, Fisher Scientific Isotemp Heat Block (55°C) 11:21:50 DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021, Fisher Scientific Isotemp Heat Block (55°C) DA-366, Fisher Scientific Isotemp Heat Block (95°C) DA-367 Analyzed Date : 08/26/24 10:45:54 Dilution : 10 Reagent : 071824.34; 081624.08; 082024.R19; 072424.13 Consumables : 7575001032 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440 Weight: 0.8232g Extraction date: 08/26/24 15:19:06 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA077240MYC Reviewed On : 08/28/24 14:34:13 Instrument Used : N/A Batch Date : 08/24/24 16:27:14 Analyzed Date : 08/26/24 15:37:12 Dilution : 250 Reagent : 081924.R01; 082124.R03; 082324.R10; 082024.R03; 072224.R19; 082124.R01; 081023.01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	<0.100	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 4056, 1022, 585, 1440 Weight: 0.2673g Extraction date: 08/24/24 11:29:19 Extracted by: 1022,3807,4056 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA077185HEA Reviewed On : 08/27/24 08:25:33 Instrument Used : DA-ICPMS-004 Batch Date : 08/24/24 09:38:19 Analyzed Date : 08/25/24 17:19:18 Dilution : 50 Reagent : 080224.R15; 081924.R05; 082324.R03; 081924.R03; 081924.R04; 061724.01; 081424.R39 Consumables : 179436; 021824CH01; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	<0.100	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40823008-013

Harvest/Lot ID: 2063 9069 0001 3571
Batch#: 2063 9069 0001 3571
Sample Size Received : 27.5 gram
Total Amount : 400 units
Sampled : 08/23/24
Completed : 08/28/24 Expires: 08/28/25
Ordered : 08/23/24
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material **PASSED**



Moisture **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440
Weight: 1g
Extraction date: 08/25/24 19:14:41
Extracted by: 1879
Analysis Method : SOP.T.40.090
Analytical Batch : DA077258FIL
Instrument Used : Filth/Foreign Material Microscope
Analyzed Date : 08/25/24 19:09:35
Reviewed On : 08/25/24 19:25:12
Batch Date : 08/25/24 19:05:43

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.00	%	11.38	PASS	15

Analyzed by: 4512, 585, 1440
Weight: 0.502g
Extraction date: 08/25/24 14:20:13
Extracted by: 4512
Analysis Method : SOP.T.40.021
Analytical Batch : DA077206MOI
Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser, DA-385 Moisture Analyzer
Analyzed Date : 08/25/24 14:26:29
Reviewed On : 08/26/24 14:16:29
Batch Date : 08/24/24 11:22:05

Dilution : N/A
Reagent : 020124.02; 080624.18
Consumables : N/A
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.505	PASS	0.65

Analyzed by: 4512, 585, 1440
Weight: 0.771g
Extraction date: 08/25/24 15:05:28
Extracted by: 4512
Analysis Method : SOP.T.40.019
Analytical Batch : DA077208WAT
Instrument Used : DA257 Rotronic HygroPalm
Analyzed Date : 08/25/24 15:09:00
Reviewed On : 08/26/24 14:27:40
Batch Date : 08/24/24 11:55:34

Dilution : N/A
Reagent : 080624.18
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

