



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40823008-014
Harvest/Lot ID: 0001 3428 6433 2782
Batch#: 0001 3428 6433 2782
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale#: 1101 3428 6432 4230
Batch Date: 08/16/24
Sample Size Received: 11 units
Total Amount: 320 units
Retail Product Size: 2.5 gram
Retail Serving Size: 2.5 gram
Servings: 1
Ordered: 08/14/24
Sampled: 08/23/24
Completed: 08/28/24
Sampling Method: SOP.T.20.010

Aug 28, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

30.164%

Total THC/Container : 754.100 mg



Total CBD

0.060%

Total CBD/Container : 1.500 mg



Total Cannabinoids

36.146%

Total Cannabinoids/Container : 903.650 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|--------|-----|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 0.765 | 33.523 | ND | 0.069 | ND | 0.144 | 1.407 | ND | ND | 0.190 | 0.048 |
| mg/unit | 19.13 | 838.08 | ND | 1.73 | ND | 3.60 | 35.18 | ND | ND | 4.75 | 1.20 |
| LOD | 0.001 | 0.001 | ND | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | % | % | % | % | % | % | % | % | % | % | % |

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.2087g

Extraction date:
08/26/24 11:51:31

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA077263POT

Instrument Used : DA-LC-001

Analyzed Date : 08/26/24 11:53:31

Reviewed On : 08/27/24 09:10:46

Batch Date : 08/26/24 08:24:36

Dilution : 400

Reagent : 082024.R16; 080624.10; 080624.R01

Consumables : 947.109; 04311046; 280670723; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/28/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FloraCal Whole Flower Pre-Roll Multipack 2.5g - Slurricrasher Mnts (I)

Slurricrasher Mints

Matrix : Flower

Type: Preroll



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40823008-014

Harvest/Lot ID: 0001 3428 6433 2782

Batch# : 0001 3428 6433

2782

Sampled : 08/23/24

Ordered : 08/23/24

Sample Size Received : 11 units

Total Amount : 320 units

Completed : 08/28/24 Expires: 08/28/25

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

| Terpenes | LOD (%) | mg/unit | % | Result (%) | Terpenes | LOD (%) | mg/unit | % | Result (%) |
|---------------------|---------|---------|-------|------------|--|---------|-------------------|---------------|---------------------------------|
| TOTAL TERPENES | 0.007 | 43.88 | 1.755 | | VALENCENE | 0.007 | ND | ND | |
| LIMONENE | 0.007 | 14.40 | 0.576 | | ALPHA-CEDRENE | 0.005 | ND | ND | |
| BETA-CARYOPHYLLENE | 0.007 | 8.25 | 0.330 | | ALPHA-PHELLANDRENE | 0.007 | ND | ND | |
| LINALOOL | 0.007 | 4.83 | 0.193 | | ALPHA-TERPINENE | 0.007 | ND | ND | |
| BETA-PINENE | 0.007 | 3.28 | 0.131 | | ALPHA-TERPINOLENE | 0.007 | ND | ND | |
| FENCHYL ALCOHOL | 0.007 | 2.95 | 0.118 | | CIS-NEROLIDOL | 0.003 | ND | ND | |
| ALPHA-HUMULENE | 0.007 | 2.78 | 0.111 | | GAMMA-TERPINENE | 0.007 | ND | ND | |
| ALPHA-PINENE | 0.007 | 2.28 | 0.091 | | TRANS-NEROLIDOL | 0.005 | ND | ND | |
| ALPHA-TERPINEOL | 0.007 | 2.23 | 0.089 | | | | | | |
| BETA-MYRCENE | 0.007 | 1.18 | 0.047 | | Analysis by: | Weight: | Extraction date: | Extracted by: | |
| ALPHA-BISABOLOL | 0.007 | 1.15 | 0.046 | | 3605, 585, 1440 | 1.0116g | 08/24/24 11:22:53 | 1879.4451 | |
| OCIMENE | 0.007 | 0.58 | 0.023 | | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL | | | | |
| 3-CARENE | 0.007 | ND | ND | | Analytical Batch : DA077203TER | | | | Reviewed On : 08/27/24 09:10:49 |
| BORNEOL | 0.013 | ND | ND | | Instrument Used : DA-GCMS-009 | | | | Batch Date : 08/24/24 10:54:01 |
| CAMPHENE | 0.007 | ND | ND | | Analyzed Date : N/A | | | | |
| CAMPHOR | 0.007 | ND | ND | | Dilution : 10 | | | | |
| CARYOPHYLLENE OXIDE | 0.007 | ND | ND | | Reagent : 083123.46 | | | | |
| CEDROL | 0.007 | ND | ND | | Consumables : 947.109; 240321-634-A; 280670723; CE123 | | | | |
| EUCALYPTOL | 0.007 | ND | ND | | Pipette : DA-065 | | | | |
| FARNESENE | 0.007 | ND | ND | | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | | |
| FENCHONE | 0.007 | ND | ND | | | | | | |
| GERANIOL | 0.007 | ND | ND | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | |
| GUAJOL | 0.007 | ND | ND | | | | | | |
| HEXAHYDROTHYMOL | 0.007 | ND | ND | | | | | | |
| ISOBORNEOL | 0.007 | ND | ND | | | | | | |
| ISOPULEGOL | 0.007 | ND | ND | | | | | | |
| NEROL | 0.007 | ND | ND | | | | | | |
| PULEGONE | 0.007 | ND | ND | | | | | | |
| SABINENE | 0.007 | ND | ND | | | | | | |
| SABINENE HYDRATE | 0.007 | ND | ND | | | | | | |
| Total (%) | | | 1.755 | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/28/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FloraCal Whole Flower Pre-Roll Multipack 2.5g - Slurricrasher Mnts (I)

Slurricrasher Mints

Matrix : Flower

Type: Preroll



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40823008-014

Harvest/Lot ID: 0001 3428 6433 2782

Batch# : 0001 3428 6433

2782

Sampled : 08/23/24

Ordered : 08/23/24

Sample Size Received : 11 units

Total Amount : 320 units

Completed : 08/28/24 Expires: 08/28/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|-----------------|------------------------------------|--------------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | PPM | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | PPM | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | ND | CHLORDANE * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 3379, 585, 1440 | Weight: 0.8095g | Extraction date: 08/26/24 15:16:50 | Extracted by: 3379 | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) | | | | | |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA077242PES | | Reviewed On : 08/28/24 14:45:02 | | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-004 (PES) | | Batch Date : 08/24/24 16:33:16 | | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : 08/26/24 15:17:47 | | | | | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 082224.R01; 082124.R03; 082324.R10; 081924.R02; 072224.R19; 082124.R01; 081023.01 | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 326250IW | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 450, 585, 1440 | Weight: 0.8095g | Extraction date: 08/26/24 15:16:50 | Extracted by: 3379 | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA077244VOL | | Reviewed On : 08/28/24 14:42:25 | | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-GCMS-011 | | Batch Date : 08/24/24 16:39:44 | | | |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | Analyzed Date : 08/26/24 17:08:19 | | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | Reagent : 082324.R10; 081023.01; 081524.R31; 081524.R32 | | | | | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 326250IW; 14725401 | | | | | |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/28/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FloraCal Whole Flower Pre-Roll Multipack 2.5g - Slurricrasher Mnts (I)

Slurricrasher Mints

Matrix : Flower

Type: Preroll



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40823008-014

Harvest/Lot ID: 0001 3428 6433 2782

Batch# : 0001 3428 6433
2782

Sampled : 08/23/24
Ordered : 08/23/24


Sample Size Received : 11 units


Total Amount : 320 units


Completed : 08/28/24 Expires: 08/28/25

Sample Method : SOP.T.20.010

Page 4 of 5

| | | | | | |
|--|------------------|------------------------------------|--------------------|---|---------------------|
|  | Microbial | PASSED | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | |
| ECOLI SHIGELLA | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10.00 | CFU/g | 110 | PASS | 100000 |
| Analyzed by: 4531, 4520, 585, 1440 | Weight: 0.8306g | Extraction date: 08/24/24 12:14:54 | Extracted by: 4520 | Reviewed On : 08/27/24 10:27:16 Batch Date : 08/24/24 | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA077205MIC | | | | | |
| Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-171,Fisher Scientific Isotemp Heat Block (55°C) 11:21:50 DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367 Analyzed Date : 08/26/24 10:45:54 | | | | | |
| Dilution : 10 Reagent : 071824.34; 081624.08; 082024.R19; 072424.13 Consumables : 7575001032 Pipette : N/A | | | | | |
| Analyzed by: 4520, 4531, 585, 1440 | Weight: 0.8306g | Extraction date: 08/24/24 12:14:54 | Extracted by: 4520 | Reviewed On : 08/27/24 09:08:56 Batch Date : 08/24/24 11:24:27 | |
| Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA077207TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Analyzed Date : 08/24/24 17:10:45 | | | | | |
| Dilution : 10 Reagent : 071824.34; 081624.08; 080524.R13 Consumables : N/A Pipette : N/A | | | | | |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | |

| | | | | | |
|---|-------------------|------------------------------------|--------------------|---|---------------------|
|  | Mycotoxins | PASSED | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| AFLATOXIN B2 | 0.00 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | 0.00 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | 0.00 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | 0.00 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G2 | 0.00 | ppm | ND | PASS | 0.02 |
| Analyzed by: 3379, 585, 1440 | Weight: 0.8095g | Extraction date: 08/26/24 15:16:50 | Extracted by: 3379 | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA077243MYC Instrument Used : N/A Analyzed Date : 08/26/24 15:37:14 Reviewed On : 08/28/24 10:11:47 Batch Date : 08/24/24 16:39:43 | |
| Dilution : 250 Reagent : 082224.R01; 082124.R03; 082324.R10; 081924.R02; 072224.R19; 082124.R01; 081023.01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 | | | | | |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

| | | | | | |
|---|---------------------|------------------------------------|-------------------------|--|---------------------|
|  | Heavy Metals | PASSED | | | |
| Metal | LOD | Units | Result | Pass / Fail | Action Level |
| TOTAL CONTAMINANT LOAD METALS | 0.08 | ppm | ND | PASS | 1.1 |
| ARSENIC | 0.02 | ppm | ND | PASS | 0.2 |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.2 |
| MERCURY | 0.02 | ppm | ND | PASS | 0.2 |
| LEAD | 0.02 | ppm | ND | PASS | 0.5 |
| Analyzed by: 4056, 1022, 585, 1440 | Weight: 0.2541g | Extraction date: 08/24/24 14:30:58 | Extracted by: 3807,4056 | Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA077215HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 08/25/24 17:19:26 Reviewed On : 08/27/24 09:09:37 Batch Date : 08/24/24 14:16:36 | |
| Dilution : 50 Reagent : 080224.R15; 081924.R05; 082324.R03; 081924.R03; 081924.R04; 061724.01; 081424.R39 Consumables : 179436; 021824CH01; 210508058 Pipette : DA-061; DA-191; DA-216 | | | | | |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/28/24



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: julio.Chavez@crescolabs.com

Sample : DA40823008-014

Harvest/Lot ID: 0001 3428 6433 2782

 Batch# : 0001 3428 6433
 2782

Sampled : 08/23/24

Ordered : 08/23/24

Sample Size Received : 11 units

Total Amount : 320 units

Completed : 08/28/24 Expires: 08/28/25

Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign
Material**
PASSED

Moisture
PASSED

| Analyte | LOD | Units | Result | P/F | Action Level | Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-------|-------|--------|------|--------------|------------------|------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 | Moisture Content | 1.00 | % | 13.29 | PASS | 15 |

 Analyzed by: 1879, 585, 1440
 Weight: 1g
 Extraction date: 08/25/24 19:14:41
 Extracted by: 1879

 Analysis Method : SOP.T.40.090
 Analytical Batch : DA077258FIL
 Instrument Used : Filth/Foreign Material Microscope
 Analyzed Date : 08/25/24 19:09:35

 Reviewed On : 08/25/24 19:31:09
 Batch Date : 08/25/24 19:05:43

 Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw | 0.507 | PASS | 0.65 |

 Analyzed by: 4512, 585, 1440
 Weight: 0.834g
 Extraction date: 08/25/24 15:05:28
 Extracted by: 4512

 Analysis Method : SOP.T.40.019
 Analytical Batch : DA077208WAT
 Instrument Used : DA257 Rotronic HygroPalm
 Analyzed Date : 08/25/24 15:09:00

 Reviewed On : 08/26/24 14:27:43
 Batch Date : 08/24/24 11:55:34

 Dilution : N/A
 Reagent : 080624.18
 Consumables : PS-14
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

 Analyzed by: 4512, 585, 1440
 Weight: 0.504g
 Extraction date: 08/25/24 14:20:13
 Extracted by: 4512

 Analysis Method : SOP.T.40.021
 Analytical Batch : DA077206MOI

 Reviewed On : 08/26/24
 14:16:29

 Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture
 Analyzer, DA-263 Moisture Analyser, DA-264 Moisture
 Analyser, DA-385 Moisture Analyzer
 Analyzed Date : 08/25/24 14:26:29

 Batch Date : 08/24/24
 11:22:05

 Dilution : N/A
 Reagent : 020124.02; 080624.18
 Consumables : N/A
 Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.