



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40827005-005
 Harvest/Lot ID: 1101 3428 6432 3358
 Batch#: 1101 3428 6432 3358
 Cultivation Facility: FL - Indiantown (3734)
 Processing Facility: FL - Indiantown (3734)
 Source Facility: FL - Indiantown (3734)
 Seed to Sale#: 1101 3428 6432 6552
 Batch Date: 08/16/24
 Sample Size Received: 533 gram
 Total Amount: 2935 units
 Retail Product Size: 41.6401 gram
 Retail Serving Size: 4.1 gram
 Servings: 10
 Ordered: 08/21/24
 Sampled: 08/27/24
 Completed: 08/29/24
 Sampling Method: SOP.T.20.010

Aug 29, 2024 | Sunnyside

22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS


Pesticides
PASSED


Heavy Metals
PASSED


Microbials
PASSED


Mycotoxins
PASSED


Residuals Solvents
PASSED


Filtration
PASSED


Water Activity
PASSED


Moisture
NOT TESTED

MISC.


Terpenes
NOT TESTED



Cannabinoid

PASSED



Total THC
0.248%
 Total THC/Container : 103.267 mg



Total CBD
ND
 Total CBD/Container : 0.000 mg



Total Cannabinoids
0.259%
 Total Cannabinoids/Container : 107.848 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.248	ND	ND	ND	ND	0.008	ND	0.003	ND	ND	ND
mg/unit	103.27	ND	ND	ND	ND	3.33	ND	1.25	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
 3335, 1665, 585, 1440

Weight:
 2.9378g

Extraction date:
 08/27/24 13:52:11

Extracted by:
 1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA077298POT
 Instrument Used : DA-LC-007
 Analyzed Date : 08/27/24 13:52:31

Reviewed On : 08/28/24 13:09:03
 Batch Date : 08/27/24 10:48:05

Dilution : 40
 Reagent : 061724.01; 082724.R04; 051524.07; 081524.R03; 081324.14
 Consumables : 947.109; 021824CH01; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 08/29/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40827005-005
Harvest/Lot ID: 1101 3428 6432 3358

Batch# : 1101 3428 6432 Sample Size Received : 533 gram
3358 Total Amount : 2935 units
Sampled : 08/27/24 Completed : 08/29/24 Expires: 08/29/25
Ordered : 08/27/24 Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINO CYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analyzed by: 3621, 585, 1440 Weight: 0.8336g Extraction date: 08/27/24 15:50:39 Extracted by: 3621 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA077321PES Reviewed On : 08/29/24 16:11:49 Instrument Used : DA-LCMS-004 (PES) Batch Date : 08/27/24 11:46:40 Analyzed Date : 08/28/24 14:21:29 Dilution : 250 Reagent : 082724.R02; 082124.R03; 082324.R10; 081924.R02; 072224.R19; 082124.R01; 081023.01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.8336g Extraction date: 08/27/24 15:50:39 Extracted by: 3621 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) Analytical Batch : DA077323VOL Reviewed On : 08/29/24 13:49:13 Instrument Used : DA-GCMS-011 Batch Date : 08/27/24 11:49:49 Analyzed Date : 08/27/24 18:27:22 Dilution : 250 Reagent : 082324.R10; 081023.01; 081524.R31; 081524.R32 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
FENHEXAMID	0.010	ppm	3	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	2	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	2	PASS	ND						
FLUDIOXONIL	0.010	ppm	3	PASS	ND						
HEXYTHIAZOX	0.010	ppm	2	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	1	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND						
MALATHION	0.010	ppm	2	PASS	ND						
METALAXYL	0.010	ppm	3	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/29/24



Certificate of Analysis

PASSED
Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

Sample : DA40827005-005

 Harvest/Lot ID: 1101 3428 6432 3358
 Batch#: 1101 3428 6432 3358
 Sample Size Received : 533 gram
 Total Amount : 2935 units
 Completed : 08/29/24 Expires: 08/29/25
 Ordered : 08/27/24
 Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0251g	Extraction date: 08/28/24 11:47:27	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA07733950L Instrument Used : DA-GCMS-003 Analyzed Date : 08/28/24 11:05:07	Reviewed On : 08/28/24 12:25:09 Batch Date : 08/27/24 15:00:36
-------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------

 Dilution : 1
 Reagent : 030420.09
 Consumables : 430274; 306143
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40827005-005
Harvest/Lot ID: 1101 3428 6432 3358
Batch# : 1101 3428 6432 3358
Sample Size Received : 533 gram
Total Amount : 2935 units
Sampled : 08/27/24
Completed : 08/29/24 Expires: 08/29/25
Ordered : 08/27/24
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
-----------------------------------------------------------------------------------	------------------	---------------	-----------------------------------------------------------------------------------	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000
Analyzed by: 3390, 4520, 585, 1440 Weight: 0.92g Extraction date: 08/27/24 11:17:25 Extracted by: 4520 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA077287MIC Reviewed On : 08/28/24 12:23:16 Batch Date : 08/27/24 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) 09:21:43 DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021, Fisher Scientific Isotemp Heat Block (55°C) DA-366, Fisher Scientific Isotemp Heat Block (95°C) DA-367 Analyzed Date : 08/27/24 12:38:57 Dilution : 10 Reagent : 071824.34; 081624.06; 081624.09; 082024.R19; 072424.13 Consumables : 7575001020 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
Analyzed by: 3379, 3621, 585, 1440 Weight: 0.8336g Extraction date: 08/27/24 15:50:39 Extracted by: 3621 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA077322MYC Reviewed On : 08/29/24 16:08:39 Instrument Used : N/A Batch Date : 08/27/24 11:49:47 Analyzed Date : 08/28/24 13:23:50 Dilution : 250 Reagent : 082724.R02; 082124.R03; 082324.R10; 081924.R02; 072224.R19; 082124.R01; 081023.01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.2515g Extraction date: 08/27/24 15:36:32 Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA077294HEA Reviewed On : 08/28/24 15:59:16 Instrument Used : DA-ICPMS-004 Batch Date : 08/27/24 10:27:34 Analyzed Date : 08/27/24 19:28:59 Dilution : 50 Reagent : 080224.R15; 082624.R06; 082324.R03; 082624.R04; 082624.R05; 061724.01; 081424.R39 Consumables : 179436; 021824CH01; 210508058 Pipette : DA-061; DA-191; DA-216					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
-------------------------------------------------------------------------------------	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.2515g Extraction date: 08/27/24 15:36:32 Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA077294HEA Reviewed On : 08/28/24 15:59:16 Instrument Used : DA-ICPMS-004 Batch Date : 08/27/24 10:27:34 Analyzed Date : 08/27/24 19:28:59 Dilution : 50 Reagent : 080224.R15; 082624.R06; 082324.R03; 082624.R04; 082624.R05; 061724.01; 081424.R39 Consumables : 179436; 021824CH01; 210508058 Pipette : DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

Sample : DA40827005-005

Harvest/Lot ID: 1101 3428 6432 3358

 Batch#: 1101 3428 6432
 3358

 Sampled : 08/27/24
 Ordered : 08/27/24

Sample Size Received : 533 gram

Total Amount : 2935 units

Completed : 08/29/24 Expires: 08/29/25

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material **PASSED**
Homogeneity **PASSED**
 Amount of tests conducted : 24

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 585, 1440	NA	N/A	N/A

 Analysis Method : SOP.T.40.090
 Analytical Batch : DA077385FIL
 Instrument Used : Filth/Foreign Material Microscope
 Analyzed Date : 08/28/24 15:05:53
 Reviewed On : 08/28/24 15:17:35
 Batch Date : 08/28/24 11:21:25

 Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.636	PASS	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
4512, 585, 1440	6.795g	08/28/24 09:30:54	4351,4512

 Analysis Method : SOP.T.40.019
 Analytical Batch : DA077308WAT
 Instrument Used : DA-028 Rotronic HygroPalm
 Analyzed Date : 08/28/24 09:33:22
 Reviewed On : 08/28/24 11:47:31
 Batch Date : 08/27/24 11:16:35

 Dilution : N/A
 Reagent : 080624.18
 Consumables : PS-14
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	1.109	25

Analyzed by	Average Weight	Extraction date :	Extracted By :
4444, 3702, 585, 1440	4.206g	08/27/24 12:08:52	4444

 Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL
 Analytical Batch : DA077284HOM
 Instrument Used : DA-LC-004
 Analyzed Date : 08/27/24 13:02:28
 Reviewed On : 08/28/24 12:23:38
 Batch Date : 08/27/24 09:18:57

 Dilution : 40
 Reagent : 082724.R07; 042723.19; 082724.R14
 Consumables : 947.109; 021824CH01; 1009034917; 1009056395; CE123; R1KB14270
 Pipette : DA-108; DA-078

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.